


SOURCE EMISSIONS SURVEY
OF
BFI TESSMAN ROAD LANDFILL
ENCLOSED FLARE OUTLET STACK
AND INLET DUCT
SAN ANTONIO, TEXAS
FOR
WEAVER BOOS & GORDON

NOVEMBER 2002

FILE NUMBER 02-299A

" I certify that I have personally checked and am familiar with the information submitted herein, and based on my inquiries of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. "



James R. Monfries
Senior Quality Assurance Manager

TABLE OF CONTENTS

	PAGE
INTRODUCTION	1
SUMMARY OF RESULTS	2
DISCUSSION OF RESULTS	6
PROCESS SCHEMATIC	8
DESCRIPTION OF SAMPLING LOCATIONS	9
SAMPLING AND ANALYTICAL PROCEDURES	12
DESCRIPTION OF TESTS	19
APPENDICES	20
A. Location of Sampling Points	
B. Source Emissions Calculations	
C. Calibration Data	
D. Field Testing Data	
E. Analytical Data	
F. Reference Method Monitor Data	
G. Plant Operational Data and F_d Factor Calculations	
H. Chain of Custody	
I. Resumes of Test Personnel	

SOURCE EMISSIONS SURVEY
BFI TESSMAN ROAD LANDFILL
ENCLOSED FLARE OUTLET STACK
AND INLET DUCT
SAN ANTONIO, TEXAS
FOR
WEAVER BOOS & GORDON
FILE NUMBER 02-299A

INTRODUCTION

METCO Environmental, P.O. Box 598, Addison, Texas, conducted a source emissions survey of BFI Tessman Road Landfill, located near San Antonio, Texas, for Weaver Boos & Gordon, on November 4, 5, and 6, 2002. The purpose of these tests was to determine the concentrations of non-methane organic compounds being emitted to the atmosphere via the Enclosed Flare Outlet Stack. The concentrations of non-methane organic compounds were also determined at the Enclosed Flare Inlet Duct in order to calculate the removal efficiency.

The sampling was performed by the following METCO personnel: Mike Bass – Project Supervisor, Mike Hoskovec, and Joe Hannon.

The sampling followed the procedures set forth in the Code of Federal Regulations, Title 40, Chapter I, Part 60, Appendix A, Methods 3B, 3C, 4, 18, 19, 25A, and 25C; and in the "Sampling Procedures Manual, Texas Air Control Board, Revised July 1985."

SUMMARY OF RESULTS

Enclosed Flare

Run Number	<u>Inlet Duct</u>		<u>Outlet Stack</u>		Removal Efficiency (%**)
	Non-Methane Organic Compounds Emissions as Hexane		Non-Methane Organic Compounds Emissions as Hexane		
	<u>(dry ppm)</u>	<u>(lbs/hr)</u>	<u>(dry ppm*)</u>	<u>(lbs/hr)</u>	
2	551.7	7.38	2.0	0.12	98.37
3	579.2	7.75	0.2	0.01	99.87
4	<u>551.7</u>	<u>7.38</u>	<u>0.8</u>	<u>0.05</u>	<u>99.32</u>
Average	560.9	7.50	1.0	0.06	99.19
Allowable Emission Rate	----	----	< 20	----	> 98

* Corrected to 3 percent oxygen.

** Based on the pounds per hour emissions.

Note: Run Number 1 was aborted because the total hydrocarbons concentrations exceeded the calibration range of the reference method monitor.

SUMMARY OF RESULTS

Enclosed Flare Outlet Stack

Run Number	2	3	4
Date	11/05/02	11/05/02	11/05/02
Time	1440-1555	1644-1744	1753-1853
Stack Flow Rate - DSCFM*	8,207	8,380	8,945
% Water Vapor - % Volume	8.81	7.33	7.70
% CO ₂ - % Vol. <i>x 10,000 to get #</i>	<i>50,000</i> 5.4	6.0	5.0
% O ₂ - % Vol.	11.2	11.4	12.0
% Excess Air @ Sampling Point	102.7	108.7	120.1
Unit Heat Input - million Btu/hr	24.024	24.024	24.024

* 29.92 "Hg, 68°F (760 mm Hg, 20°C) calculated according to EPA Method 19.

Note: Run Number 1 was aborted because the total hydrocarbons concentrations exceeded the calibration range of the reference method monitor.

SUMMARY OF RESULTS

Enclosed Flare Outlet Stack

Run Number	2	3	4
Total Hydrocarbons Emissions as Propane - wet ppm	3.7	1.4	1.7
Total Hydrocarbons Emissions as Propane - dry ppm	4.1	1.5	1.8
Total Hydrocarbons Emissions as Hexane - dry ppm	2.1	0.8	0.9
Methane Concentrations as Hexane - dry ppm	1.0	0.7	0.5
Non-Methane Organic Compounds Emissions as Hexane - dry ppm	1.1	0.1	0.4
Non-Methane Organic Compounds Emissions as Hexane - dry ppm*	2.0	0.2	0.8
Non-Methane Organic Compounds Emissions as Hexane - lbs/hr	0.12	0.01	0.05

* Corrected to 3 percent oxygen.

Note: Run Number 1 was aborted because the total hydrocarbons concentrations exceeded the calibration range of the reference method monitor.

SUMMARY OF RESULTS

Enclosed Flare Inlet Duct

Run Number	2	3	4
Date	11/05/02	11/05/02	11/05/02
Time	1440-1555	1644-1744	1753-1853
Flow Rate - DSCFM* <i>→ cfm, not dscfm</i>	996	996	996
Duct Temperature - °F*	1,608	1,608	1,608
Non-Methane Organic Compounds Emissions as Methane - dry ppm	3,310	3,475	3,310
Non-Methane Organic Compounds Emissions as Hexane - dry ppm	551.7	579.2	551.7
Non-Methane Organic Compounds Emissions as Hexane - lbs/hr	7.38	7.75	7.38

* Data interpolated from chart provided by BFI Waste Systems located on page G-2.

Note: Run Number 1 was aborted because the total hydrocarbons concentrations exceeded the calibration range of the reference method monitor used on the stack.

DISCUSSION OF RESULTS

Run Number 1 was aborted because the total hydrocarbons concentrations exceeded the calibration range of the reference method monitor used on the stack.

Enclosed Flare Outlet Stack

The three completed tests for non-methane organic compounds appeared to be valid representations of the actual emissions during the tests. All leak checks performed on the sampling train, the integrated bag sampling system, and the reference method monitor sampling system showed no leaks before or after each test. The zero and calibration drift tests of the reference method monitor were stable with no variations greater than 3.0 percent. The calibration error check and the sampling system bias check performed on the reference method monitor prior to testing were valid. The indicative parameters calculated from the field data were in close agreement. The moisture percentages for the three completed tests were within 10.9 percent of the mean value.


The calculated emissions (pounds per hour) of non-methane organic compounds for the three completed tests showed a range of -83.3 percent to +100.0 percent variation from the mean value. The large variation is due to the low concentrations of non-methane organic compounds measured.

Enclosed Flare Inlet Duct

The three completed tests for non-methane organic compounds appeared to be valid representations of the actual emissions during the tests. All leak checks performed on the canister sampling system showed no leaks before or after each test.

The calculated emissions (pounds per hour) of non-methane organic compounds for three completed tests showed a range of -1.6 to +3.3 percent variation from the mean value.

PROCESS SCHEMATIC




DESCRIPTION OF SAMPLING LOCATIONS

The sampling location on the Enclosed Flare Outlet Stack is approximately 35 feet above the ground. The sampling ports are located 27 feet 2 inches (2.70 stack diameters) downstream from an inlet to the stack and 5 feet (0.50 stack diameters) upstream from the outlet of the stack.

The sampling location on the Enclosed Flare Inlet Duct is approximately 3 feet above the ground. The sampling ports are located 24 feet 5 1/2 inches (24.46 duct diameters) downstream from a bend in the duct and 8 feet 3 3/4 inches (8.31 duct diameters) upstream from an expansion in the stack.


SAMPLING LOCATION

Enclosed Flare Outlet Stack



SAMPLING LOCATION

Enclosed Flare Inlet Duct



SAMPLING AND ANALYTICAL PROCEDURES

The sampling followed the procedures set forth in the Code of Federal Regulations, Title 40, Chapter I, Part 60, Appendix A, Methods 3B, 3C, 4, 18, 19, 25A, and 25C; and in the "Sampling Procedures Manual, Texas Air Control Board, Revised July 1985."

The flow rate on the stack was calculated according to EPA Method 19.

The sampling train was leak-checked at 15 inches of mercury vacuum before each test, and again after each test at the highest vacuum reading recorded during the test. This was done to predetermine the possibility of a diluted sample.

The reference method monitor sampling system was leak-checked at the end of the sampling probe, before sampling, and again at the conclusion of sampling.

An integrated orsat sample was collected and analyzed according to EPA Method 3B during each test on the stack.

Moisture

The moisture samples were taken according to EPA Method 4. For each run, samples of sixty-minute duration were taken from the midpoint of the stack. Data was recorded at five-minute intervals.

The " front-half " of the sampling train contained the following components:

Stainless Steel Probe

Heated Teflon Flex Line @ $248^{\circ}\text{F} \pm 25^{\circ}\text{F}$

Heated Glass Fiber Filter and Glass Support @ $248^{\circ}\text{F} \pm 25^{\circ}\text{F}$

The " back-half " of the sampling train contained the following components:

<u>Impinger Number</u>	<u>Contents</u>	<u>Amount</u>	<u>Parameter Collected</u>
1	Deionized Water	100 ml	Moisture
2	Deionized Water	100 ml	Moisture
3	Empty	---	Moisture
4	Silica Gel	200 g	Moisture

Non-Methane Organic Compounds

The non-methane organic compounds sampling on the stack was performed according to EPA Methods 18 and 25A. A J.U.M. Model VE-7 Total Hydrocarbon Analyzer (Serial Number 101841092) was used to monitor the concentrations of total organic compounds during each run. The reference method analyzer was operated at a range of 0 to 100 parts per million. A multi-point calibration was performed on the reference method analyzer prior to testing. An analyzer calibration error check and a sampling system bias check were also conducted prior to testing. After each run, the zero and calibration drift of the reference method monitor was checked. The calibration gases were as follows:

Zero Nitrogen

27.6 ppm C₃H₈ in N₂ (BLM 4119)

46.1 ppm C₃H₈ in N₂ (BAL 1901)

85.3 ppm C₃H₈ in N₂ (BLM 4045)

The reference method sampling system consisted of a heated probe and a heated Teflon sample line. The calibration gases for the bias and drift checks were introduced upstream of the heated Teflon sample line.

Calibration gas certifications are included in Appendix C.


An integrated gas sample was also collected during each test according to EPA Method 18. The reference method sampling system consisted of a stainless steel probe, a chilled condenser, and an aluminized Tedlar bag. The integrated samples were analyzed for methane by GC/FID. The concentrations of methane were subtracted from the total organics concentrations to obtain the non-methane organic compounds concentrations.

The gaseous compounds sampling on the inlet duct was performed according to EPA Methods 3C and 25C modified. For each run, samples of sixty-minute duration were taken from the midpoint of the duct. The reference method sampling system consisted of a stainless steel probe, a rotameter, and a stainless steel canister. The samples were analyzed by TCD for carbon dioxide, methane, nitrogen, and oxygen. The samples were analyzed for total gaseous non-methane organics by FID/TCA.


02-299A

-15-


Schematic Diagram of the EPA Method 4 Sampling Train used on the Stack




Reference Method Monitor Sampling System used on the Stack (EPA Method 25A)



EPA Method 18 (Integrated Bag) Sampling Train used for the determination of Methane on the Stack



EPA Method 25C Sampling Train for Volatile Organic Compounds



DESCRIPTION OF TESTS

Personnel from METCO Environmental arrived at the plant at 4:00 p.m. on Monday, November 4, 2002. After meeting with plant personnel and attending a brief safety orientation, the equipment was secured for the night. All work was completed at 4:45 p.m.

On Tuesday, November 5, work began at 7:15 a.m. The equipment was moved onto the Enclosed Flare Outlet Stack and Inlet Duct. The reference method monitor was calibrated and the equipment was prepared for testing. The first set of tests for non-methane organic compounds began at 1:50 p.m. This test was aborted at 2:15 p.m. because the total hydrocarbons concentrations exceeded the calibration range of the reference method monitor. The second test began at 2:40 p.m. Testing continued until completion of the fourth set of tests at 6:53 p.m. The reference method monitor was calibrated and the samples were recovered. The equipment was secured for the night and all work was completed at 7:15 p.m.

On Wednesday, November 6, work began at 8:00 a.m. The equipment was moved off of the stack and loaded into the sampling van. The samples were transported to METCO Environmental's laboratory in Dallas, Texas, for analysis and evaluation.

Operations at BFI Tessman Road Landfill, Enclosed Flare Outlet Stack and Inlet Duct, located near San Antonio, Texas, for Weaver Boos & Gordon, were completed at 9:15 a.m. on Wednesday, November 6, 2002.

APPENDICES

- A. Location of Sampling Points
- B. Source Emissions Calculations
- C. Calibration Data
- D. Field Testing Data
- E. Analytical Data
- F. Reference Method Monitor Data
- G. Plant Operational Data
and F_d Factor Calculations
- H. Chain of Custody
- I. Resumes of Test Personnel

APPENDIX A

Location of Sampling Points Enclosed Flare Outlet Stack


The sampling ports are located 27 feet 2 inches (2.70 stack diameters) downstream from an inlet to the stack and 5 feet (0.50 stack diameters) upstream from the outlet of the stack. The locations of the sampling points were calculated as follows:

Port and Wall Thickness = 5 inches
Inside Stack Diameter = 120 5/8 inches

<u>Point Number</u>	<u>Percent of Diameter From Wall</u>	<u>Distance From Wall</u>
1	50.0	60 5/16 "

APPENDIX A

Location of Sampling Points
Enclosed Flare Outlet Stack



APPENDIX B

Nomenclature and Equations for Calculation of Source Emissions

NOMENCLATURE FOR PARTICULATE CALCULATIONS

<u>Symbol</u>	<u>English Units</u>	<u>Metric Units</u>	<u>Description</u>
A_s	in. ²	m ²	Stack Area
C_{an}	gr/dscf*	g/dscm*	Particulate - probe, cyclone, and filter
C_{ao}	gr/dscf*	g/dscm*	Particulate - total
C_{at}	gr/CF @ stack conditions	g/m ³	Particulate - probe, cyclone, and filter
C_{au}	gr/CF @ stack conditions	g/m ³	Particulate - total
C_{aw}	lbs/hr	kg/hr	Particulate - probe, cyclone, and filter
C_{ax}	lbs/hr	kg/hr	Particulate - total
C_p			Pitot Tube Calibration Factor
D_n	in.	m	Sampling Nozzle Diameter
%EA			Percent Excess Air at sampling point
g	32.174 ft/sec ²		Acceleration of Gravity
%I			Percent Isokinetic
%M			Percent Moisture in the stack gas by volume
M_d			Mole fraction of dry gas

* 29.92 " Hg, 68° F (760 mm Hg, 20° C) B-2

<u>Symbol</u>	<u>English Units</u>	<u>Metric Units</u>	<u>Description</u>
m_f	mg	mg	Particulate - probe, cyclone, and filter
M_{water}	18 lb/lb-mole		Molecular Weight of water
m_t	mg	mg	Particulate - total
MW	lb/lb-mole	g/g-mole	Molecular Weight of stack gas
MW_{air}	28.96 lb/lb-mole		Molecular Weight of air
MW_d	lb/lb-mole	g/g-mole	Molecular Weight of dry stack gas
P_b	"Hg Absolute	mm Hg	Barometric Pressure
P_m	"H ₂ O	mm H ₂ O	Orifice Pressure drop
P_s	"Hg Absolute	mm Hg	Stack Pressure
ΔP	"H ₂ O	mm H ₂ O	Velocity Head of stack gas
P_{std}	29.92 "Hg	760 mm Hg	Standard Barometric Pressure
Q_a	ACFM	m ³ /hr	Stack Gas Volume at actual stack conditions
Q_s	DSCFM*	dscm/hr*	Stack Gas Volume at 29.92 "Hg, 528°R, dry
R	21.83 "Hg-ft ³ /lb-mole°R		Universal Gas Constant
T_m	°F	°C	Average Gas Meter Temperature

* 29.92 " Hg, 68° F (760 mm Hg, 20° C) B-3

<u>Symbol</u>	<u>English Units</u>	<u>Metric Units</u>	<u>Description</u>
T_t	min	min	Net time of test
T_s	°F	°C	Stack Temperature
T_{std}	528°R	293°K	Standard Temperature
V_m	ft ³	m ³	Volume of dry gas sampled @ meter conditions
$V_{m_{std}}$	dscf*	dscm*	Volume of dry gas sampled @ standard conditions
V_s	fpm	m/sec	Stack velocity @ stack conditions
V_w	ml	ml	Total water collected in impingers and silica gel
$V_{w_{gas}}$	scf*	scm*	Volume of water vapor collected @ standard conditions
ρ_{air}	0.0752 lbs/ft ³		Density of Air
ρ_{water}	1 g/ml		Density of Water
ρ_{man}	62.32 lbs/ft ³		Density of Manometer Oil

Standard Conditions: 29.92 "Hg, 68°F (760 mm Hg, 20°C)

EXAMPLE CALCULATIONS

1. Volume of dry gas sampled at standard conditions. *

$$Vm_{std} = Vm \left(\frac{T_{std}}{T_m + 460} \right) \left[\frac{P_b + \frac{P_m}{13.6}}{P_{std}} \right]$$

$$Vm_{std} = 17.65 Vm \left[\frac{P_b + \frac{P_m}{13.6}}{T_m + 460} \right] = dscf$$

$$Vm_{std} = dscf \times 0.028317 = dscm$$

2. Volume of water vapor collected at standard conditions. *

$$VW_{gas} = \frac{(V_w - gms SO_2 - gms H_2S) \rho_{water} R T_{std}}{P_{std} M_{water} 453.6}$$

$$VW_{gas} = 0.0472 (V_w - gms SO_2 - gms H_2S) = scf$$

$$VW_{gas} = scf \times 0.028317 = scm$$

3. Percent moisture in stack gas.

$$\%M = \frac{VW_{gas}}{Vm_{std} + VW_{gas}} \times 100 = \%$$

* 29.92 " Hg, 68° F (760 mm Hg, 20° C) B-5

4. Mole fraction of dry gas.

$$M_d = \frac{100 - \%M}{100}$$

5. Average molecular weight of dry stack gas.

$$MW_d = \left[\%CO_2 \times \frac{44}{100} \right] + \left[\%O_2 \times \frac{32}{100} \right] + \left[\%N_2 \times \frac{28}{100} \right] + \left[\%CO \times \frac{28}{100} \right] = lb/lb - mole$$
$$= g/g - mole$$

6. Molecular weight of stack gas.

$$MW = MW_d \times M_d + 18 (1 - M_d) = \frac{lb}{lb - mole} = g/g - mole$$

7. Percent excess air at sampling point.

$$\%EA = \frac{100 [\%O_2 - (0.5 \%CO)]}{0.265 (\%N_2) - [\%O_2 - (0.5 \%CO)]}$$

EXAMPLE CALCULATIONS

$$E \text{ corr.} = E \text{ meas.} \times \frac{20.9\% \text{ O}_2 - \% \text{ O}_2 \text{ corr.}}{20.9\% \text{ O}_2 - \% \text{ O}_2 \text{ meas.}}$$

E corr. = Emission Rate corrected for Oxygen

E meas. = Emission Rate measured

% O₂ = The Oxygen content to be corrected to (ie. 3.0% O₂)

% O₂ meas. = The Oxygen content measured

propane concentrations as hexane = propane concentrations/2

methane concentrations as hexane = methane concentrations/6

EXAMPLE CALCULATIONS

$$\text{lbs/hr} = \frac{\text{ppm} \times \text{MW} \times 60 \times \text{DSCFM}^*}{385.1 \times 10^6}$$

where : MW = molecular weight

ppm = ppm of compound

DSCFM* = Stack Flow Rate

<u>Compound</u>	<u>Molecular Weight</u>
Hexane	86.18

* 29.92 "Hg, 68°F (760 mm Hg, 20°C)

EXAMPLE CALCULATIONS

Flow Rate

$$\text{DSCFM}^* = \frac{\text{million Btu/hr} \times F_d \text{ Factor (dscf*/million Btu)} \times 20.9\% \text{ O}_2}{(20.9\% \text{ O}_2 - \% \text{ O}_2 \text{ measured})(60 \text{ min/hr})}$$

million Btu/hr = Unit Heat Input

F_d Factor = 9,513 dscf*/million Btu as calculated in Appendix G

* 29.92 "Hg, 68°F (760 mm Hg, 20°C)

SOURCE EMISSION SURVEY

JOB NUMBER: 02-299
 JOB NAME: WEAVER, BOOS & GORDON
 LOCATION: SAN ANTONIO, TEXAS
 UNIT TESTED: ENCLOSED FLARE OUTLET STACK

SOURCE EMISSION CALCULATIONS

SYMBOL	DESCRIPTION	UNITS	RUN NUMBER		
			2	3	4
DATE			11/05/02	11/05/02	11/05/02
BEGIN TIME			1440	1644	1753
END TIME			1555	1744	1853
P(b)	BAROMETRIC PRESSURE	"Hg Abs. (mm Hg)	29.51 (750.00)	29.58 (751.00)	29.60 (752.00)
P(m)	ORIFICE PRESSURE DROP	"H2O (mm H2O)	0.900 (22.900)	0.900 (22.900)	0.900 (22.900)
	DGM CALIBRATION FACTOR		1.011	1.011	1.011
V(m)	VOLUME DRY GAS SAMPLED	ft.^3	34.819	35.249	34.950
	@ METER CONDITIONS	(m^3)	(0.986)	(0.998)	(0.990)
	LEAK CHECK VOLUME	ft.^3	0.000	0.000	0.000
T(m)	AVERAGE GAS METER TEMPERATURE	DEG.F (DEG.C)	83 (28)	83 (28)	81 (27)
V(m[std])*	VOLUME DRY GAS SAMPLED @ STANDARD CONDITIONS*	DSCF (DSCM)	33.474 (0.948)	33.967 (0.962)	33.826 (0.958)
V(w)	TOTAL WATER COLLECTED, IMPINGERS & SILICA GEL	ml	68.5	56.9	59.8
V(w[gas])	VOLUME WATER VAPOR COLLECTED @ STANDARD CONDITIONS*	SCF (SCM)	3.233 (0.092)	2.686 (0.076)	2.823 (0.080)
%M	MOISTURE IN STACK GAS BY VOLUME	%	8.81	7.33	7.70
Md	MOL FRACTION OF DRY GAS		0.9119	0.9267	0.9230
Tt	NET TIME OF TEST	MINUTES	60	60	60

* 68 Deg.F, 29.92 "Hg (20 Deg.C, 760 mm Hg)

JOB NUMBER: 02-299
 JOB NAME: WEAVER, BOOS & GORDON
 LOCATION: SAN ANTONIO, TEXAS
 UNIT TESTED: ENCLOSED FLARE OUTLET STACK

[illegible]

APPENDIX C

Calibration Data

<u>Equipment</u>	<u>Calibration Factor</u>	<u>Calibration Date</u>
Dry Gas Meter #49-3	1.011	09/24/02
Stack Unit Orifice #49-3		09/24/02
Digital Temperature Indicator #49-3		09/24/02
Barometer #49-1		09/25/02

Dry Gas Meter Calibration

Dry Gas Meter No.: 49-3

Date: 9-24-02

ΔH ($"H_2O$)	C_{DG}	
0.5	<u>1.027</u>	
1.0	<u>1.015</u>	
1.5	<u>1.014</u>	
2.0	<u>1.009</u>	
3.0	<u>1.003</u>	
4.0	<u>0.999</u>	
Average	<u>1.011</u>	Variation: + <u>1.58%</u> - <u>1.19%</u>

Calibrator: Mike Bass

Checked By: Mike Bass

DRY GAS METER CALIBRATION

Meter Number: 49-3

Calibrator: Mike B. H.

Date: 9-24-02

$$\text{Calibration Factor } (C_{DG}) = \frac{\text{Wet Test Meter } Vm_{std}}{\text{Dry Gas Meter } Vm_{std}}$$

Run No.: 1 @ 0.50

P_b: 29.96 "Hg

Control Module Vacuum: 5.0 "Hg

Wet Test Meter (No. 2)

Dry Gas Meter

	Time	Meter Reading	Temp.	P _m		Meter Reading	Temp. In	Temp. Out	P _m
End	1124	5.201 cf	76 °F	-1.20 "H ₂ O		957.498 cf	75 °F	73 °F	0.50 "H ₂ O
Start	1112	0.000 cf	76 °F	-1.20 "H ₂ O		952.467 cf	70 °F	70 °F	0.50 "H ₂ O
Avg.	12	5.201 cf	76 °F	-1.20 "H ₂ O		5.031 cf	72 °F		0.50 "H ₂ O

$$\text{Wet Test Meter } Vm_{std} = 17.65 \times 5.201 \left[\frac{29.96 + \frac{-1.20}{13.6}}{76 + 460} \right] \times 1.005 (C_p) = 5142 \text{ dcsf}$$

$$\text{Dry Gas Meter } Vm_{std} = 17.65 \times 5.031 \left[\frac{29.96 + \frac{0.50}{13.6}}{72 + 460} \right] = 5.007 \text{ dcsf}$$

$$C_{DG} = \underline{5.030} =$$

$$\boxed{1.027}$$

DRY GAS METER CALIBRATION

Meter Number: 49.3

Calibrator: M. B. Hall

Date: 9-24-02

$$\text{Calibration Factor } (C_{DG}) = \frac{\text{Wet Test Meter } Vm_{std}}{\text{Dry Gas Meter } Vm_{std}}$$

Run No.: 1 @ 1.00

P_b: 29.96 "Hg

Control Module Vacuum: 5.0 "Hg

Wet Test Meter (No. 2)

Dry Gas Meter

	Time	Meter Reading	Temp.	P _m
End	1140	5.172 cf	76 °F	-2.70 "H ₂ O
Start	1128	0.000 cf	76 °F	-2.70 "H ₂ O
Avg.	12	5.172 cf	76 °F	-2.70 "H ₂ O

	Meter Reading	Temp. In	Temp. Out	P _m
	963.283 cf	80 °F	73 °F	1.00 "H ₂ O
	958.208 cf	76 °F	73 °F	1.00 "H ₂ O
	5.075 cf	76 °F	76 °F	1.00 "H ₂ O

$$\text{Wet Test Meter } Vm_{std} = 17.65 \times 5.172 \left[\frac{29.96 + \frac{-2.70}{13.6}}{76 + 460} \right] \times 1.005 (C_p) = 5.094 \text{ dcsf}$$

$$\text{Dry Gas Meter } Vm_{std} = 17.65 \times 5.075 \left[\frac{29.96 + \frac{1.00}{13.6}}{76 + 460} \right] = 5.019 \text{ dcsf}$$

$$C_{DG} = \frac{5.094}{5.019} = \boxed{1.015}$$

DRY GAS METER CALIBRATION

Meter Number: 49-3

Calibrator: Mike B. Hume

Date: 9-24-02

$$\text{Calibration Factor } (C_{DG}) = \frac{\text{Wet Test Meter } Vm_{std}}{\text{Dry Gas Meter } Vm_{std}}$$

Run No.: 1 @ 1.50

P_b: 29.96 "Hg

Control Module Vacuum: 5.0 "Hg

Wet Test Meter (No. 2)

Dry Gas Meter

	Time	Meter Reading	Temp.	P _m		Meter Reading	Temp. In	Temp. Out	P _m
End	<u>1156</u>	<u>10.261</u> cf	<u>76</u> °F	<u>-3.30</u> "H ₂ O		<u>973.802</u> cf	<u>80</u> °F	<u>74</u> °F	<u>1.50</u> "H ₂ O
Start	<u>1143</u>	<u>0.000</u> cf	<u>76</u> °F	<u>-3.30</u> "H ₂ O		<u>963.752</u> cf	<u>77</u> °F	<u>73</u> °F	<u>1.50</u> "H ₂ O
Avg.	<u>13</u>	<u>10.261</u> cf	<u>76</u> °F	<u>-3.30</u> "H ₂ O		<u>10.050</u> cf	<u>76</u> °F	<u>73</u> °F	<u>1.50</u> "H ₂ O

$$\text{Wet Test Meter } Vm_{std} = 17.65 \times 10.261 \times \left[\frac{29.96 + \frac{-3.30}{13.6}}{76 + 460} \right] \times 1.005 (C_p) = 10.091 \text{ dcsf} \checkmark$$

$$\text{Dry Gas Meter } Vm_{std} = 17.65 \times 10.050 \times \left[\frac{29.96 + \frac{1.50}{13.6}}{76 + 460} \right] = 9.951 \text{ dcsf} \checkmark$$

$$C_{DG} = \frac{10.091}{9.951} = \boxed{1.014} \checkmark$$

DRY GAS METER CALIBRATION

Meter Number: 49-3

Calibrator: M. B. Allen

Date: 9-24-02

$$\text{Calibration Factor } (C_{DG}) = \frac{\text{Wet Test Meter } Vm_{std}}{\text{Dry Gas Meter } Vm_{std}}$$

Run No.: 2 @ 200

P_b: 29.96 "Hg

Control Module Vacuum: 5.0 "Hg

Wet Test Meter (No. 2)

Dry Gas Meter

	Time	Meter Reading	Temp.	P _m
End	1308	10.117 cf	77 °F	-3.40 "H ₂ O
Start	1256	0.000 cf	77 °F	-3.40 "H ₂ O
Avg.	12	10.117 cf	77 °F	-3.40 "H ₂ O

	Meter Reading	Temp. In	Temp. Out	P _m
	99.923 cf	80 °F	73 °F	2.00 "H ₂ O
	985.000 cf	76 °F	73 °F	2.00 "H ₂ O
	9.923 cf	76 °F	76 °F	2.00 "H ₂ O

$$\text{Wet Test Meter } Vm_{std} = 17.65 \times 10.117 \left[\frac{29.96 + \frac{-3.40}{13.6}}{77 + 460} \right] \times 1.005(C_p) = 9.929 \checkmark \text{ dcsf}$$

$$\text{Dry Gas Meter } Vm_{std} = 17.65 \times 9.923 \left[\frac{29.96 + \frac{2.00}{13.6}}{76 + 460} \right] = 9.838 \checkmark \text{ dcsf}$$

$$C_{DG} = \frac{9.929}{9.838} = \boxed{1.009 \checkmark}$$

DRY GAS METER CALIBRATION

Meter Number: 49-3

Calibrator: M. B. H. L.

Date: 9-24-02

$$\text{Calibration Factor } (C_{DG}) = \frac{\text{Wet Test Meter } Vm_{std}}{\text{Dry Gas Meter } Vm_{std}}$$

Run No.: 1 @ 3.00

P_b: 29.96 "Hg

Control Module Vacuum: 5.0 "Hg

Wet Test Meter (No. 2)

Dry Gas Meter

	Time	Meter Reading	Temp.	P _m		Meter Reading	Temp. In	Temp. Out	P _m
End	1324	10.284 cf	77 °F	-3.60 "H ₂ O		1006.15 cf	79 °F	75 °F	3.00 "H ₂ O
Start	1313	0.000 cf	77 °F	-3.60 "H ₂ O		996.030 cf	77 °F	74 °F	3.00 "H ₂ O
Avg.	11	10.284 cf	77 °F	-3.60 "H ₂ O		10.121 cf	76 °F		3.00 "H ₂ O

$$\text{Wet Test Meter } Vm_{std} = 17.65 \times 10.284 \left[\frac{29.96 + \frac{-3.60}{13.6}}{77 + 460} \right] \times 1.005 (C_p) = 10.088 \text{ dcsf} \checkmark$$

$$\text{Dry Gas Meter } Vm_{std} = 17.65 \times 10.121 \left[\frac{29.96 + \frac{3.00}{13.6}}{76 + 460} \right] = 10.058 \text{ dcsf} \checkmark$$

$$C_{DG} = \frac{10.088}{10.058} = \boxed{1.003} \checkmark$$

DRY GAS METER CALIBRATION

Meter Number: 49-3

Calibrator: Mike B. Hahn

Date: 9-24-02

$$\text{Calibration Factor } (C_{DG}) = \frac{\text{Wet Test Meter } Vm_{std}}{\text{Dry Gas Meter } Vm_{std}}$$

Run No.: 1 @ 4.00

P_b: 29.96 "Hg

Control Module Vacuum: 5.0 "Hg

Wet Test Meter (No. 2)

Dry Gas Meter

	Time	Meter Reading	Temp.	P _m
End	1337	10.210	cf 77 °F	-4.30 "H ₂ O
Start	1329	0.000	cf 77 °F	-4.30 "H ₂ O
Avg.	8	10.210	cf 77 °F	-4.30 "H ₂ O

	Meter Reading	Temp. In	Temp. Out	P _m
	1016.75	cf 82 °F	75 °F	4.00 "H ₂ O
	1006.82	cf 77 °F	74 °F	4.00 "H ₂ O
	10.068	cf 77 °F	°F	4.00 "H ₂ O

$$\text{Wet Test Meter } Vm_{std} = 17.65 \times 10.210 \left[\frac{29.96 + \frac{-4.30}{13.6}}{77 + 460} \right] \times 1.005 (C_p) = 9.998 \text{ dcsf}$$

$$\text{Dry Gas Meter } Vm_{std} = 17.65 \times 10.068 \left[\frac{29.96 + \frac{4.00}{13.6}}{77 + 460} \right] = 10.011 \text{ dcsf}$$

$$C_{DG} = \frac{9.998}{10.011} = \boxed{0.999}$$

DRY GAS METER CALIBRATION

Meter Number: 49.3

Calibrator: Mike B. Hall

Date: 9-24-02

$$\text{Calibration Factor } (C_{DG}) = \frac{\text{Wet Test Meter } Vm_{std}}{\text{Dry Gas Meter } Vm_{std}}$$

Run No.: 1 @ 2.00

P_b: 29.96 "Hg

Control Module Vacuum: 5.0 "Hg

Wet Test Meter (No. 2)

Dry Gas Meter

	Time	Meter Reading	Temp.	P _m
End	1248	10.351 cf	77 °F	-3.40 "H ₂ O
Start	1237	0.000 cf	77 °F	-3.40 "H ₂ O
Avg.	11	10.351 cf	77 °F	-3.40 "H ₂ O

	Meter Reading	Temp. In	Temp. Out	P _m
	984.311 cf	79 °F	74 °F	2.00 "H ₂ O
	974.337 cf	77 °F	76 °F	2.00 "H ₂ O
	9.974 cf	77 °F		2.00 "H ₂ O


$$\text{Wet Test Meter } Vm_{std} = 17.65 \times 10.351 \left[\frac{29.96 + \frac{-3.40}{13.6}}{77 + 460} \right] \times 1.005(C_p) = 10.158 \text{ tcsf}$$

$$\text{Dry Gas Meter } Vm_{std} = 17.65 \times 9.974 \left[\frac{29.96 + \frac{2.00}{13.6}}{77 + 460} \right] = 9.870 \text{ dcsf}$$

$$C_{DG} = \frac{10.158}{9.870} =$$

1.029

09/24/02 CALBY: MRP BFB/MS By: Mike Bass



DIGITAL TEMPERATURE INDICATOR NO. 49-3

CALIBRATION DATA

Date: 9-24-02

<u>Media</u>	<u>Time</u>	<u>Mercury Thermometer (°F)</u>	<u>DTI (°F)</u>
Ice Bath	<u>0748</u>	<u>33</u>	<u>33</u> ✓
Ambient Air	<u>0746</u>	<u>76</u>	<u>76</u> ✓
Boiling Water	<u>0755</u>	<u>211</u>	<u>212</u> ✓
Oven	<u>0759</u>	<u>252</u>	<u>252</u> ✓
Oven	<u>0804</u>	<u>300</u>	<u>302</u> ✓
Oven	<u>0808</u>	<u>352</u>	<u>353</u> ✓
Oven	<u>0813</u>	<u>372</u>	<u>373</u> ✓

Meter Adjusted? Yes _____ No ✓


Signature of Calibrator

led by: Mike Buss

BAROMETER CALIBRATION

Barometer No. 49-1

Date: 9-25-02

Time: 1320

Barometric Pressure @ Hobby Airport @ 45 ft.

= 29.880

- 0.045

Absolute Pressure @ Hobby Airport

= 29.935

+ 0.024

Absolute Pressure @ METCO @ 21 ft.

= 29.959 : 29.96

Barometer Reading

= 29.95

Variation


= 0.03%

Barometer Adjusted?

Yes No ✓

Barometer Reading (after adjustment)

=


Signature of Calibrator



Scott Specialty Gases

Dual-Analyzed Calibration Standard

9810 BAY AREA BLVD,PASADENA,TX 77507

Phone: 281-474-5800

Fax: 281-474-5857

CERTIFICATE OF ACCURACY: EPA Protocol Gas

Assay Laboratory

SCOTT SPECIALTY GASES
9810 BAY AREA BLVD
PASADENA,TX 77507

P.O. No.: 7124
Project No.: 04-97452-008

Customer

METCO ENVIRONMENTAL
SCOT JACKSON
P O BOX 598
ADDISON TX 75001

ANALYTICAL INFORMATION

This certification was performed according to EPA Traceability Protocol For Assay & Certification of Gaseous Calibration Standards; Procedure #G1; September, 1997.

Cylinder Number: BLM004119 Certification Date: 6/27/01 Exp. Date: 6/26/2004
Cylinder Pressure***: 2000 PSIG

ANALYTICAL

<u>COMPONENT</u>	<u>CERTIFIED CONCENTRATION (Moles)</u>	<u>ACCURACY**</u>	<u>TRACEABILITY</u>
PROPANE	27.55 PPM	+/- 1%	Direct NIST and NMI
NITROGEN	BALANCE		

*** Do not use when cylinder pressure is below 150 psig.

** Analytical accuracy is based on the requirements of EPA Protocol procedure G1, September 1997.

Product certified as +/- 1% analytical accuracy is directly traceable to NIST or NMI standards.

REFERENCE STANDARD

<u>TYPE/SRM NO.</u>	<u>EXPIRATION DATE</u>	<u>CYLINDER NUMBER</u>	<u>CONCENTRATION</u>	<u>COMPONENT</u>
NTRM 1667	8/01/01	ALM009247	49.70 PPM	PROPANE

INSTRUMENTATION

<u>INSTRUMENT/MODEL/SERIAL#</u>	<u>DATE LAST CALIBRATED</u>	<u>ANALYTICAL PRINCIPLE</u>
HP 5890A/5890A/2423A01568	06/05/01	TCD/FID

ANALYZER READINGS

(Z = Zero Gas R = Reference Gas T = Test Gas r = Correlation Coefficient)

First Triad Analysis

Second Triad Analysis

Calibration Curve

PROPANE

Date:06/27/01	Response Unit:AREA	
Z1 = 920.0000	R1 = 767018.0	T1 = 428334.0
R2 = 772549.0	Z2 = 4583.000	T2 = 429537.0
Z3 = 5490.000	T3 = 429580.0	R3 = 774207.0
Avg. Concentration:	27.55	PPM

Concentration = A + Bx + Cx2 + Dx3 + Ex4	
r = 0.999953	1667
Constants:	A = -0.274384
B = 0.0000639	C = 0
D = 0	E = 0

APPROVED BY: _____

LING WEN



Scott Specialty Gases

9810 BAY AREA BLVD, PASADENA, TX 77507

RATA CLASS

Dual-Analyzed Calibration Standard

Phone: 281-474-5800

Fax: 281-474-5857

CERTIFICATE OF ACCURACY: EPA Protocol Gas

Assay Laboratory

SCOTT SPECIALTY GASES
9810 BAY AREA BLVD
PASADENA, TX 77507

P.O. No.: 7020
Project No.: 04-95551-006

Customer

METCO ENVIRONMENTAL
SCOT JACKSON
P O BOX 598
ADDISON TX 75001

ANALYTICAL INFORMATION

This certification was performed according to EPA Traceability Protocol For Assay & Certification of Gaseous Calibration Standards; Procedure #G1; September, 1997.

Cylinder Number: BAL1901
Cylinder Pressure***: 1950 PSIG

Certification Date: 5/01/01 Exp. Date: 5/01/2004

COMPONENT

PROPANE
NITROGEN

CERTIFIED CONCENTRATION (Moles)

46.1 PPM
BALANCE

ANALYTICAL

ACCURACY**

+/- 1%

TRACEABILITY

Direct NIST and NMI

*** Do not use when cylinder pressure is below 150 psig.

** Analytical accuracy is based on the requirements of EPA Protocol procedure G1, September 1997.

Product certified as +/- 1% analytical accuracy is directly traceable to NIST or NMI standards.

REFERENCE STANDARD

TYPE/SRM NO.

NTRM 1667

EXPIRATION DATE

8/01/01

CYLINDER NUMBER

ALM009247

CONCENTRATION

49.70 PPM

COMPONENT

PROPANE

INSTRUMENTATION

INSTRUMENT/MODEL/SERIAL#

MTI-A/M200/171109

DATE LAST CALIBRATED

04/05/01

ANALYTICAL PRINCIPLE

GAS CHROMATOGRAPHY

ANALYZER READINGS

(Z = Zero Gas R = Reference Gas T = Test Gas r = Correlation Coefficient)

First Triad Analysis

Second Triad Analysis

Calibration Curve

PROPANE

Date: 05/01/01

Response Unit: AREA

Z1 = 97.00000 R1 = 4944.000 T1 = 2331.000

R2 = 4965.000 Z2 = 74.00000 T2 = 2326.000

Z3 = 53.00000 T3 = 2354.000 R3 = 4950.000

Avg. Concentration: 46.14 PPM

Concentration = $A + Bx + Cx^2 + Dx^3 + Ex^4$

$r = 0.999998208$

Constants: A = -0.08654192

B = 0.020034265 C =

D = E =

APPROVED BY:

DAVID KELLY



Scott Specialty Gases

9810 BAY AREA BLVD, PASADENA, TX 77507

Dual-Analyzed Calibration Standard

Phone: 281-474-5800

Fax: 281-474-5857

CERTIFICATE OF ACCURACY: EPA Protocol Gas

Assay Laboratory

SCOTT SPECIALTY GASES
9810 BAY AREA BLVD
PASADENA, TX 77507

P.O. No.: 7073
Project No.: 04-96829-002

Customer

METCO ENVIRONMENTAL
SCOT JACKSON
P O BOX 598
ADDISON TX 75001

ANALYTICAL INFORMATION

This certification was performed according to EPA Traceability Protocol For Assay & Certification of Gaseous Calibration Standards; Procedure #G1; September, 1997.

Cylinder Number: BLM004045 Certification Date: 6/05/01 Exp. Date: 6/04/2004
Cylinder Pressure***: 1400 PSIG

COMPONENT

CERTIFIED CONCENTRATION (Moles)

ANALYTICAL

ACCURACY**

TRACEABILITY

PROPANE

85.32 PPM

+/- 1%

Direct NIST and NMI

NITROGEN

BALANCE

*** Do not use when cylinder pressure is below 150 psig.

** Analytical accuracy is based on the requirements of EPA Protocol procedure G1, September 1997.

Product certified as +/- 1% analytical accuracy is directly traceable to NIST or NMI standards.

REFERENCE STANDARD

TYPE/SRM NO.

EXPIRATION DATE

CYLINDER NUMBER

CONCENTRATION

COMPONENT

NTRM 1667

8/01/01

ALM009247

49.70 PPM

PROPANE

INSTRUMENTATION

INSTRUMENT/MODEL/SERIAL#

DATE LAST CALIBRATED

ANALYTICAL PRINCIPLE

HP 5890A/5890A/2423A01568

06/05/01

TCD/FID

ANALYZER READINGS

(Z = Zero Gas R = Reference Gas T = Test Gas r = Correlation Coefficient)

First Triad Analysis

Second Triad Analysis

Calibration Curve

PROPANE

Date: 06/05/01

Response Unit: AREA

Z1 = 4535.000 R1 = 783622.0 T1 = 1344526.

R2 = 783279.0 Z2 = 4782.000 T2 = 1339175.

Z3 = 5066.000 T3 = 1337691. R3 = 781568.0

Avg. Concentration: 85.32 PPM

Concentration = A + Bx + Cx2 + Dx3 + Ex4

r = 0.999953 1667

Constants: A = -0.274384

B = 0.0000639 C = 0

D = 0 E = 0

APPROVED BY:

LING WEN

APPENDIX D

Field Testing Data

METCO ENVIRONMENTAL

Job Number 02-299 ✓ Moisture Field Data Field Data
 Job Name Weaver, Bass & Gordon ✓
 Run Number 2 ✓ Read and record at the start of each test point.
 Unit Enclosed Flare outlet stack ✓
 Date 11-5-02 ✓ Purge to: _____
 Operator Hannan/Bass Purge time: _____
 Sample box No. 51-2 Meter Box No. 49-3 ✓ Pilot Leak Check Initial _____ Final _____ ✓

Ambient Temp. °F 75
 Assumed Moisture % 2%
 Probe Length 5 feet
 C Factor _____ to reference.
 Initial Leak @ 150"Hg = 0.000 cfm ✓
 Final Leak @ 6.0"Hg = 0.000 cfm ✓

Point	Clock Time	ΔP_s		P_m		T_s		T_m					Remarks
		Dry Gas Meter, CF	"Pitot" "H ₂ O"	Orifice ΔH "H ₂ O Desired	Orifice ΔH "H ₂ O Actual	Pump Vacuum "Hg Gauge	Stack Temp °F	Probe Temp °F	Oven Temp °F	Effluent Temp °F	Dry Gas Temp °F Inlet	Dry Gas Temp °F Outlet	
A1	1440	349.64	—	0.90	0.90	6.5	—	242	232	63	80	80	Integrated orsat
	1445	5											1442 Pump Down
	1500	351.34	—	0.90	0.90	6.5	—	245	231	60	81	81	1457 Start Pump
	1505	354.56	—	0.90	0.90	6.0	—	245	226	56	82	81	
	1510	357.33	—	0.90	0.90	5.5	—	241	229	56	82	82	
	1515	360.18	—	0.90	0.90	5.5	—	240	230	58	83	83	
	1520	363.01	—	0.90	0.90	5.0	—	243	230	58	83	83	
	1525	365.87	—	0.90	0.90	5.0	—	246	229	57	84	83	
	1530	368.61	—	0.90	0.90	5.0	—	247	231	56	83	83	
	1535	371.52	—	0.90	0.90	5.0	—	248	229	56	82	83	
	1540	374.33	—	0.90	0.90	5.0	—	248	230	54	83	83	
	1545	377.14	—	0.90	0.90	5.0	—	248	230	54	84	84	
	1550	380.01	—	0.90	0.90	5.0	—	249	231	54	85	85	
	1555	383.054	—	0.90	0.90	5.0	—	—	232	55	—	—	
		34.44			0.90							83.0	

Pitot Tube Calibration Factor C_p —
 Volume Collected V_m 34.819 ✓ ft³
 Water Collected V_w 68.5 ✓ ml
 Time of Test T_t 60 ✓ min.
 Stack Pressure P_s — "H₂O

Pitot Tube No. —
 Baro. Press. P_b 29.51 ✓ "Hg
 Probe Tip Dia. D_n — in.
 % CO₂ 5.4 ✓ % CO 0.0 ✓
 % O₂ 11.2 / % N₂ 83.4 ✓
 Area Stack A_s 11428 ✓ in²

Barometer No. 49-1 ✓ Probe Tip No. —
 Total Volume of Leak Checks After Start: — ft³
 V_m = Dry Gas Meter Calibration Factor 1.011 ✓ X 34.440 ✓
 (Dry Gas Meter Reading — ft³ - (T_t — min. X Leak Rate — cfm))

Impinger Box No. 51-2

Water Weight Gain

Impinger 1 Final Weight 732.9
 Initial Weight 684.5
 Increase

Impinger 2 Final Weight 747.2
 Initial Weight 738.0
 Increase

Impinger 3 Final Weight 655.4
 Initial Weight 654.4
 Increase

Impinger 4 Final Weight 950.2
 Initial Weight 940.3
 Increase

Impinger 5 Final Weight _____
 Initial Weight _____
 Increase

Impinger 6 Final Weight _____
 Initial Weight _____
 Increase

Impinger 7 Final Weight _____
 Initial Weight _____
 Increase

$V_w =$
 $g\ SO_2 =$
 $V_w =$

Impinger 1 48.4

Impinger 2 9.2

Impinger 3 1.0

Impinger 4 9.9

Impinger 5 _____

Impinger 6 _____

Impinger 7 _____

Total 68.5 ✓ = V_w

$P_b =$ 29.51 ✓
 $V_m =$ 34.819 ✓
 $V_w =$ 68.5 ✓
 $P_m =$ 0.900 ✓

%CO₂ = 5.4 ✓ 2.37
 %O₂ = 11.2 ✓ 3.58
 %CO = 0.0 ✓
 %N₂ = 83.4 ✓ 23.1
 $A_s =$ 11428 ✓
 $D_n =$ _____
 $T_i =$ 60 ✓

Avg $\Delta P =$ _____
 Avg $\sqrt{\Delta P} =$ _____
 $C_p =$ _____
 $P_s =$ _____
 $T_m =$ 83 ✓
 $T_s =$ _____

'H₂O _____
 °F 543 ✓
 °F _____
 °R _____
 °R _____

Moisture Content

%M = 1.173 ^{8.81} MH_d = 6.9823 ^{0.9117} MH_d MW_d = 29.312 ✓ MW = 33.48 28.32 ✓

$$Vm_{std} = 17.65 Vm \left[\frac{P_b + \frac{P_m}{13.6}}{T_m + 460} \right] = 17.65 \times \frac{34.819}{34.820} \left[\frac{29.51 + \frac{0.900}{13.6}}{83 + 460} \right] = \left(\frac{0.558 \text{ sft}^3}{33.474 \text{ scfm}} \right)$$

$$Vw_{gas} = 0.0472 \times Vw = 0.0472 \times \underline{68.5} \text{ ✓} = \underline{3.233} \text{ ✓ sft}^3$$

$$\% \text{ Moisture} = \frac{Vw_{gas}}{Vm_{std} + Vw_{gas}} \times 100 = \frac{3.233}{33.474 + 3.233} \times 100 = \underline{1.173} \text{ ✓ MH\%}$$

$$V_s = 5123.8 \times \frac{\text{_____}}{\text{_____}} \times \text{_____} = \text{_____ fpm}$$

ACFM: _____

SCFM: _____

$$\%I = \frac{1.039 \times \text{_____} \times \text{_____} \times \text{_____} \times \text{_____}}{\text{_____}} = \text{_____ \%}$$

%EA: 97.3
102.7%

Ambient Temp. °F 77
Assumed Moisture % 2%
Probe Length 5 feet
C Factor _____ to reference.
Initial Leak @ 15.0 "Hg = 0.000 cfm ✓
Final Leak @ 5.5 "Hg = 0.000 cfm ✓

Point	Clock Time	Dry Gas Meter, CF	ΔP_s	Orifice ΔH "H ₂ O Desired	P_m	Pump Vacuum "Hg Gauge	T_s	Probe Temp °F	Oven Temp °F	Effluent Temp °F	T_m		Remarks
			"Pitot" "H ₂ O		Orifice ΔH "H ₂ O Actual		Stack Temp °F				Dry Gas Temp °F Inlet	Dry Gas Temp °F Outlet	
	1644	383.813	—	0.90	0.90	5.5	—	246	231	66	84	84	
	1649	386.71	—	0.90	0.90	5.5	—	246	231	58	84	84	
	1654	389.54	—	0.90	0.90	5.5	—	247	228	54	83	83	
	1659	392.31	—	0.90	0.90	5.5	—	246	229	52	83	83	
	1704	395.14	—	0.90	0.90	5.5	—	246	230	51	83	83	
	1709	397.97	—	0.90	0.90	5.5	—	246	230	51	83	83	
	1714	401.01	—	0.90	0.90	5.5	—	246	229	51	83	83	
	1719	403.76	—	0.90	0.90	5.5	—	246	230	50	83	83	
	1724	406.93	—	0.90	0.90	5.5	—	247	231	50	83	83	
	1729	409.39	—	0.90	0.90	5.5	—	246	233	51	83	83	
	1734	412.87	—	0.90	0.90	5.5	—	246	234	51	82	82	
	1739	415.32	—	0.90	0.90	5.5		246	237	87	82	82	
	1744	417.878	—	0.90	0.90								
		34865			0.90						85		

Barometer No. 29.58 Probe Tip No. -
Total Volume of Leak Checks After Start: - ft³
 V_m = Dry Gas Meter Calibration Factor 34.875 1.011 ✓
(Dry Gas Meter Reading - ft³ - (T_1 - min. X Leak Rate - cfm))

Impinger Box No. 57-3

Water Weight Gain

Impinger 1 Final Weight 750.0
 Initial Weight 710.6
 Increase 39.4

Impinger 1 39.4

Impinger 2 Final Weight 784.0
 Initial Weight 775.5
 Increase 8.5

Impinger 2 8.5

Impinger 3 Final Weight 642.7
 Initial Weight 641.8
 Increase 0.9

Impinger 3 0.9

Impinger 4 Final Weight 890.5
 Initial Weight 882.4
 Increase 8.1

Impinger 4 8.1

Impinger 5 Final Weight _____
 Initial Weight _____
 Increase _____

Impinger 5 _____

Impinger 6 Final Weight _____
 Initial Weight _____
 Increase _____

Impinger 6 _____

Impinger 7 Final Weight _____
 Initial Weight _____
 Increase _____

Impinger 7 _____

Total 56.9 = V_w

$V_w =$
 $g\ SO_2 =$
 $V_w =$

$P_b =$ 29.58 $\%CO_2 =$ 6.0 2.64
 $V_m =$ 35.254 $\%O_2 =$ 11.4 3.64
 $V_w =$ 56.9 $\%CO =$ 0.0
 $P_m =$ 0.900 $\%N_2 =$ 82.6 23.128
 $Avg\ \Delta P =$ _____ $A_s =$ 11428 29.41
 $Avg\ \sqrt{\Delta P} =$ _____ $D_n =$ _____
 $C_p =$ _____ $T_i =$ 60
 $P_s =$ _____ $^{\circ}H_2O$ _____ $^{\circ}Hg$
 $T_m =$ 83 $^{\circ}F$ 543 $^{\circ}R$
 $T_s =$ _____ $^{\circ}F$ _____ $^{\circ}R$

Moisture Content: $\%M =$ 7.33 $M_d =$ 0.9267 $MW_d =$ 29.416 $MW =$ 28.58

$$Vm_{std} = 17.65\ Vm \left[\frac{P_b + \frac{P_m}{13.6}}{T_m + 460} \right] = 17.65 \times \frac{35.254}{33.972} \left[\frac{29.58 + \frac{0.900}{13.6}}{83 + 460} \right] = \frac{33.967}{0.566} \text{ scfm}$$

$$V_{w_{gas}} = 0.0472 \times V_w = 0.0472 \times 56.9 = 2.686 \text{ sft}^3$$

$$\% \text{ Moisture} = \frac{V_{w_{gas}}}{Vm_{std} + V_{w_{gas}}} \times 100 = \frac{2.686}{33.972 + 2.686} \times 100 = \frac{7.33}{7.3264} \%$$

$$V_s = 5123.8 \times \sqrt{\frac{P_b}{P_s}} \times \frac{T_m}{T_s} = \text{_____ fpm}$$

ACFM: _____

SCFM: _____

$$\%I = \frac{1.039 \times \text{_____} \times \text{_____} \times \text{_____}}{\text{_____}^2} = \text{_____} \%$$

$\%EA =$ 109%
108.7

Job Number 02-299 ✓

Job Name Wrecker, Boos & Gordon ✓

Run Number 4 ✓

Unit Enclosed Flares Outlet ✓

Date 11-5-02 ✓

Operator Hannon - Bass

Sample box No. 51-2 Meter Box No. 49-3 ✓

Moisture _____ Field Data _____

Read and record at the start of each test point.

Purge to: _____

Purge time: _____

Pilot Leak Check Initial _____ Final _____

Ambient Temp. °F 78
Assumed Moisture % _____
Probe Length 5 feet
C Factor _____ to reference.
Initial Leak @ 15.0 "Hg = 0.000 cfm ✓
Final Leak @ 5.5 "Hg = 0.000 cfm ✓

[illegible]

Pitot Tube Calibration Factor C_p
 Volume Collected V_m 34.950 ft^3
 Water Collected V_w 59.0 V ml
 Time of Test T_t 60.1 min.
 Stack Pressure P_s $"\text{H}_2\text{O}$

Pitot Tube No. _____
Baro. Press. P_b 29.60 ✓ "Hg
Probe Tip Dia. D_n _____ in.
% CO_2 5.0 ✓ % CO 0.0 ✓
% O_2 12.0 ✓ % N_2 83.0 ✓
Area Stack A_s 1142.8 ✓ in^2

Barometer No. 49-1 ✓ Probe Tip No. —
Total Volume of Leak Checks After Start: — ft³
V_m = Dry Gas Meter Calibration Factor 34.57 ~~10~~ 1.011 ✓
{Dry Gas Meter Reading — ft³ - (T₁ — min. X Leak Rate — cfm)}

Impinger Box No. 51-2

Water Weight Gain

Impinger 1	Final Weight	<u>775.9</u>
	Initial Weight	<u>732.9</u>
	Increase	43.0

Impinger 1 43.0

Impinger 2 6.3

Impinger 2	Final Weight	<u>753.5</u>
	Initial Weight	<u>747.2</u>
	Increase	6.3

Impinger 3 0.8

Impinger 4 9.7

Impinger 3	Final Weight	<u>656.2</u>
	Initial Weight	<u>655.4</u>
	Increase	0.8

$V_w =$
 $g \text{ SO}_2 =$ _____
 $V_w =$

Impinger 5 _____

Impinger 6 _____

Impinger 4	Final Weight	<u>959.9</u>
	Initial Weight	<u>950.2</u>
	Increase	9.7

Impinger 7 _____

Total $\underline{59.8}^{\checkmark} = V_{\text{u}}$

Impinger 5 Final Weight _____
 Initial Weight _____
 Increase _____

$P_b = 29.60 \checkmark$
 $V_m = 34.950 \checkmark$
 $V_w = 59.8 \checkmark$
 $P_u = 0.900 \checkmark$

$$\%CO_2 = \underline{5.0} / (44) \approx 2.$$
$$\%O_2 = \underline{12.0 \checkmark} \quad (.32) \quad 3.$$

%CO = 0 ✓

$$\%N_2 = \underline{83.0} \checkmark \quad (.28) \quad 23$$

Impinger 6 Final Weight _____
 Initial Weight _____
 Increase _____

Avg $\Delta P =$

$$A_2 = \underline{1142.8} \checkmark$$

D₁ = _____

$$T_1 = \underline{60} \checkmark$$

Impinger 7 Final Weight _____
 Initial Weight _____
 Increase _____

$C_p =$ —
 $P_s =$ —
 $T_m =$ 81 ✓
 $T_s =$ —

$$^1\text{H}_2\text{O} \quad \text{---} \quad ^1\text{Hg}$$

°F 5411 °R

°F _____ °R _____

Moisture Content: $\%M = \frac{7.70 \text{ mH} \checkmark}{7.6115}$ $M_d = \frac{0.9230 \text{ mH} \checkmark}{1.6767}$ $MW_d = \frac{29.280 \checkmark}{1.70}$ $MW = \frac{32.97 \checkmark}{28.41 \text{ m}}$

$$Vm_{std} = 17.65 \text{ Vm} \left[\frac{P_b + \frac{P_m}{13.6}}{T_m + 460} \right] = 17.65 \times 34.950 \left[\frac{29.60 + \frac{0.900}{13.6}}{\frac{81}{31} + 460} \right] = \frac{33.826 \text{ ft}^3}{0.564 \text{ scfm}}$$

$$V_{w_{\text{gas}}} = 0.0472 \times V_w = 0.0472 \times \underline{59.8} = \underline{\frac{2.823}{2.82356}} \text{ JH} \text{ sft}^3$$

$$\% \text{ Moisture} = \frac{V_{w_{\text{gas}}}}{V_{m_{\text{std}}} + V_{w_{\text{gas}}}} \times 100 = \frac{2.823}{33.826 + 2.823} \times 100 = \frac{2.823}{36.649} \times 100 = 7.674\%$$

$$V_s = 5123.8 \times \frac{1}{\sqrt{x}} \times \frac{1}{\sqrt{x}} = \frac{1}{x} \text{ fpm}$$

ACFM:

SCFM: 1

$$\%I = \frac{1,039 \times \quad \times}{\quad \times \quad \times \quad \times \quad \times (\quad)^2} = \quad \%$$

%EA: 1.5 120%

120.1 ✓

RUN #4 @ INLET
 WET - 66 → $\gamma = 53.0\%$ RELATIVE HUMIDITY
 DRY - 78

RUN #7 % Moisture: $S.H. / 7000 \times 100$ $S.H. = 76$

$$\frac{76}{7000} \times 100 = 1.09\% \text{ MOISTURE}$$

$$\frac{0.2324506}{0.2324506 + 13.28} = 1.72\% \text{ moisture}$$

RUN #2 WET - 62 → $\gamma = 50\%$ RELATIVE HUMIDITY
 DRY - 74

% Moisture = $S.H. / 7000 \times 100$ $S.H. = 64$

$$\frac{64}{7000} \times 100 = 0.91\% \text{ MOISTURE}$$

RUN #3 WET = 57 → $\gamma = \sim 44\%$ RELATIVE HUMIDITY
 DRY = 70

% Moisture = $\frac{S.H.}{7000} \times 100$ $S.H. = 54$

$$\frac{54}{7000} \times 100 = 0.77\% \text{ MOISTURE}$$

APPENDIX E

Analytical Data



AtmAA Inc.
23917 Craftsman Rd.
Calabasas, CA 91302

FAX TRANSMITTAL # of Pages 3
TO: Lewis Adams FROM: Brian
CITY: _____ AtmAA Inc.
DAY: _____ PHONE: (818) 212-0077
FAX: _____ FAX #: (818) 212-0077
C. COMMENTS: _____

LABORATORY ANALYSIS REPORT

Permanent Gases and Total Gaseous Non- Methane Organics (TGNMO)
Analysis in SUMMA Canister Samples

Report Date: November 26, 2002
Client: Metco
Project Name: Weaver, Boos, & Gordon
Project No.: 02-299

Date Received: November 11, 2002
Date Analyzed: November 14, 2002

ANALYSIS DESCRIPTION

Permanent gases were measured by thermal conductivity detection/gas chromatography (TCD/GC). Total gaseous non-methane organics (TGNMO) was measured by flame ionization detection/total combustion analysis (FID/TCA), EPA Method 25.

AtmAA Lab No.:	03152-2	03152-3	03152-4
Sample I.D.:	canister 297	canister 365	canister 326
	run 2	run 3	run 4
Initial Pressure:	40.1	23.8	41.7
Final Pressure:	859	815	813

Components	(Concentration in %v)						Average
	Normalized	normalized		normalized			
Nitrogen	24.1	22.0	31.1	27.2	29.6	21.2	26.27
Oxygen	2.8	2.52	5.0	4.34	2.3	2.08	3.37
Methane	41.6	37.9	37.7	33.0	41.9	37.6	40.40
Carbon dioxide	31.5	28.7	26.2	22.9	32.1	28.8	29.93

(Concentration in ppmv)

TGNMO	3310	3475	3310
-------	------	------	------

The accuracy of permanent gas analysis by TCD/GC is +/- 2%, actual results are reported. TGNMO is total gaseous non-methane organics reported as ppmv methane.

QUALITY ASSURANCE SUMMARY
(Repeat Analyses)

Project Name: Weaver, Boos, & Gordon
Date Received: November 11, 2002
Date Analyzed: November 14, 2002

Components	Sample ID	Repeat Analysis		Mean Conc.	% Diff. From Mean
		Run #1	Run #2		
		(Concentration in %,v)			
Nitrogen	canister 297	23.1	20.8	22.0	5.2
	canister 365	26.9	27.5	27.2	1.1
	canister 326	21.4	21.0	21.2	0.94
	canister 283	3.59	3.47	3.53	1.7
	canister 339	3.59	3.57	3.58	0.28
	canister 386	3.00	3.04	3.02	0.66
Oxygen	canister 297	2.73	2.31	2.52	8.3
	canister 365	4.41	4.27	4.34	1.6
	canister 326	1.82	2.33	2.08	12
	canister 283	0.76	0.74	0.75	1.3
	canister 339	0.75	0.83	0.79	5.1
	canister 386	0.66	0.71	0.69	3.6
Methane	canister 297	37.9	37.8	37.9	0.1
	canister 283	52.9	53	53.0	0.1
Carbon dioxide	canister 297	27.9	29.5	28.7	2.8
	canister 283	40.8	40.4	40.6	0.49
(Concentration in ppmv)					
TGNMO	canister 297	3320	3300	3310	0.30
	canister 365	3500	3450	3475	0.72
	canister 326	3290	3330	3310	0.60
	canister 283	6010	5720	5865	2.5
	canister 339	5040	5050	5045	0.10
	canister 386	5450	5290	5370	1.5

A set of 6 SUMMA canister samples, laboratory number 03152--(2-7), was analyzed for permanent gases and TGNMO. Agreement between repeat analyses is a measure of precision and is shown in the column "% Difference from Mean". Repeat analyses are an important part of AtmAA's quality assurance program. The average % Difference from Mean for 22 repeat measurements from the sample set of 6 SUMMA canister sample is 2.3%.





8210 Mosley Rd.
Houston, TX 77075
713 943-9776 Telephone
713 943-3846 Facsimile

CORE LABORATORIES

JOHN PELLEGRINE
METCO ENVIRONMENTAL CO.

Date Reported: 11/14/02

Date Received: 11/13/02

3226 COMMANDER DR
CARROLTON TX 75006

Analytical Report

Test	Result	Units	Method	Date	Analyst
Sample Number: 124867-001	Sample ID: 02-299 Enclosed Flare Outlet Stack Run	Sample Recvd: 11/13/02			
Sample Date: 11/5/02 3:55:00 PM	Description: Weaver,Boos & Gordon-San Antonio,Tx				
Hydrocarbons in Air					
Methane	6	ppm v/v	Method 18 Mod.	11/14/02	CC
Sample Number: 124867-002	Sample ID: 02-299 Enclosed Flare Outlet Stack Run	Sample Recvd: 11/13/02			
Sample Date: 11/5/02 4:45:00 PM	Description: Weaver,Boos & Gordon-San Antonio,Tx				
Hydrocarbons in Air					
Methane	4	ppm v/v	Method 18 Mod.	11/14/02	CC
Sample Number: 124867-003	Sample ID: 02-299 Enclosed Flare Outlet Stack Run	Sample Recvd: 11/13/02			
Sample Date: 11/5/02 6:55:00 PM	Description: Weaver,Boos & Gordon-San Antonio,Tx				
Hydrocarbons in Air					
Methane	3	ppm v/v	Method 18 Mod.	11/14/02	CC
Sample Number: 124867-004	Sample ID: 02-300 Enclosed Flare Outlet Stack Run	Sample Recvd: 11/13/02			
Sample Date: 11/7/02 9:58:00 AM	Description: Weaver,Boos & Gordon-Austin,Tx				
Hydrocarbons in Air					
Methane	7	ppm v/v	Method 18 Mod.	11/14/02	CC
Sample Number: 124867-005	Sample ID: 02-300 Enclosed Flare Outlet Stack Run	Sample Recvd: 11/13/02			
Sample Date: 11/7/02 11:08:00 AM	Description: Weaver,Boos & Gordon-Austin,Tx				
Hydrocarbons in Air					
Methane	5	ppm v/v	Method 18 Mod.	11/14/02	CC
Sample Number: 124867-006	Sample ID: 02-300 Enclosed Flare Outlet Stack Run	Sample Recvd: 11/13/02			
Sample Date: 11/7/02 12:38:00 PM	Description: Weaver,Boos & Gordon-Austin,Tx				

The analytical results, opinions or interpretations contained in this report are based upon information and material supplied by the client for whose exclusive and confidential use this report has been made. The analytical results, opinions or interpretations expressed represent the best judgment of Core Laboratories. Core Laboratories, however, makes no warranty or representation, express or implied, of any type, and expressly disclaims same as to the productivity, proper operations or profitability of any oil, gas, coal, or other mineral property, well or sand in connection with which such report is used or relied upon for any reason whatsoever. This report shall not be reproduced, in whole or in part, without the written approval of Core Laboratories.



8210 Mosley Rd.
Houston, TX 77075
713 943-9776 Telephone
713 943-3846 Facsimile

CORE LABORATORIES

JOHN PELLEGRINE
METCO ENVIRONMENTAL CO.

Date Reported: 11/14/02


Date Received: 11/13/02

3226 COMMANDER DR
CARROLTON TX 75006

Analytical Report

Test	Result	Units	Method	Date	Analyst
Sample Number:	124867-006	Sample ID:	02-300 Enclosed Flare Outlet Stack Run	Sample Recvd:	
Sample Date:	11/7/02 12:38:00 PM	Description:	Weaver, Boos & Gordon-Austin, Tx	11/13/02	
Hydrocarbons in Air					
Methane	< 1	ppm v/v	Method 18 Mod.	11/14/02	CC

Approved By:


Jean Waits
Supervising Chemist

The analytical results, opinions or interpretations contained in this report are based upon information and material supplied by the client for whose exclusive and confidential use this report has been made. The analytical results, opinions or interpretations expressed represent the best judgment of Core Laboratories. Core Laboratories, however, makes no warranty or representation, express or implied, of any type, and expressly disclaims same as to the productivity, proper operations or profitability of any oil, gas, coal, or other mineral, property, well or sand in connection with which such report is used or relied upon for any reason whatsoever. This report shall not be reproduced, in whole or in part, without the written approval of Core Laboratories.

APPENDIX F

Reference Method Monitor Data

filename
testby1 METCO Environmental
testby2 Houston
testby3 M-49
testby4 02-299
testfor1 Weaver, Boos, and Gordon
testfor2 San Antonio, TX
testfor3 Enclosed Flare Outlet Stack
testfor4

11/5/2002 11:55:00

11/5/2002

THC
101841092

S/N

JUM. VE-7
0-50ppm

0

50

1

name
sn
offset
fullscale
train

gastype

thc 25a

dcg14	11/5/2002	11:58:00	0.0 BAL1901/cg14	THC	46.1
dcg1	11/5/2002	12:58:45	-0.2 SG986191ALC/cg1	O2	20.9 THC
dcg1	11/5/2002	12:59:00	-0.2 SG986191ALC/cg1	O2	20.9 THC
dcg1	11/5/2002	12:59:15	-0.2 SG986191ALC/cg1	O2	20.9 THC
dcg1	11/5/2002	12:59:30	-0.3 SG986191ALC/cg1	O2	20.9 THC
dcg1	11/5/2002	12:59:45	-0.3 SG986191ALC/cg1	O2	20.9 THC
dcg1	11/5/2002	13:00:00	-0.3 SG986191ALC/cg1	O2	20.9 THC
thcezero1	11/5/2002	13:00:00	-0.3 SG986191ALC/cg1	O2	20.9 THC
dcg14	11/5/2002	13:00:15	-0.3 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:00:30	-0.3 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:00:45	0.3 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:01:00	0.7 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:01:15	0.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:01:30	45.1 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:01:45	50.3 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:02:00	50.4 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:02:15	50.5 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:02:30	50.5 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:02:45	50.5 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:03:00	50.5 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:03:15	50.5 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:03:30	50.5 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:03:45	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:04:00	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:04:15	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:04:30	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:04:45	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:05:00	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:05:15	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:05:30	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:05:45	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:06:00	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:06:15	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:06:30	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:06:45	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:07:00	50.6 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:07:15	50.0 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:07:30	46.0 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:07:45	46.0 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:08:00	46.0 BAL1901/cg14	THC	46.1
dcg14	11/5/2002	13:08:15	46.1 BAL1901/cg14	THC	46.1
thchigh1	11/5/2002	13:08:15	46.1 BAL1901/cg14	THC	46.1
dcg13	11/5/2002	13:09:45	6.6 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:10:00	25.7 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:10:15	24.8 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:10:30	24.8 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:10:45	24.8 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:11:00	24.7 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:11:15	25.2 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:11:30	25.3 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:11:45	25.2 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:12:00	25.2 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:12:15	25.2 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:12:30	25.2 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:12:45	25.2 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:13:00	25.2 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:13:15	25.2 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:13:30	25.2 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:13:45	25.2 BAL3458/cg13	THC	26.53
dcg13	11/5/2002	13:14:00	25.2 BAL3458/cg13	THC	26.53
dcg12	11/5/2002	13:27:30	14.5 ALM004119/cg12	THC	14.9
dcg12	11/5/2002	13:27:45	14.4 ALM004119/cg12	THC	14.9
dcg12	11/5/2002	13:28:00	14.4 ALM004119/cg12	THC	14.9
dcg12	11/5/2002	13:28:15	14.3 ALM004119/cg12	THC	14.9
dcg12	11/5/2002	13:28:30	14.3 ALM004119/cg12	THC	14.9
dcg12	11/5/2002	13:28:45	14.2 ALM004119/cg12	THC	14.9

thclow1	11/5/2002	13:28:30	14.3 ALM004119/cg12	THC	14.9
dsg13	11/5/2002	13:29:00	12.6 BAL3458/cg13	THC	26.53
dsg13	11/5/2002	13:29:15	12.7 BAL3458/cg13	THC	26.53
dsg13	11/5/2002	13:29:30	25.0 BAL3458/cg13	THC	26.53
dsg13	11/5/2002	13:29:45	25.0 BAL3458/cg13	THC	26.53
dsg14	11/5/2002	13:31:00	46.3 BAL1901/cg14	THC	46.1
dsg14	11/5/2002	13:31:15	46.3 BAL1901/cg14	THC	46.1
dsg14	11/5/2002	13:31:30	46.4 BAL1901/cg14	THC	46.1
dsg14	11/5/2002	13:31:45	46.4 BAL1901/cg14	THC	46.1
thchigh1	11/5/2002	13:31:45	46.4 BAL1901/cg14	THC	46.1
dsg13	11/5/2002	13:33:30	9.9 BAL3458/cg13	THC	26.53
dsg13	11/5/2002	13:33:45	26.1 BAL3458/cg13	THC	26.53
dsg13	11/5/2002	13:34:00	26.1 BAL3458/cg13	THC	26.53
dsg13	11/5/2002	13:34:15	26.0 BAL3458/cg13	THC	26.53
dsg13	11/5/2002	13:34:30	26.0 BAL3458/cg13	THC	26.53
thcmid1	11/5/2002	13:34:30	26.0 BAL3458/cg13	THC	26.53
dsg1	11/5/2002	13:35:15	1.0 SG986191ALC/cg1	O2	20.9 THC
dsg1	11/5/2002	13:35:30	6.9 SG986191ALC/cg1	O2	20.9 THC
dsg1	11/5/2002	13:35:45	-0.1 SG986191ALC/cg1	O2	20.9 THC
dsg1	11/5/2002	13:36:00	-0.2 SG986191ALC/cg1	O2	20.9 THC
dsg1	11/5/2002	13:36:15	-0.2 SG986191ALC/cg1	O2	20.9 THC
thczero1	11/5/2002	13:36:15	-0.2 SG986191ALC/cg1	O2	20.9 THC
dsg1	11/5/2002	13:37:15	-0.3 SG986191ALC/cg1	O2	20.9 THC
dsg1	11/5/2002	13:37:45	-0.3 SG986191ALC/cg1	O2	20.9 THC
thczero1	11/5/2002	13:37:45	-0.3 SG986191ALC/cg1	O2	20.9 THC
dsg13	11/5/2002	13:38:30	0.0 BAL3458/cg13	THC	26.53
dsg13	11/5/2002	13:38:45	12.5 BAL3458/cg13	THC	26.53
dsg13	11/5/2002	13:39:00	26.0 BAL3458/cg13	THC	26.53
dsg13	11/5/2002	13:39:15	26.0 BAL3458/cg13	THC	26.53
thcspan1	11/5/2002	13:39:15	26.0 BAL3458/cg13	THC	26.53
run1	11/5/2002	13:50:00	1.9		
run1	11/5/2002	13:50:15	4.5		
run1	11/5/2002	13:50:30	0.3		
run1	11/5/2002	13:50:45	0.5		
run1	11/5/2002	13:51:00	7.6		
run1	11/5/2002	13:51:15	2.8		
run1	11/5/2002	13:51:30	0.0		
run1	11/5/2002	13:51:45	5.5		
run1	11/5/2002	13:52:00	3.6		
run1	11/5/2002	13:52:15	0.0		
run1	11/5/2002	13:52:30	-0.1		
run1	11/5/2002	13:52:45	12.7		
run1	11/5/2002	13:53:00	19.2		
run1	11/5/2002	13:53:15	4.7		
run1	11/5/2002	13:53:30	3.6		
run1	11/5/2002	13:53:45	20.8		
run1	11/5/2002	13:54:00	8.5		
run1	11/5/2002	13:54:15	0.2		
run1	11/5/2002	13:54:30	0.5		
run1	11/5/2002	13:54:45	4.9		
run1	11/5/2002	13:55:00	0.8		
run1	11/5/2002	13:55:15	-0.2		
run1	11/5/2002	13:55:30	0.8		
run1	11/5/2002	13:55:45	2.0		
run1	11/5/2002	13:56:00	0.2		
run1	11/5/2002	13:56:15	0.1		
run1	11/5/2002	13:56:30	6.1		
run1	11/5/2002	13:56:45	2.4		
run1	11/5/2002	13:57:00	0.1		
run1	11/5/2002	13:57:15	0.9		
run1	11/5/2002	13:57:30	2.5		
run1	11/5/2002	13:57:45	0.4		
run1	11/5/2002	13:58:00	0.1		
run1	11/5/2002	13:58:15	0.3		
run1	11/5/2002	13:58:30	0.1		
run1	11/5/2002	13:58:45	1.4		
run1	11/5/2002	13:59:00	1.7		
run1	11/5/2002	13:59:15	0.6		
run1	11/5/2002	13:59:30	0.0		
run1	11/5/2002	13:59:45	0.7		
run1	11/5/2002	14:00:00	0.6		
run1	11/5/2002	14:00:15	0.0		
run1	11/5/2002	14:00:30	0.1		
run1	11/5/2002	14:00:45	-0.1		
run1	11/5/2002	14:01:00	2.5		
run1	11/5/2002	14:01:15	1.3		
run1	11/5/2002	14:01:30	0.4		
run1	11/5/2002	14:01:45	0.5		
run1	11/5/2002	14:02:00	-0.1		
run1	11/5/2002	14:02:15	0.1		
run1	11/5/2002	14:02:30	3.5		

Air

run1	11/5/2002	14:02:45	1.5		
run1	11/5/2002	14:03:00	0.3		
run1	11/5/2002	14:03:15	0.3		
run1	11/5/2002	14:03:30	2.1		
run1	11/5/2002	14:03:45	4.3		
run1	11/5/2002	14:04:00	0.5		
run1	11/5/2002	14:04:15	0.6		
run1	11/5/2002	14:04:30	0.1		
run1	11/5/2002	14:04:45	0.5		
run1	11/5/2002	14:05:00	1.6		
run1	11/5/2002	14:05:15	1.2		
run1	11/5/2002	14:05:30	0.3		
run1	11/5/2002	14:05:45	0.1		
run1	11/5/2002	14:06:00	0.3		
run1	11/5/2002	14:06:15	7.6		
run1	11/5/2002	14:06:30	45.3		
run1	11/5/2002	14:06:45	60.0		
run1	11/5/2002	14:07:00	60.0		
run1	11/5/2002	14:07:15	60.0		
run1	11/5/2002	14:07:30	60.0		
run1	11/5/2002	14:07:45	60.0		
run1	11/5/2002	14:08:00	60.0		
run1	11/5/2002	14:08:15	60.0		
run1	11/5/2002	14:08:30	60.0		
run1	11/5/2002	14:08:45	20.3		
run1	11/5/2002	14:09:00	20.9		
run1	11/5/2002	14:09:15	2.2		
run1	11/5/2002	14:09:30	0.8		
run1	11/5/2002	14:09:45	0.6		
run1	11/5/2002	14:10:00	0.8		
run1	11/5/2002	14:10:15	1.3		
run1	11/5/2002	14:10:30	0.3		
run1	11/5/2002	14:10:45	1.4		
run1	11/5/2002	14:11:00	1.7		
run1	11/5/2002	14:11:15	1.2		
run1	11/5/2002	14:11:30	1.5		
run1	11/5/2002	14:11:45	1.7		
run1	11/5/2002	14:12:00	9.9		
run1	11/5/2002	14:12:15	12.4		
run1	11/5/2002	14:12:30	6.8		
run1	11/5/2002	14:12:45	5.5		
run1	11/5/2002	14:13:00	8.3		
run1	11/5/2002	14:13:15	33.3		
run1	11/5/2002	14:13:30	33.3		
run1	11/5/2002	14:13:45	13.8		
run1	11/5/2002	14:14:00	8.6		
run1	11/5/2002	14:14:15	24.1		
run1	11/5/2002	14:14:30	45.2		
dsg1	11/5/2002	14:30:45	-0.4	SG986191ALC/cg1	O2 20.9 THC
dsg1	11/5/2002	14:31:00	-0.4	SG986191ALC/cg1	O2 20.9 THC
dsg1	11/5/2002	14:31:15	-0.4	SG986191ALC/cg1	O2 20.9 THC
dsg1	11/5/2002	14:31:30	-0.4	SG986191ALC/cg1	O2 20.9 THC
thczero1	11/5/2002	14:31:30	-0.4	SG986191ALC/cg1	O2 20.9 THC
dsg12	11/5/2002	14:31:45	-0.4	BLM004119/cg12	THC 27.55
dsg12	11/5/2002	14:32:00	-0.4	BLM004119/cg12	THC 27.55
dsg12	11/5/2002	14:32:15	-0.4	BLM004119/cg12	THC 27.55
dsg12	11/5/2002	14:32:30	1.3	BLM004119/cg12	THC 27.55
dsg12	11/5/2002	14:32:45	10.5	BLM004119/cg12	THC 27.55
dsg12	11/5/2002	14:33:00	26.2	BLM004119/cg12	THC 27.55
dsg12	11/5/2002	14:33:15	26.4	BLM004119/cg12	THC 27.55
dsg12	11/5/2002	14:33:30	26.4	BLM004119/cg12	THC 27.55
thclow1	11/5/2002	14:33:30	26.4	BLM004119/cg12	THC 27.55
dsg13	11/5/2002	14:33:45	26.4	BAL1901/cg13	THC 46.1
dsg13	11/5/2002	14:34:00	26.3	BAL1901/cg13	THC 46.1
dsg13	11/5/2002	14:34:15	6.5	BAL1901/cg13	THC 46.1
dsg13	11/5/2002	14:34:30	0.4	BAL1901/cg13	THC 46.1
dsg13	11/5/2002	14:34:45	42.4	BAL1901/cg13	THC 46.1
dsg13	11/5/2002	14:35:00	47.1	BAL1901/cg13	THC 46.1
dsg13	11/5/2002	14:35:15	47.3	BAL1901/cg13	THC 46.1
dsg13	11/5/2002	14:35:30	47.3	BAL1901/cg13	THC 46.1
thcmid1	11/5/2002	14:35:30	47.3	BAL1901/cg13	THC 46.1
dsg14	11/5/2002	14:35:45	47.3	BLM004045/cg14	THC 85.32
dsg14	11/5/2002	14:36:00	47.1	BLM004045/cg14	THC 85.32
dsg14	11/5/2002	14:36:15	9.3	BLM004045/cg14	THC 85.32
dsg14	11/5/2002	14:36:30	1.5	BLM004045/cg14	THC 85.32
dsg14	11/5/2002	14:36:45	36.5	BLM004045/cg14	THC 85.32
dsg14	11/5/2002	14:37:00	84.1	BLM004045/cg14	THC 85.32
dsg14	11/5/2002	14:37:15	84.4	BLM004045/cg14	THC 85.32
dsg14	11/5/2002	14:37:30	84.5	BLM004045/cg14	THC 85.32
dsg14	11/5/2002	14:37:45	84.5	BLM004045/cg14	THC 85.32
thchigh1	11/5/2002	14:37:45	84.5	BLM004045/cg14	THC 85.32

} above scale

0-100 ppm

run2	11/5/2002	14:40:00	1.6
run2	11/5/2002	14:40:15	5.4
run2	11/5/2002	14:40:30	1.6
run2	11/5/2002	14:40:45	-0.3
run2	11/5/2002	14:41:00	1.0
run2	11/5/2002	14:41:15	1.3
run2	11/5/2002	14:41:30	0.1
run2	11/5/2002	14:41:45	-0.1
run2	11/5/2002	14:42:00	1.6
run2	11/5/2002	14:42:15	0.1
run2	11/5/2002	14:42:30	-0.3
run2	11/5/2002	14:42:45	0.6
run2	11/5/2002	14:43:00	2.0
run2	11/5/2002	14:43:15	-0.3
run2	11/5/2002	14:43:30	0.1
run2	11/5/2002	14:43:45	1.3
run2	11/5/2002	14:44:00	2.6
run2	11/5/2002	14:44:15	-0.1
run2	11/5/2002	14:44:30	0.8
run2	11/5/2002	14:44:45	3.0
run2	11/5/2002	14:45:00	1.4
run2	11/5/2002	14:45:15	-0.3
run2	11/5/2002	14:45:30	0.2
run2	11/5/2002	14:45:45	1.5
run2	11/5/2002	14:46:00	-0.1
run2	11/5/2002	14:46:15	-0.4
run2	11/5/2002	14:46:30	1.5
run2	11/5/2002	14:46:45	1.8
run2	11/5/2002	14:47:00	-0.1
run2	11/5/2002	14:47:15	-0.4
run2	11/5/2002	14:47:30	0.4
run2	11/5/2002	14:47:45	0.4
run2	11/5/2002	14:48:00	-0.4
run2	11/5/2002	14:48:15	-0.2
run2	11/5/2002	14:48:30	4.7
run2	11/5/2002	14:48:45	0.7
run2	11/5/2002	14:49:00	-0.4
run2	11/5/2002	14:49:15	0.4
run2	11/5/2002	14:49:30	3.7
run2	11/5/2002	14:49:45	0.2
run2	11/5/2002	14:50:00	-0.4
run2	11/5/2002	14:50:15	1.0
run2	11/5/2002	14:50:30	6.2
run2	11/5/2002	14:50:45	1.3
run2	11/5/2002	14:51:00	-0.4
run2	11/5/2002	14:51:15	0.1
run2	11/5/2002	14:51:30	0.7
run2	11/5/2002	14:51:45	-0.2
run2	11/5/2002	14:52:00	-0.5
run2	11/5/2002	14:52:15	2.7
run2	11/5/2002	14:52:30	4.0
run2	11/5/2002	14:52:45	-0.4
run2	11/5/2002	14:53:00	-0.4
run2	11/5/2002	14:53:15	4.3
run2	11/5/2002	14:53:30	0.5
run2	11/5/2002	14:53:45	-0.5
run2	11/5/2002	14:54:00	0.7
run2	11/5/2002	14:54:15	0.5
run2	11/5/2002	14:54:30	-0.4
run2	11/5/2002	14:54:45	-0.5
run2	11/5/2002	14:55:00	-0.2
run2	11/5/2002	14:55:15	1.2
run2	11/5/2002	14:55:30	0.5
run2	11/5/2002	14:55:45	-0.5
run2	11/5/2002	14:56:00	-0.1
run2	11/5/2002	14:56:15	1.6
run2	11/5/2002	14:56:30	0.3
run2	11/5/2002	14:56:45	1.0
run2	11/5/2002	14:57:00	2.5
run2	11/5/2002	14:57:15	4.5
run2	11/5/2002	14:57:30	-0.2
run2	11/5/2002	14:57:45	-0.4
run2	11/5/2002	14:58:00	-0.3
run2	11/5/2002	14:58:15	0.3
run2	11/5/2002	14:58:30	-0.3
run2	11/5/2002	14:58:45	-0.5
run2	11/5/2002	14:59:00	-0.3
run2	11/5/2002	14:59:15	2.4
run2	11/5/2002	14:59:30	2.0
run2	11/5/2002	14:59:45	-0.1
run2	11/5/2002	15:00:00	1.2

run2	11/5/2002	15:00:15	11.2
run2	11/5/2002	15:00:30	2.5
run2	11/5/2002	15:00:45	-0.3
run2	11/5/2002	15:01:00	-0.2
run2	11/5/2002	15:01:15	0.1
run2	11/5/2002	15:01:30	0.2
run2	11/5/2002	15:01:45	-0.3
run2	11/5/2002	15:02:00	-0.4
run2	11/5/2002	15:02:15	-0.3
run2	11/5/2002	15:02:30	0.5
run2	11/5/2002	15:02:45	-0.3
run2	11/5/2002	15:03:00	-0.4
run2	11/5/2002	15:03:15	2.0
run2	11/5/2002	15:03:30	3.5
run2	11/5/2002	15:03:45	0.2
run2	11/5/2002	15:04:00	-0.4
run2	11/5/2002	15:04:15	1.3
run2	11/5/2002	15:04:30	3.4
run2	11/5/2002	15:04:45	1.6
run2	11/5/2002	15:05:00	-0.4
run2	11/5/2002	15:05:15	1.2
run2	11/5/2002	15:05:30	3.5
run2	11/5/2002	15:05:45	0.0
run2	11/5/2002	15:06:00	-0.4
run2	11/5/2002	15:06:15	4.5
run2	11/5/2002	15:06:30	4.9
run2	11/5/2002	15:06:45	-0.2
run2	11/5/2002	15:07:00	-0.3
run2	11/5/2002	15:07:15	4.3
run2	11/5/2002	15:07:30	2.2
run2	11/5/2002	15:07:45	-0.3
run2	11/5/2002	15:08:00	0.9
run2	11/5/2002	15:08:15	3.6
run2	11/5/2002	15:08:30	2.7
run2	11/5/2002	15:08:45	1.1
run2	11/5/2002	15:09:00	0.9
run2	11/5/2002	15:09:15	3.5
run2	11/5/2002	15:09:30	4.6
run2	11/5/2002	15:09:45	1.7
run2	11/5/2002	15:10:00	2.1
run2	11/5/2002	15:10:15	2.9
run2	11/5/2002	15:10:30	2.2
run2	11/5/2002	15:10:45	1.6
run2	11/5/2002	15:11:00	1.6
run2	11/5/2002	15:11:15	3.7
run2	11/5/2002	15:11:30	4.0
run2	11/5/2002	15:11:45	2.8
run2	11/5/2002	15:12:00	2.4
run2	11/5/2002	15:12:15	2.8
run2	11/5/2002	15:12:30	2.8
run2	11/5/2002	15:12:45	2.2
run2	11/5/2002	15:13:00	2.0
run2	11/5/2002	15:13:15	5.8
run2	11/5/2002	15:13:30	9.4
run2	11/5/2002	15:13:45	9.4
run2	11/5/2002	15:14:00	9.4
run2	11/5/2002	15:14:15	8.7
run2	11/5/2002	15:14:30	13.1
run2	11/5/2002	15:14:45	10.7
run2	11/5/2002	15:15:00	7.1
run2	11/5/2002	15:15:15	10.6
run2	11/5/2002	15:15:30	11.7
run2	11/5/2002	15:15:45	7.7
run2	11/5/2002	15:16:00	6.0
run2	11/5/2002	15:16:15	6.9
run2	11/5/2002	15:16:30	5.6
run2	11/5/2002	15:16:45	4.7
run2	11/5/2002	15:17:00	4.2
run2	11/5/2002	15:17:15	8.4
run2	11/5/2002	15:17:30	6.7
run2	11/5/2002	15:17:45	5.2
run2	11/5/2002	15:18:00	5.6
run2	11/5/2002	15:18:15	5.3
run2	11/5/2002	15:18:30	6.1
run2	11/5/2002	15:18:45	4.8
run2	11/5/2002	15:19:00	3.9
run2	11/5/2002	15:19:15	3.7
run2	11/5/2002	15:19:30	4.4
run2	11/5/2002	15:19:45	3.9
run2	11/5/2002	15:20:00	3.4
run2	11/5/2002	15:20:15	4.6

run2	11/5/2002	15:20:30	4.3
run2	11/5/2002	15:20:45	3.5
run2	11/5/2002	15:21:00	3.7
run2	11/5/2002	15:21:15	4.9
run2	11/5/2002	15:21:30	7.8
run2	11/5/2002	15:21:45	6.9
run2	11/5/2002	15:22:00	5.6
run2	11/5/2002	15:22:15	4.8
run2	11/5/2002	15:22:30	4.4
run2	11/5/2002	15:22:45	3.8
run2	11/5/2002	15:23:00	4.5
run2	11/5/2002	15:23:15	5.0
run2	11/5/2002	15:23:30	4.0
run2	11/5/2002	15:23:45	7.4
run2	11/5/2002	15:24:00	10.5
run2	11/5/2002	15:24:15	6.9
run2	11/5/2002	15:24:30	5.6
run2	11/5/2002	15:24:45	4.6
run2	11/5/2002	15:25:00	5.8
run2	11/5/2002	15:25:15	7.5
run2	11/5/2002	15:25:30	4.2
run2	11/5/2002	15:25:45	3.8
run2	11/5/2002	15:26:00	4.1
run2	11/5/2002	15:26:15	7.0
run2	11/5/2002	15:26:30	5.6
run2	11/5/2002	15:26:45	5.0
run2	11/5/2002	15:27:00	5.8
run2	11/5/2002	15:27:15	4.6
run2	11/5/2002	15:27:30	3.9
run2	11/5/2002	15:27:45	3.5
run2	11/5/2002	15:28:00	3.5
run2	11/5/2002	15:28:15	3.4
run2	11/5/2002	15:28:30	3.1
run2	11/5/2002	15:28:45	3.1
run2	11/5/2002	15:29:00	2.9
run2	11/5/2002	15:29:15	3.3
run2	11/5/2002	15:29:30	2.7
run2	11/5/2002	15:29:45	3.2
run2	11/5/2002	15:30:00	4.0
run2	11/5/2002	15:30:15	4.3
run2	11/5/2002	15:30:30	6.1
run2	11/5/2002	15:30:45	4.8
run2	11/5/2002	15:31:00	4.0
run2	11/5/2002	15:31:15	4.0
run2	11/5/2002	15:31:30	3.4
run2	11/5/2002	15:31:45	3.0
run2	11/5/2002	15:32:00	2.9
run2	11/5/2002	15:32:15	3.1
run2	11/5/2002	15:32:30	3.1
run2	11/5/2002	15:32:45	2.6
run2	11/5/2002	15:33:00	2.7
run2	11/5/2002	15:33:15	3.6
run2	11/5/2002	15:33:30	3.3
run2	11/5/2002	15:33:45	2.8
run2	11/5/2002	15:34:00	2.6
run2	11/5/2002	15:34:15	2.4
run2	11/5/2002	15:34:30	2.4
run2	11/5/2002	15:34:45	3.4
run2	11/5/2002	15:35:00	2.3
run2	11/5/2002	15:35:15	2.1
run2	11/5/2002	15:35:30	2.1
run2	11/5/2002	15:35:45	3.5
run2	11/5/2002	15:36:00	3.2
run2	11/5/2002	15:36:15	4.0
run2	11/5/2002	15:36:30	3.2
run2	11/5/2002	15:36:45	2.8
run2	11/5/2002	15:37:00	2.7
run2	11/5/2002	15:37:15	2.5
run2	11/5/2002	15:37:30	2.3
run2	11/5/2002	15:37:45	2.2
run2	11/5/2002	15:38:00	2.3
run2	11/5/2002	15:38:15	3.6
run2	11/5/2002	15:38:30	4.8
run2	11/5/2002	15:38:45	4.1
run2	11/5/2002	15:39:00	5.0
run2	11/5/2002	15:39:15	6.4
run2	11/5/2002	15:39:30	6.5
run2	11/5/2002	15:39:45	4.7
run2	11/5/2002	15:40:00	5.5
run2	11/5/2002	15:40:15	5.8
run2	11/5/2002	15:40:30	9.0

run2	11/5/2002	15:40:45	9.0		
run2	11/5/2002	15:41:00	6.6		
run2	11/5/2002	15:41:15	5.0		
run2	11/5/2002	15:41:30	4.5		
run2	11/5/2002	15:41:45	4.4		
run2	11/5/2002	15:42:00	3.6		
run2	11/5/2002	15:42:15	4.6		
run2	11/5/2002	15:42:30	4.0		
run2	11/5/2002	15:42:45	5.1		
run2	11/5/2002	15:43:00	7.4		
run2	11/5/2002	15:43:15	5.1		
run2	11/5/2002	15:43:30	4.5		
run2	11/5/2002	15:43:45	4.0		
run2	11/5/2002	15:44:00	6.3		
run2	11/5/2002	15:44:15	5.1		
run2	11/5/2002	15:44:30	4.3		
run2	11/5/2002	15:44:45	3.8		
run2	11/5/2002	15:45:00	4.1		
run2	11/5/2002	15:45:15	7.5		
run2	11/5/2002	15:45:30	6.2		
run2	11/5/2002	15:45:45	4.8		
run2	11/5/2002	15:46:00	4.9		
run2	11/5/2002	15:46:15	4.4		
run2	11/5/2002	15:46:30	3.9		
run2	11/5/2002	15:46:45	3.5		
run2	11/5/2002	15:47:00	3.3		
run2	11/5/2002	15:47:15	3.6		
run2	11/5/2002	15:47:30	5.8		
run2	11/5/2002	15:47:45	4.4		
run2	11/5/2002	15:48:00	3.8		
run2	11/5/2002	15:48:15	3.4		
run2	11/5/2002	15:48:30	4.6		
run2	11/5/2002	15:48:45	4.1		
run2	11/5/2002	15:49:00	4.0		
run2	11/5/2002	15:49:15	5.8		
run2	11/5/2002	15:49:30	4.4		
run2	11/5/2002	15:49:45	4.0		
run2	11/5/2002	15:50:00	3.6		
run2	11/5/2002	15:50:15	3.2		
run2	11/5/2002	15:50:30	4.7		
run2	11/5/2002	15:50:45	4.4		
run2	11/5/2002	15:51:00	3.8		
run2	11/5/2002	15:51:15	3.4		
run2	11/5/2002	15:51:30	3.2		
run2	11/5/2002	15:51:45	3.6		
run2	11/5/2002	15:52:00	2.8		
run2	11/5/2002	15:52:15	2.7		
run2	11/5/2002	15:52:30	2.6		
run2	11/5/2002	15:52:45	3.8		
run2	11/5/2002	15:53:00	4.6		
run2	11/5/2002	15:53:15	3.6		
run2	11/5/2002	15:53:30	3.2		
run2	11/5/2002	15:53:45	2.9		
run2	11/5/2002	15:54:00	3.0		
run2	11/5/2002	15:54:15	2.7		
run2	11/5/2002	15:54:30	2.5		
run2	11/5/2002	15:54:45	2.5		
averun2	11/5/2002	14:55:00	3.7		
scg13	11/5/2002	15:55:00	3.5	BAL1901/cg13	THC 46.1
scg13	11/5/2002	15:55:15	2.3	BAL1901/cg13	THC 46.1
scg13	11/5/2002	15:55:30	38.6	BAL1901/cg13	THC 46.1
scg13	11/5/2002	15:55:45	47.4	BAL1901/cg13	THC 46.1
scg13	11/5/2002	15:56:00	46.8	BAL1901/cg13	THC 46.1
scg13	11/5/2002	15:56:15	47.4	BAL1901/cg13	THC 46.1
scg13	11/5/2002	15:56:30	48.1	BAL1901/cg13	THC 46.1
scg13	11/5/2002	15:56:45	48.2	BAL1901/cg13	THC 46.1
scg13	11/5/2002	15:57:00	48.1	BAL1901/cg13	THC 46.1
scg13	11/5/2002	15:57:18	47.9	BAL1901/cg13	THC 46.1
scg13	11/5/2002	15:57:30	47.8	BAL1901/cg13	THC 46.1
thcspan1	11/5/2002	15:57:00	48.1	BAL1901/cg13	THC 46.1
scg1	11/5/2002	15:57:45	47.7	SG986191ALC/cg1	O2 20.9 THC
scg1	11/5/2002	15:58:00	47.3	SG986191ALC/cg1	O2 20.9 THC
scg1	11/5/2002	15:58:15	6.2	SG986191ALC/cg1	O2 20.9 THC
scg1	11/5/2002	15:58:30	3.3	SG986191ALC/cg1	O2 20.9 THC
scg1	11/5/2002	15:58:45	14.0	SG986191ALC/cg1	O2 20.9 THC
scg1	11/5/2002	15:59:00	2.2	SG986191ALC/cg1	O2 20.9 THC
scg1	11/5/2002	15:59:15	2.0	SG986191ALC/cg1	O2 20.9 THC
scg1	11/5/2002	15:59:30	1.9	SG986191ALC/cg1	O2 20.9 THC
scg1	11/5/2002	15:59:45	1.8	SG986191ALC/cg1	O2 20.9 THC
scg1	11/5/2002	16:00:00	1.7	SG986191ALC/cg1	O2 20.9 THC
scg1	11/5/2002	16:00:15	1.7	SG986191ALC/cg1	O2 20.9 THC

60

thczero1	11/5/2002	16:00:15	1.7 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	16:29:30	0.7 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	16:29:45	-3.6 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	16:30:30	1.3 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	16:30:45	1.3 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	16:31:00	1.2 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	16:31:15	1.2 SG986191ALC/cg1	O2	20.9 THC
thczero1	11/5/2002	16:31:15	1.2 SG986191ALC/cg1	O2	20.9 THC
scg13	11/5/2002	16:31:30	1.1 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:31:45	1.1 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:32:00	2.4 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:32:15	2.9 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:32:30	2.8 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:32:45	2.6 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:33:00	39.7 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:33:15	48.0 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:33:30	48.2 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:33:45	48.0 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:34:00	48.1 BAL1901/cg13	THC	46.1
scg13	11/5/2002	16:34:15	48.1 BAL1901/cg13	THC	46.1
thcspan1	11/5/2002	16:34:15	48.1 BAL1901/cg13	THC	46.1
run3	11/5/2002	16:44:00	7.9		
run3	11/5/2002	16:44:15	7.0		
run3	11/5/2002	16:44:30	7.6		
run3	11/5/2002	16:44:45	6.2		
run3	11/5/2002	16:45:00	5.4		
run3	11/5/2002	16:45:15	5.0		
run3	11/5/2002	16:45:30	4.9		
run3	11/5/2002	16:45:45	4.6		
run3	11/5/2002	16:46:00	4.0		
run3	11/5/2002	16:46:15	3.9		
run3	11/5/2002	16:46:30	4.2		
run3	11/5/2002	16:46:45	3.6		
run3	11/5/2002	16:47:00	3.4		
run3	11/5/2002	16:47:15	3.2		
run3	11/5/2002	16:47:30	3.1		
run3	11/5/2002	16:47:45	3.4		
run3	11/5/2002	16:48:00	3.2		
run3	11/5/2002	16:48:15	2.8		
run3	11/5/2002	16:48:30	2.7		
run3	11/5/2002	16:48:45	3.2		
run3	11/5/2002	16:49:00	4.6		
run3	11/5/2002	16:49:15	2.4		
run3	11/5/2002	16:49:30	2.4		
run3	11/5/2002	16:49:45	2.6		
run3	11/5/2002	16:50:00	3.4		
run3	11/5/2002	16:50:15	2.2		
run3	11/5/2002	16:50:30	2.2		
run3	11/5/2002	16:50:45	2.4		
run3	11/5/2002	16:51:00	2.1		
run3	11/5/2002	16:51:15	2.0		
run3	11/5/2002	16:51:30	2.1		
run3	11/5/2002	16:51:45	3.8		
run3	11/5/2002	16:52:00	2.0		
run3	11/5/2002	16:52:15	1.9		
run3	11/5/2002	16:52:30	2.4		
run3	11/5/2002	16:52:45	3.2		
run3	11/5/2002	16:53:00	4.6		
run3	11/5/2002	16:53:15	2.3		
run3	11/5/2002	16:53:30	2.2		
run3	11/5/2002	16:53:45	3.3		
run3	11/5/2002	16:54:00	1.9		
run3	11/5/2002	16:54:15	1.6		
run3	11/5/2002	16:54:30	2.5		
run3	11/5/2002	16:54:45	2.4		
run3	11/5/2002	16:55:00	2.7		
run3	11/5/2002	16:55:15	1.9		
run3	11/5/2002	16:55:30	2.8		
run3	11/5/2002	16:55:45	1.7		
run3	11/5/2002	16:56:00	1.4		
run3	11/5/2002	16:56:15	1.2		
run3	11/5/2002	16:56:30	1.4		
run3	11/5/2002	16:56:45	1.5		
run3	11/5/2002	16:57:00	1.8		
run3	11/5/2002	16:57:15	1.1		
run3	11/5/2002	16:57:30	1.2		
run3	11/5/2002	16:57:45	1.2		
run3	11/5/2002	16:58:00	1.5		
run3	11/5/2002	16:58:15	1.0		
run3	11/5/2002	16:58:30	1.0		
run3	11/5/2002	16:58:45	1.8		

run3	11/5/2002	16:59:00	2.9
run3	11/5/2002	16:59:15	1.6
run3	11/5/2002	16:59:30	3.8
run3	11/5/2002	16:59:45	11.3
run3	11/5/2002	17:00:00	2.3
run3	11/5/2002	17:00:15	3.5
run3	11/5/2002	17:00:30	2.9
run3	11/5/2002	17:00:45	3.1
run3	11/5/2002	17:01:00	2.9
run3	11/5/2002	17:01:15	1.4
run3	11/5/2002	17:01:30	0.9
run3	11/5/2002	17:01:45	1.0
run3	11/5/2002	17:02:00	2.1
run3	11/5/2002	17:02:15	1.1
run3	11/5/2002	17:02:30	1.1
run3	11/5/2002	17:02:45	1.2
run3	11/5/2002	17:03:00	1.2
run3	11/5/2002	17:03:15	1.7
run3	11/5/2002	17:03:30	0.9
run3	11/5/2002	17:03:45	0.7
run3	11/5/2002	17:04:00	0.8
run3	11/5/2002	17:04:15	0.7
run3	11/5/2002	17:04:30	1.4
run3	11/5/2002	17:04:45	0.8
run3	11/5/2002	17:05:00	0.6
run3	11/5/2002	17:05:15	0.6
run3	11/5/2002	17:05:30	2.1
run3	11/5/2002	17:05:45	0.8
run3	11/5/2002	17:06:00	0.6
run3	11/5/2002	17:06:15	0.9
run3	11/5/2002	17:06:30	0.9
run3	11/5/2002	17:06:45	1.2
run3	11/5/2002	17:07:00	0.8
run3	11/5/2002	17:07:15	0.8
run3	11/5/2002	17:07:30	0.6
run3	11/5/2002	17:07:45	0.5
run3	11/5/2002	17:08:00	0.4
run3	11/5/2002	17:08:15	0.6
run3	11/5/2002	17:08:30	1.2
run3	11/5/2002	17:08:45	1.0
run3	11/5/2002	17:09:00	0.5
run3	11/5/2002	17:09:15	0.9
run3	11/5/2002	17:09:30	1.3
run3	11/5/2002	17:09:45	1.6
run3	11/5/2002	17:10:00	0.9
run3	11/5/2002	17:10:15	0.4
run3	11/5/2002	17:10:30	0.3
run3	11/5/2002	17:10:45	0.8
run3	11/5/2002	17:11:00	0.7
run3	11/5/2002	17:11:15	0.5
run3	11/5/2002	17:11:30	0.7
run3	11/5/2002	17:11:45	0.7
run3	11/5/2002	17:12:00	2.9
run3	11/5/2002	17:12:15	0.7
run3	11/5/2002	17:12:30	1.0
run3	11/5/2002	17:12:45	0.6
run3	11/5/2002	17:13:00	0.4
run3	11/5/2002	17:13:15	0.3
run3	11/5/2002	17:13:30	0.8
run3	11/5/2002	17:13:45	0.6
run3	11/5/2002	17:14:00	0.3
run3	11/5/2002	17:14:15	0.5
run3	11/5/2002	17:14:30	0.7
run3	11/5/2002	17:14:45	0.8
run3	11/5/2002	17:15:00	0.5
run3	11/5/2002	17:15:15	0.1
run3	11/5/2002	17:15:30	0.2
run3	11/5/2002	17:15:45	1.3
run3	11/5/2002	17:16:00	0.9
run3	11/5/2002	17:16:15	0.4
run3	11/5/2002	17:16:30	3.0
run3	11/5/2002	17:16:45	1.9
run3	11/5/2002	17:17:00	1.2
run3	11/5/2002	17:17:15	2.6
run3	11/5/2002	17:17:30	0.8
run3	11/5/2002	17:17:45	0.9
run3	11/5/2002	17:18:00	0.7
run3	11/5/2002	17:18:15	0.1
run3	11/5/2002	17:18:30	0.1
run3	11/5/2002	17:18:45	0.9
run3	11/5/2002	17:19:01	0.6

run3	11/5/2002	17:19:15	1.6
run3	11/5/2002	17:19:31	0.3
run3	11/5/2002	17:19:45	0.3
run3	11/5/2002	17:20:01	0.3
run3	11/5/2002	17:20:16	2.3
run3	11/5/2002	17:20:30	0.6
run3	11/5/2002	17:20:45	1.8
run3	11/5/2002	17:21:00	2.2
run3	11/5/2002	17:21:16	0.8
run3	11/5/2002	17:21:30	1.3
run3	11/5/2002	17:21:45	0.3
run3	11/5/2002	17:22:00	1.1
run3	11/5/2002	17:22:15	0.7
run3	11/5/2002	17:22:30	0.7
run3	11/5/2002	17:22:45	0.5
run3	11/5/2002	17:23:00	0.2
run3	11/5/2002	17:23:15	1.5
run3	11/5/2002	17:23:30	2.6
run3	11/5/2002	17:23:45	0.7
run3	11/5/2002	17:24:00	1.9
run3	11/5/2002	17:24:15	1.1
run3	11/5/2002	17:24:30	0.1
run3	11/5/2002	17:24:45	0.1
run3	11/5/2002	17:25:00	0.4
run3	11/5/2002	17:25:15	2.9
run3	11/5/2002	17:25:30	1.0
run3	11/5/2002	17:25:45	0.8
run3	11/5/2002	17:26:00	0.1
run3	11/5/2002	17:26:15	0.9
run3	11/5/2002	17:26:30	0.7
run3	11/5/2002	17:26:45	0.1
run3	11/5/2002	17:27:00	0.5
run3	11/5/2002	17:27:15	0.3
run3	11/5/2002	17:27:30	0.5
run3	11/5/2002	17:27:45	0.3
run3	11/5/2002	17:28:00	0.3
run3	11/5/2002	17:28:15	-0.2
run3	11/5/2002	17:28:30	0.6
run3	11/5/2002	17:28:45	0.9
run3	11/5/2002	17:29:00	2.6
run3	11/5/2002	17:29:15	0.4
run3	11/5/2002	17:29:30	0.0
run3	11/5/2002	17:29:45	-0.1
run3	11/5/2002	17:30:00	3.6
run3	11/5/2002	17:30:15	0.6
run3	11/5/2002	17:30:30	0.7
run3	11/5/2002	17:30:45	0.7
run3	11/5/2002	17:31:00	0.3
run3	11/5/2002	17:31:15	0.9
run3	11/5/2002	17:31:30	0.1
run3	11/5/2002	17:31:45	0.0
run3	11/5/2002	17:32:00	0.2
run3	11/5/2002	17:32:15	-0.3
run3	11/5/2002	17:32:30	-0.3
run3	11/5/2002	17:32:45	0.5
run3	11/5/2002	17:33:00	-0.1
run3	11/5/2002	17:33:15	0.6
run3	11/5/2002	17:33:30	-0.2
run3	11/5/2002	17:33:45	-0.2
run3	11/5/2002	17:34:00	-0.3
run3	11/5/2002	17:34:15	-0.3
run3	11/5/2002	17:34:30	-0.3
run3	11/5/2002	17:34:45	0.1
run3	11/5/2002	17:35:00	0.5
run3	11/5/2002	17:35:15	0.0
run3	11/5/2002	17:35:30	-0.2
run3	11/5/2002	17:35:45	0.4
run3	11/5/2002	17:36:00	0.2
run3	11/5/2002	17:36:15	-0.3
run3	11/5/2002	17:36:30	0.3
run3	11/5/2002	17:36:45	-0.2
run3	11/5/2002	17:37:00	-0.2
run3	11/5/2002	17:37:15	-0.4
run3	11/5/2002	17:37:30	-0.3
run3	11/5/2002	17:37:45	-0.1
run3	11/5/2002	17:38:00	-0.4
run3	11/5/2002	17:38:15	0.0
run3	11/5/2002	17:38:30	1.0
run3	11/5/2002	17:38:45	1.0
run3	11/5/2002	17:39:00	0.9
run3	11/5/2002	17:39:15	0.6

run3	11/5/2002	17:39:30	0.3		
run3	11/5/2002	17:39:45	0.8		
run3	11/5/2002	17:40:00	0.8		
run3	11/5/2002	17:40:15	1.1		
run3	11/5/2002	17:40:30	0.8		
run3	11/5/2002	17:40:45	0.1		
run3	11/5/2002	17:41:00	0.2		
run3	11/5/2002	17:41:15	0.1		
run3	11/5/2002	17:41:30	1.0		
run3	11/5/2002	17:41:45	2.2		
run3	11/5/2002	17:42:00	1.3		
run3	11/5/2002	17:42:15	1.1		
run3	11/5/2002	17:42:30	1.2		
run3	11/5/2002	17:42:45	1.0		
run3	11/5/2002	17:43:00	1.0		
run3	11/5/2002	17:43:15	2.1		
run3	11/5/2002	17:43:30	4.4		
run3	11/5/2002	17:43:45	2.7		
averun3	11/5/2002	18:44:00	1.4		
scg13	11/5/2002	17:44:30	17.5 BAL1901/cg13	THC	46.1
scg13	11/5/2002	17:44:45	47.7 BAL1901/cg13	THC	46.1
scg13	11/5/2002	17:45:00	49.3 BAL1901/cg13	THC	46.1
scg13	11/5/2002	17:45:15	47.4 BAL1901/cg13	THC	46.1
scg13	11/5/2002	17:45:30	47.7 BAL1901/cg13	THC	46.1
scg13	11/5/2002	17:45:45	47.5 BAL1901/cg13	THC	46.1
scg13	11/5/2002	17:46:00	47.2 BAL1901/cg13	THC	46.1
scg13	11/5/2002	17:46:15	47.9 BAL1901/cg13	THC	46.1
scg13	11/5/2002	17:46:30	47.6 BAL1901/cg13	THC	46.1
scg13	11/5/2002	17:46:45	47.6 BAL1901/cg13	THC	46.1
thcspan1	11/5/2002	17:46:45	47.6 BAL1901/cg13	THC	46.1
scg1	11/5/2002	17:47:00	47.6 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	17:47:15	47.3 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	17:47:30	17.6 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	17:47:45	6.8 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	17:48:00	8.3 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	17:48:15	2.1 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	17:48:30	1.5 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	17:48:45	1.3 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	17:49:00	1.1 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	17:49:15	1.0 SG986191ALC/cg1	O2	20.9 THC
scg1	11/5/2002	17:49:30	1.4 SG986191ALC/cg1	O2	20.9 THC
thczero1	11/5/2002	17:49:15	1.0 SG986191ALC/cg1	O2	20.9 THC
run4	11/5/2002	17:53:00	1.3		
run4	11/5/2002	17:53:15	1.4		
run4	11/5/2002	17:53:30	1.3		
run4	11/5/2002	17:53:45	1.1		
run4	11/5/2002	17:54:00	1.5		
run4	11/5/2002	17:54:15	0.7		
run4	11/5/2002	17:54:30	0.6		
run4	11/5/2002	17:54:45	0.6		
run4	11/5/2002	17:55:00	0.6		
run4	11/5/2002	17:55:15	2.5		
run4	11/5/2002	17:55:30	2.0		
run4	11/5/2002	17:55:45	1.5		
run4	11/5/2002	17:56:00	1.2		
run4	11/5/2002	17:56:15	1.0		
run4	11/5/2002	17:56:30	1.0		
run4	11/5/2002	17:56:45	0.9		
run4	11/5/2002	17:57:00	0.9		
run4	11/5/2002	17:57:15	0.9		
run4	11/5/2002	17:57:30	0.8		
run4	11/5/2002	17:57:45	0.8		
run4	11/5/2002	17:58:00	0.8		
run4	11/5/2002	17:58:15	1.2		
run4	11/5/2002	17:58:30	1.9		
run4	11/5/2002	17:58:45	1.6		
run4	11/5/2002	17:59:00	1.5		
run4	11/5/2002	17:59:15	1.9		
run4	11/5/2002	17:59:30	1.7		
run4	11/5/2002	17:59:45	1.6		
run4	11/5/2002	18:00:00	1.4		
run4	11/5/2002	18:00:15	1.6		
run4	11/5/2002	18:00:30	1.5		
run4	11/5/2002	18:00:45	1.3		
run4	11/5/2002	18:01:00	1.4		
run4	11/5/2002	18:01:15	1.1		
run4	11/5/2002	18:01:30	1.1		
run4	11/5/2002	18:01:45	1.2		
run4	11/5/2002	18:02:00	1.2		
run4	11/5/2002	18:02:15	1.2		
run4	11/5/2002	18:02:30	1.4		

60

run4	11/5/2002	18:02:45	1.5
run4	11/5/2002	18:03:00	1.1
run4	11/5/2002	18:03:15	1.3
run4	11/5/2002	18:03:30	1.2
run4	11/5/2002	18:03:45	1.2
run4	11/5/2002	18:04:00	0.9
run4	11/5/2002	18:04:15	1.0
run4	11/5/2002	18:04:30	1.0
run4	11/5/2002	18:04:45	0.9
run4	11/5/2002	18:05:00	1.2
run4	11/5/2002	18:05:15	0.6
run4	11/5/2002	18:05:30	0.5
run4	11/5/2002	18:05:45	0.3
run4	11/5/2002	18:06:00	0.3
run4	11/5/2002	18:06:15	0.3
run4	11/5/2002	18:06:30	0.2
run4	11/5/2002	18:06:45	0.2
run4	11/5/2002	18:07:00	0.2
run4	11/5/2002	18:07:15	0.2
run4	11/5/2002	18:07:30	0.1
run4	11/5/2002	18:07:45	0.1
run4	11/5/2002	18:08:00	0.1
run4	11/5/2002	18:08:15	0.1
run4	11/5/2002	18:08:30	0.1
run4	11/5/2002	18:08:45	0.0
run4	11/5/2002	18:09:00	0.1
run4	11/5/2002	18:09:15	0.0
run4	11/5/2002	18:09:30	0.1
run4	11/5/2002	18:09:45	0.0
run4	11/5/2002	18:10:00	0.3
run4	11/5/2002	18:10:15	0.3
run4	11/5/2002	18:10:30	0.2
run4	11/5/2002	18:10:45	0.2
run4	11/5/2002	18:11:00	0.1
run4	11/5/2002	18:11:15	1.0
run4	11/5/2002	18:11:30	3.7
run4	11/5/2002	18:11:45	3.3
run4	11/5/2002	18:12:00	2.5
run4	11/5/2002	18:12:15	1.6
run4	11/5/2002	18:12:30	1.3
run4	11/5/2002	18:12:45	1.1
run4	11/5/2002	18:13:00	1.9
run4	11/5/2002	18:13:15	2.6
run4	11/5/2002	18:13:30	1.7
run4	11/5/2002	18:13:45	1.5
run4	11/5/2002	18:14:00	3.0
run4	11/5/2002	18:14:16	3.6
run4	11/5/2002	18:14:31	2.9
run4	11/5/2002	18:14:45	2.4
run4	11/5/2002	18:15:01	2.5
run4	11/5/2002	18:15:16	3.7
run4	11/5/2002	18:15:30	3.0
run4	11/5/2002	18:15:45	2.3
run4	11/5/2002	18:16:00	1.9
run4	11/5/2002	18:16:15	1.7
run4	11/5/2002	18:16:30	2.0
run4	11/5/2002	18:16:45	2.2
run4	11/5/2002	18:17:00	1.8
run4	11/5/2002	18:17:15	1.6
run4	11/5/2002	18:17:30	1.3
run4	11/5/2002	18:17:45	1.8
run4	11/5/2002	18:18:00	1.4
run4	11/5/2002	18:18:15	1.6
run4	11/5/2002	18:18:30	2.0
run4	11/5/2002	18:18:45	1.5
run4	11/5/2002	18:19:00	1.4
run4	11/5/2002	18:19:15	1.2
run4	11/5/2002	18:19:30	1.7
run4	11/5/2002	18:19:45	1.6
run4	11/5/2002	18:20:00	1.4
run4	11/5/2002	18:20:15	1.3
run4	11/5/2002	18:20:30	1.5
run4	11/5/2002	18:20:45	1.3
run4	11/5/2002	18:21:00	1.2
run4	11/5/2002	18:21:15	2.2
run4	11/5/2002	18:21:30	1.9
run4	11/5/2002	18:21:45	1.1
run4	11/5/2002	18:22:00	1.2
run4	11/5/2002	18:22:15	0.8
run4	11/5/2002	18:22:30	0.8
run4	11/5/2002	18:22:45	1.6

run4	11/5/2002	18:23:00	1.7
run4	11/5/2002	18:23:15	1.7
run4	11/5/2002	18:23:30	1.7
run4	11/5/2002	18:23:45	1.2
run4	11/5/2002	18:24:00	1.5
run4	11/5/2002	18:24:15	1.5
run4	11/5/2002	18:24:30	1.7
run4	11/5/2002	18:24:45	1.3
run4	11/5/2002	18:25:00	4.2
run4	11/5/2002	18:25:15	2.3
run4	11/5/2002	18:25:30	1.9
run4	11/5/2002	18:25:45	2.5
run4	11/5/2002	18:26:00	2.3
run4	11/5/2002	18:26:15	5.0
run4	11/5/2002	18:26:30	5.2
run4	11/5/2002	18:26:45	3.5
run4	11/5/2002	18:27:00	3.5
run4	11/5/2002	18:27:15	2.4
run4	11/5/2002	18:27:30	2.0
run4	11/5/2002	18:27:45	1.6
run4	11/5/2002	18:28:00	1.4
run4	11/5/2002	18:28:15	1.2
run4	11/5/2002	18:28:30	1.1
run4	11/5/2002	18:28:45	1.2
run4	11/5/2002	18:29:00	1.0
run4	11/5/2002	18:29:15	1.0
run4	11/5/2002	18:29:30	2.6
run4	11/5/2002	18:29:45	2.9
run4	11/5/2002	18:30:00	2.7
run4	11/5/2002	18:30:15	2.9
run4	11/5/2002	18:30:30	2.5
run4	11/5/2002	18:30:45	1.7
run4	11/5/2002	18:31:00	1.5
run4	11/5/2002	18:31:15	1.3
run4	11/5/2002	18:31:30	1.1
run4	11/5/2002	18:31:45	1.1
run4	11/5/2002	18:32:00	0.9
run4	11/5/2002	18:32:15	0.9
run4	11/5/2002	18:32:30	3.2
run4	11/5/2002	18:32:45	3.3
run4	11/5/2002	18:33:00	2.5
run4	11/5/2002	18:33:15	2.7
run4	11/5/2002	18:33:30	1.9
run4	11/5/2002	18:33:45	1.5
run4	11/5/2002	18:34:00	1.2
run4	11/5/2002	18:34:15	1.0
run4	11/5/2002	18:34:30	0.9
run4	11/5/2002	18:34:45	0.9
run4	11/5/2002	18:35:00	2.4
run4	11/5/2002	18:35:15	1.8
run4	11/5/2002	18:35:30	1.5
run4	11/5/2002	18:35:45	1.1
run4	11/5/2002	18:36:00	1.0
run4	11/5/2002	18:36:15	0.8
run4	11/5/2002	18:36:30	0.8
run4	11/5/2002	18:36:45	0.8
run4	11/5/2002	18:37:00	1.3
run4	11/5/2002	18:37:15	2.5
run4	11/5/2002	18:37:30	2.8
run4	11/5/2002	18:37:45	1.8
run4	11/5/2002	18:38:00	1.6
run4	11/5/2002	18:38:15	1.8
run4	11/5/2002	18:38:30	2.1
run4	11/5/2002	18:38:45	1.4
run4	11/5/2002	18:39:00	1.6
run4	11/5/2002	18:39:15	1.2
run4	11/5/2002	18:39:30	1.8
run4	11/5/2002	18:39:45	1.9
run4	11/5/2002	18:40:00	2.7
run4	11/5/2002	18:40:15	2.8
run4	11/5/2002	18:40:30	2.0
run4	11/5/2002	18:40:45	1.9
run4	11/5/2002	18:41:00	2.0
run4	11/5/2002	18:41:15	1.5
run4	11/5/2002	18:41:30	1.0
run4	11/5/2002	18:41:45	1.6
run4	11/5/2002	18:42:00	1.4
run4	11/5/2002	18:42:15	1.6
run4	11/5/2002	18:42:30	1.3
run4	11/5/2002	18:42:45	1.3
run4	11/5/2002	18:43:00	3.0

run4	11/5/2002	18:43:15	4.2		
run4	11/5/2002	18:43:30	3.0		
run4	11/5/2002	18:43:45	3.0		
run4	11/5/2002	18:44:00	3.3		
run4	11/5/2002	18:44:15	3.0		
run4	11/5/2002	18:44:30	2.2		
run4	11/5/2002	18:44:45	2.7		
run4	11/5/2002	18:45:00	3.3		
run4	11/5/2002	18:45:15	2.0		
run4	11/5/2002	18:45:30	3.2		
run4	11/5/2002	18:45:45	3.2		
run4	11/5/2002	18:46:00	2.7		
run4	11/5/2002	18:46:15	2.7		
run4	11/5/2002	18:46:30	2.6		
run4	11/5/2002	18:46:45	2.5		
run4	11/5/2002	18:47:00	2.2		
run4	11/5/2002	18:47:15	2.4		
run4	11/5/2002	18:47:30	2.9		
run4	11/5/2002	18:47:45	2.2		
run4	11/5/2002	18:48:00	2.0		
run4	11/5/2002	18:48:15	2.8		
run4	11/5/2002	18:48:30	4.2		
run4	11/5/2002	18:48:45	2.3		
run4	11/5/2002	18:49:00	2.0		
run4	11/5/2002	18:49:15	2.2		
run4	11/5/2002	18:49:30	3.1		
run4	11/5/2002	18:49:45	2.5		
run4	11/5/2002	18:50:00	2.1		
run4	11/5/2002	18:50:15	2.5		
run4	11/5/2002	18:50:30	2.7		
run4	11/5/2002	18:50:45	2.3		
run4	11/5/2002	18:51:00	2.0		
run4	11/5/2002	18:51:15	2.5		
run4	11/5/2002	18:51:30	2.2		
run4	11/5/2002	18:51:45	2.4		
run4	11/5/2002	18:52:00	3.0		
run4	11/5/2002	18:52:15	1.9		
run4	11/5/2002	18:52:30	1.8		
run4	11/5/2002	18:52:45	1.8		
run4	11/5/2002	18:53:00	2.7		
averun4	11/5/2002	17:53:00	1.7		
scg1	11/5/2002	18:53:30	1.6	SG986191ALC/cg1	O2
scg1	11/5/2002	18:53:45	1.8	SG986191ALC/cg1	O2
scg1	11/5/2002	18:54:00	1.1	SG986191ALC/cg1	O2
scg1	11/5/2002	18:54:15	0.9	SG986191ALC/cg1	O2
scg1	11/5/2002	18:54:30	0.8	SG986191ALC/cg1	O2
scg1	11/5/2002	18:54:45	0.7	SG986191ALC/cg1	O2
scg1	11/5/2002	18:55:00	0.7	SG986191ALC/cg1	O2
thczero1	11/5/2002	18:55:00	0.7	SG986191ALC/cg1	O2
scg13	11/5/2002	18:55:15	0.6	BAL1901/cg13	THC
scg13	11/5/2002	18:55:30	0.6	BAL1901/cg13	THC
scg13	11/5/2002	18:55:45	1.1	BAL1901/cg13	THC
scg13	11/5/2002	18:56:00	1.3	BAL1901/cg13	THC
scg13	11/5/2002	18:56:15	25.6	BAL1901/cg13	THC
scg13	11/5/2002	18:56:30	47.6	BAL1901/cg13	THC
scg13	11/5/2002	18:56:45	46.8	BAL1901/cg13	THC
scg13	11/5/2002	18:57:00	47.2	BAL1901/cg13	THC
scg13	11/5/2002	18:57:15	47.3	BAL1901/cg13	THC
thcspan1	11/5/2002	18:57:15	47.3	BAL1901/cg13	THC
so2zero					
so2span					
noxzero					
noxspan					
co2zero					
co2span					
o2zero					
o2span					
thczero					
thcspan					
cozero					
cospan					
so2zero	Parameter Not Found				
so2mid	Parameter Not Found				
so2high	Parameter Not Found				
noxzero	Parameter Not Found				
noxlow	Parameter Not Found				
noxmid	Parameter Not Found				
noxhigh	Parameter Not Found				
co2zero	Parameter Not Found				
co2mid	Parameter Not Found				
co2high	Parameter Not Found				



60

20.9 THC
20.9 THC
20.9 THC
20.9 THC
20.9 THC
20.9 THC
20.9 THC
20.9 THC
46.1
46.1
46.1
46.1
46.1
46.1
46.1
46.1
46.1

APPENDIX G

Plant Operational Data and F_d factor Calculations

$\sim 996 \text{ CFM} \times 402 \text{ Btu/CF}$
 $= 24.024 \text{ million Btu/hr}$





5 HARRIS COURT, BUILDING L
MONTEREY, CA 93940 USA
800-866-0200 831-373-0200
FAX 831-373-4402

CALIBRATION CERTIFICATE

Print Date and Time


Monday, July 29, 2002 1:37 AM

Order Information	Customer Name	ENERGY DEVELOPMENTS INC.
	Sales Order Number	R60040
	Purchase Order Number	2826
Instrument	Model	6405-FM-LTS-E2-F3-V4-00-4
	Serial Number	62643
	Tag Number	N/A
	Factory Full Scale	6975.0000
	User Full Scale	5500.0000
	Units	SM3/HR
	Line Size	12.375" PIPE I.D.
	Output	4 - 20 mA
	Display Setting (Optional)	5440
	Tabular Setting (Optional)	SM3
	Alarm Settings (Optional)	N/A
	Other	N/A
	Calibration Date	July 29, 2002
	Calibration Due Date	July 29, 2003
Cal-Lab Data	Calibration Method	Gas Leak Asset Numbers 0114, 0115 and 0116
	MATE Asset Numbers	0846, 1078
	Ambient Temperature	64°F
	Ambient Pressure	23.78 in Hg
Application Data	Calibrated for (gas)	50% CH ₄ , 30% CO ₂ , 20% N ₂
	Operating Gas Temperature	25.0°C
	Operating Pressure	7.05 KPAG
	Reference Temperature	70 Deg F.
	Reference Pressure	1 ATM
	Accuracy Specification	±1% Reading (10-100%FS) ±.5% FS below 10% FS

Range 1 Mass Flow Sensor Data
Alpha Temperature 0.503891
Re Temperature 286.8
Alpha Velocity 1.002665
Re Velocity 17.78

Performance Data	Sample Point	Output	Indicated Flow	Actual Flow	% Tolerance	Bridge Voltage
	0.00	4.854	11.8728	0.0000	0.0	2.220
	25.11	8.061	1095.9308	1090.8720	94.1	4.552
	50.00	12.076	2779.1516	2765.1620	99.1	5.198
	75.21	16.058	4145.2410	4190.2586	10.7	5.606
	100.00	19.895	5484.3748	5504.5820	-5.6	5.909

Performance Graph



The calibration standards used in this procedure are traceable to NIST or applicable International Standards.
This instrument has been calibrated in accordance with the provisions of ANSI/ISO 1548-1 and ISO/IEC guide 28.

Note: the % Tolerance is the error, as a percent of the maximum error allowed for the flowmeter to meet the accuracy specification shown above. A % Tolerance of less than 100% indicates the meter is within specification.

Sierra Instruments holds an ISO 9001 Certificate of Registration No. 88112.1

Calibration Technician:

Date:

July 29, 2002

Q.C. Technician:

Date:

July 29, 2002

SI form 8: 6440-B

SIW:Field Cal Lab, Rev. 1.00

Fd Factor Calculations

	Specific Gravity	Btu/ft3	%Vol.	Specific Gravity Ratio	(% wt.)	O2%	C%	H%	S%
Hydrogen	0.0696	324.9		0.0000	0.00			100.0	
Oxygen	1.1100		3.37	0.0374	3.86	100.0			
Nitrogen	0.9672		26.27	0.2541	26.19				
Carbon Monoxide	0.9671	321.3		0.0000	0.00	57.1	42.9		
Carbon Dioxide	1.5194		29.93	0.4548	46.88	72.7	27.3		
Hydrogen Sulfide	1.1765	638.6		0.0000	0.00			5.9	94.1
Methane (C1)	0.5539	1012.0	40.40	0.2238	23.07		75.0	25.0	
Ethane (C2)	1.0382	1772.9		0.0000	0.00		80.0	20.0	
Ethylene (C2=)	0.9686	1602.9		0.0000	0.00		85.7	14.3	
Propane (C3)	1.5224	2523.0		0.0000	0.00		81.8	18.2	
Propylene (C3=)	1.4528	2339.0		0.0000	0.00		85.7	14.3	
Butanes (IC4+NC4+Other)	2.0067	3265.0		0.0000	0.00		82.8	17.2	
Butenes (IC4=+TC4=2+CC4=2)	1.9371	3080.1		0.0000	0.00		85.7	14.3	
Butadiene (C4=13)	1.8675	2887.7		0.0000	0.00		88.9	11.1	
Pentanes (IC5+NC5)	2.4910	4014.0		0.0000	0.00		83.3	16.7	
Pentenes (C5=+)	2.4214	3824.0		0.0000	0.00		85.6	14.4	
Hexanes+ (C6+)	2.9753	4758.0		0.0000	0.00		83.7	16.3	
Cyclohexane	2.9056	4397.0		0.0000	0.00		85.6	14.3	
Acetylene	0.8990	1476.2		0.0000	0.00		92.3	7.7	
Benzene	2.6968	3750.6		0.0000	0.00		92.3	7.7	
Toluene	3.1820	4485.2		0.0000	0.00	91.3		8.7	
H2O	0.0622			0.0000	0.00	85.7		14.3	
COS	2.0715	594.0		0.0000	0.00	26.7	20.0		53.3

Sum =
Specific Gravity = 0.9701
Btu/ft3* = 402
Btu/lb* = 5,600

C% = 30.10
H% = 5.77
O% = 37.94
N% = 26.19
S% = 0.00

$$\text{Fd factor} = \frac{1.000.000[3.64(\%H)+1.53(\%C)+0.57(\%S)+0.14(\%N)-0.46(\%O)]}{^{\wedge}\text{Btu/lb}}$$

Sum = 100.00

$$\text{Fd factor} = 9,513 \text{ dscf*/million Btu}$$

*29.92 "Hg, 68 Deg.F (760 mm Hg, 20 Deg.C)

G-4

APPENDIX H

Chain of Custody



CHAIN OF CUSTODY

Job # 02-299 Date 11/5/02
 Client Weaver, Coos, & Gordon Method 18
 Location San Antonio, TX Project Supervisor M. Bass
 Source Name Enclosed Flare Outlet Stack Program Manager L. Adams

	Number of Containers	Absorb. Solution	Initial Volume	Part.	SO ₂	SO ₃	Other Analyses
Filter Cont.	_____	_____	_____	_____	_____	_____	_____
Front Wash	_____	_____	_____	_____	_____	_____	_____
Back Wash	_____	_____	_____	_____	_____	_____	_____
Impinger 1	_____	_____	_____	_____	_____	_____	_____
Impinger 2	_____	_____	_____	_____	_____	_____	_____
Impinger 3	_____	_____	_____	_____	_____	_____	_____
Impinger 4	_____	_____	_____	_____	_____	_____	_____
Impinger 5	_____	_____	_____	_____	_____	_____	_____
Blank 1	_____	_____	_____	_____	_____	_____	_____
Blank 2	_____	_____	_____	_____	_____	_____	_____
NO _x	_____	_____	_____	_____	_____	_____	_____
Other	<u>III</u>	_____	_____	_____	_____	_____	<u>Methane</u>

Special Instructions: _____

Run # 2 Recov. By MH Date 11/5/02 Time 1555 Location M49
 Run # 3 Recov. By MH Date 11/5/02 Time 1645 Location M49
 Run # 4 Recov. By MH Date 11/5/02 Time 1855 Location M49
 Run # _____ Recov. By _____ Date _____ Time _____ Location _____
 Samples Rcvd. By MH for transport. Date 11/7/02 Time 1400 Location M49
 Samples Rcvd. By Core Point for transport. Date 11-13-02 Time 0800 Location M34
 Sample Rcvd. At lab by A.M. Solata Date 11-13-02 Time 9:15
 Sample Analyzed by _____ Date _____ Time _____
 Sample Analyzed by _____ Date _____ Time _____
 Data checked by JM Date 11/29/02 Time 1145

APPENDIX I

Resumes of Test Personnel

ROBERT M. PATTERSON; President

Education B.S. 1983, Central Michigan University; Mt. Pleasant, Michigan,
in Geology and Earth Science-Meteorology.

Professional
Training
Courses Two-day short course, "Performing and Observing Source
Sampling," Dallas, Texas.

Attended one-day short course on basic supervision.

Attended four-week management course presented by the
American Management Association, 1991-1992.

Certification Certified Visible Emissions Evaluator
Certified Cabot Full-Face Respirator Fit Tester

Professional
Memberships Source Evaluation Society
American Management Association

Technical
Experience Participated in the sampling of over 1,000 sources, including
several of which were sampled simultaneously using more than
one sampling train. Thoroughly trained in all EPA testing
procedures. 1986—present.

Over nineteen years experience with EPA and Texas Air Control
Board methods of sampling - both stationary sources and ambient
air. CFR, Title 40, Chapter I, Part 60, EPA Methods 1 through 25,
and 101 through 110. Performance Specifications 1 through 5.
CFR, Title 40, Chapter I, Part 50, Appendix A through F. "Sampling
Procedures Manual, Texas Air Control Board, January 1983."
Parts 1-1 through 14-6, Appendix B through Appendix M.

(continued)

PATTERSON, Rob (cont'd)

Experienced with sampling Method 0010, Modified Method 5 Sampling Train; Method 0030, Volatile Organic Sampling Train; and various EPA and "Site Specific" multiple metal and acid gas sampling trains.

Over nineteen years experience with EPA and Texas Air Control Board methods of analysis of both stationary and ambient air samples. Particulate matter, SO_3 , SO_2 , H_2SO_4 , NO_x , CO , CO_2 , O_2 , H_2S , F , TRS , HCl , Cl_2 , NH_3 , VOC , $\text{C}_1\text{-C}_7$, and other organics. Both laboratory and on-site analyses were performed.

Experienced in the sampling and analysis of commercial calibration gas cylinders for sulfur dioxide, oxides of nitrogen, carbon dioxide, oxygen, carbon monoxide, and $\text{C}_1\text{-C}_7$ hydrocarbons.

Thoroughly trained in the operation and routine maintenance of the following:

- MSA LIRA Model 202S Infrared Analyzer
- Analytical Instrument Development, Inc. Model 340A Calibration System
- Shimadzu GC-Mini 2 Gas Chromatograph
- Thermo Environmental Model 10AR Oxides of Nitrogen Analyzer
- Thermo Oxygen Analyzer
- Teledyne Model 326 Oxygen Analyzer
- Thermo Environmental Model 48 Carbon Monoxide Analyzer
- Thermo Environmental Model 40 Sulfur Dioxide Analyzer
- Ratfisch Model RS 100 Total Hydrocarbon Analyzer
- Western Research Model 721AT Sulfur Dioxide Analyzer
- Horiba Model PIR 2000 Carbon Dioxide Analyzer
- Ratfisch Model RS 55 Total Hydrocarbon Analyzer
- J.U.M. Model VE-7 Total Hydrocarbon Analyzer

JAMES R. MONFRIES; Senior Quality Assurance Manager

Education B.S. 1975, University of Texas at Arlington; Arlington, Texas, in Biology with a minor in Chemistry.

Graduate work at the University of Texas at Dallas in the Environmental Science Department.

Professional Training Courses Two-day short course, "Performing and Observing Source Sampling," Dallas, Texas, July 1976.

Certification Certified Visible Emissions Evaluator

Professional Memberships Air and Waste Management Association
Source Evaluation Society - Past President

Technical Experience Participated in the sampling of over 700 sources, serving in the supervisory capacity on over 500 sources. Many of the sources were sampled simultaneously using more than one sampling train at several points in the flue gas stream, 1976—present.

Has also supervised several ambient air monitoring studies, including a permanent five-station high volume air sampling network in South Texas, a permanent four-station high volume air sampling network in Pennsylvania, and a permanent seven-station sulfur dioxide sampling network in East Texas.

Twenty years experience with EPA and Texas Natural Resource Conservation Commission methods of analysis of both source and ambient air samples for particulates, SO₂, SO₃, H₂SO₄, H₂S, HCl, Cl₂, NO_x, Hydrocarbons, and TRS.

(continued)

MONFRIES, James (cont'd)

Experienced in the analysis of commercial calibration gas cylinders for sulfur dioxide and oxides of nitrogen.

Experienced with VOST and Modified Method 5 Sampling Procedures.

Thoroughly trained in the operation and routine maintenance of the following:

- Lear Siegler, Inc. SM800 Stack Gas Monitor
- Du Pont Model 460/1 Photometric Analyzer System
- Lear Siegler, Inc. SM1000 Ambient SO₂ Monitor
- Calibrated Instruments Ultragas SO₂ Monitor
- Meloy 285E SO₂ Analyzer
- Meloy SA-700 Fluorescent SO₂ Analyzer
- MSA LIRA Model 202S Infrared Analyzer
- Analytical Instrument Development, Inc. Model 340A Calibration System
- Shimadzu GC-Mini 2 Gas Chromatograph
- Thermo Environmental Model 10S NO_x Analyzer
- Thermo Oxygen Analyzer
- Teledyne Model 326 Oxygen Analyzer
- Thermo Environmental Model 48 Carbon Monoxide Analyzer
- Thermo Environmental Model 40 Sulfur Dioxide Analyzer
- Ratfisch Model RS 103 Total Hydrocarbon Analyzer
- Western Research Model 721AT Sulfur Dioxide Analyzer
- Horiba Model PIR 2000 Carbon Dioxide Analyzer
- Ratfisch Model RS 55 Total Hydrocarbon Analyzer
- J.U.M. Model VE-7 Total Hydrocarbon Analyzer

MICHAEL BASS; Project Supervisor II

Education

B. S. Geography, August 1998; Texas A&M University,
College Station, Texas.

Technical
Experience

Participated in the sampling of over 200 sources, including
several of which were sampled simultaneously using more
than one sampling train.

Thoroughly trained in all EPA testing procedures, 1998—present.

MIKE HOSKOVEC; Environmental Scientist III

Education

B. S. Biology, May 2000; Truman State University,
Kirksville, Missouri.

Technical
Experience

Participated in the sampling of over 100 sources, including
several of which were sampled simultaneously using more
than one sampling train.

Thoroughly trained in all EPA testing procedures, 2001—present.

JOE HANNON; Environmental Scientist II

Education

B.A. Psychology, May 2001; UT—San Antonio, San Antonio, Texas.

Technical
Experience

Participated in the sampling of over 50 sources, including several of which were sampled simultaneously using more than one sampling train.

Thoroughly trained in all EPA testing procedures, 2001—present.