

APPENDIX D. POREWATER SUPPORTING DOCUMENTATION

Table D-1. Literature PCB congener partition coefficients

PCB congener	Log K _{OW} ^a (L/kg)	Log K _{OC} ^b (L/kg TOC)	Log K _{black carbon} ^c (L/kg Black Carbon)
PCB-1	4.46	4.40	5.43
PCB-2	4.69	4.51	5.64
PCB-3	4.69	4.52	5.64
PCB-4	4.65	4.40	5.60
PCB-5	4.97	4.72	5.89
PCB-6	5.06	4.71	5.97
PCB-7	5.07	4.67	5.98
PCB-8	5.07	4.72	5.98
PCB-9	5.06	4.67	5.97
PCB-10	4.84	4.40	5.77
PCB-11	5.28	4.84	6.17
PCB-12	5.22	4.86	6.12
PCB-13	5.29	4.86	6.18
PCB-14	5.28	4.77	6.17
PCB-15	5.30	4.88	6.19
PCB-16	5.16	4.88	6.07
PCB-17	5.25	4.80	6.15
PCB-18	5.24	4.79	6.14
PCB-19	5.02	4.67	5.94
PCB-20	5.57	5.08	6.44
PCB-21	5.51	5.07	6.38
PCB-22	5.58	5.11	6.45
PCB-23	5.57	4.98	6.44
PCB-24	5.35	4.84	6.24
PCB-25	5.67	5.02	6.53
PCB-26	5.66	5.02	6.52
PCB-27	5.44	4.79	6.32
PCB-28	5.67	5.05	6.53
PCB-29	5.60	4.99	6.47
PCB-30	5.44	4.72	6.32
PCB-31	5.67	5.04	6.53
PCB-32	5.44	4.88	6.32
PCB-33	5.60	3.08	6.47
PCB-34	5.66	4.98	6.52
PCB-35	5.82	5.23	6.67
PCB-36	5.88	5.15	6.72

Table D-1. Literature PCB congener partition coefficients

PCB congener	Log K _{OW} ^a (L/kg)	Log K _{OC} ^b (L/kg TOC)	Log K _{black carbon} ^c (L/kg Black Carbon)
PCB-37	5.83	5.26	6.68
PCB-38	5.76	5.19	6.61
PCB-39	5.89	5.16	6.73
PCB-40	5.66	5.39	6.52
PCB-41	5.69	5.35	6.55
PCB-42	5.76	5.31	6.61
PCB-43	5.75	5.21	6.60
PCB-44	5.75	5.30	6.60
PCB-45	5.53	5.12	6.40
PCB-46	5.53	5.16	6.40
PCB-47	5.85	5.23	6.69
PCB-48	5.78	5.23	6.63
PCB-49	5.85	5.22	6.69
PCB-50	5.63	5.01	6.49
PCB-51	5.63	5.09	6.49
PCB-52	5.84	5.20	6.68
PCB-53	5.62	5.07	6.48
PCB-54	5.21	4.94	6.11
PCB-55	6.11	5.44	6.93
PCB-56	6.11	5.47	6.93
PCB-57	6.17	5.34	6.98
PCB-58	6.17	5.37	6.98
PCB-59	5.95	5.31	6.78
PCB-60	6.11	5.47	6.93
PCB-61	6.04	5.38	6.87
PCB-62	5.89	5.25	6.73
PCB-63	6.17	5.37	6.98
PCB-64	5.95	5.36	6.78
PCB-65	5.86	5.24	6.70
PCB-66	6.20	5.41	7.01
PCB-67	6.20	5.35	7.01
PCB-68	6.26	5.31	7.07
PCB-69	6.04	5.19	6.87
PCB-70	6.20	5.40	7.01
PCB-71	5.98	5.35	6.81
PCB-72	6.26	5.29	7.07

Table D-1. Literature PCB congener partition coefficients

PCB congener	Log K _{OW} ^a (L/kg)	Log K _{OC} ^b (L/kg TOC)	Log K _{black carbon} ^c (L/kg Black Carbon)
PCB-73	6.04	5.20	6.87
PCB-74	6.20	5.39	7.01
PCB-75	6.05	5.23	6.88
PCB-76	6.13	5.40	6.95
PCB-77	6.36	5.63	7.16
PCB-78	6.35	5.56	7.15
PCB-79	6.42	5.53	7.21
PCB-80	6.48	5.42	7.27
PCB-81	6.36	5.59	7.16
PCB-82	6.20	5.86	7.01
PCB-83	6.26	5.71	7.07
PCB-84	6.04	5.61	6.87
PCB-85	6.30	5.78	7.10
PCB-86	6.23	5.74	7.04
PCB-87	6.29	5.76	7.09
PCB-88	6.07	5.53	6.89
PCB-89	6.07	5.63	6.89
PCB-90	6.36	5.64	7.16
PCB-91	6.13	5.55	6.95
PCB-92	6.35	5.61	7.15
PCB-93	6.04	5.51	6.87
PCB-94	6.13	5.47	6.95
PCB-95	6.13	5.52	6.95
PCB-96	5.71	5.38	6.57
PCB-97	6.29	5.74	7.09
PCB-98	6.13	5.50	6.95
PCB-99	6.39	5.66	7.18
PCB-100	6.23	5.43	7.04
PCB-101	6.38	5.64	7.18
PCB-102	6.16	5.51	6.98
PCB-103	6.22	5.41	7.03
PCB-104	5.81	5.27	6.66
PCB-105	6.65	5.83	7.42
PCB-106	6.64	5.73	7.41
PCB-107	6.71	5.72	7.48
PCB-108	6.71	5.72	7.48

Table D-1. Literature PCB congener partition coefficients

PCB congener	Log K _{OW} ^a (L/kg)	Log K _{OC} ^b (L/kg TOC)	Log K _{black carbon} ^c (L/kg Black Carbon)
PCB-109	6.48	5.71	7.27
PCB-110	6.48	5.81	7.27
PCB-111	6.76	5.60	7.52
PCB-112	6.45	5.70	7.24
PCB-113	6.54	5.66	7.32
PCB-114	6.65	5.77	7.42
PCB-115	6.49	5.76	7.28
PCB-116	6.33	5.75	7.13
PCB-117	6.46	5.76	7.25
PCB-118	6.74	5.73	7.50
PCB-119	6.58	5.69	7.36
PCB-120	6.79	5.62	7.55
PCB-121	6.64	5.54	7.41
PCB-122	6.64	5.78	7.41
PCB-123	6.74	5.73	7.50
PCB-124	6.73	5.71	7.49
PCB-125	6.51	5.75	7.29
PCB-126	6.89	5.95	7.64
PCB-127	6.95	5.83	7.69
PCB-128	6.74	6.32	7.50
PCB-129	6.73	6.23	7.49
PCB-130	6.80	6.15	7.56
PCB-131	6.58	6.00	7.36
PCB-132	6.58	6.06	7.36
PCB-133	6.86	6.01	7.61
PCB-134	6.55	5.98	7.33
PCB-135	6.64	5.90	7.41
PCB-136	6.22	5.79	7.03
PCB-137	6.83	6.17	7.59
PCB-138	6.83	6.19	7.59
PCB-139	6.67	5.95	7.44
PCB-140	6.67	5.95	7.44
PCB-141	6.82	6.12	7.58
PCB-142	6.51	6.00	7.29
PCB-143	6.60	5.98	7.38
PCB-144	6.67	5.90	7.44

Table D-1. Literature PCB congener partition coefficients

PCB congener	Log K _{OW} ^a (L/kg)	Log K _{OC} ^b (L/kg TOC)	Log K _{black carbon} ^c (L/kg Black Carbon)
PCB-145	6.25	5.76	7.06
PCB-146	6.89	6.04	7.64
PCB-147	6.64	5.92	7.41
PCB-148	6.73	5.79	7.49
PCB-149	6.67	5.94	7.44
PCB-150	6.32	5.69	7.12
PCB-151	6.64	5.88	7.41
PCB-152	6.22	5.73	7.03
PCB-153	6.92	6.06	7.67
PCB-154	6.76	5.83	7.52
PCB-155	6.41	5.59	7.20
PCB-156	7.18	6.10	7.90
PCB-157	7.18	6.12	7.90
PCB-158	7.02	6.20	7.76
PCB-159	7.24	5.98	7.96
PCB-160	6.93	6.19	7.68
PCB-161	7.08	6.04	7.81
PCB-162	7.24	6.00	7.96
PCB-163	6.99	6.19	7.73
PCB-164	7.02	6.19	7.76
PCB-165	7.05	6.02	7.79
PCB-166	6.93	6.25	7.68
PCB-167	7.27	6.02	7.99
PCB-168	7.11	6.08	7.84
PCB-169	7.42	6.23	8.12
PCB-170	7.27	6.66	7.99
PCB-171	7.11	6.43	7.84
PCB-172	7.33	6.50	8.04
PCB-173	7.02	6.45	7.76
PCB-174	7.11	6.39	7.84
PCB-175	7.17	6.27	7.89
PCB-176	6.76	6.16	7.52
PCB-177	7.08	6.41	7.81
PCB-178	7.14	6.24	7.87
PCB-179	6.73	6.12	7.49
PCB-180	7.36	6.53	8.07

Table D-1. Literature PCB congener partition coefficients

PCB congener	Log K _{OW} ^a (L/kg)	Log K _{OC} ^b (L/kg TOC)	Log K _{black carbon} ^c (L/kg Black Carbon)
PCB-181	7.11	6.39	7.84
PCB-182	7.20	6.28	7.92
PCB-183	7.20	6.30	7.92
PCB-184	6.85	6.06	7.60
PCB-185	7.11	6.35	7.84
PCB-186	6.69	6.20	7.46
PCB-187	7.17	6.28	7.89
PCB-188	6.82	6.02	7.58
PCB-189	7.71	6.37	8.39
PCB-190	7.46	6.66	8.16
PCB-191	7.55	6.56	8.24
PCB-192	7.52	6.49	8.21
PCB-193	7.52	6.54	8.21
PCB-194	7.80	6.96	8.47
PCB-195	7.56	6.86	8.25
PCB-196	7.65	6.73	8.33
PCB-197	7.30	6.50	8.01
PCB-198	7.62	6.69	8.30
PCB-199	7.20	6.57	7.92
PCB-200	7.27	6.47	7.99
PCB-201	7.62	6.71	8.30
PCB-202	7.24	6.43	7.96
PCB-203	7.65	6.73	8.33
PCB-204	7.30	6.48	8.01
PCB-205	8.00	6.99	8.65
PCB-206	8.09	7.13	8.73
PCB-207	7.74	6.90	8.41
PCB-208	7.71	6.86	8.39
PCB-209	8.18	7.27	8.81

^a Hawker and Connell (1988)

^b Hansen et al. (1999)

^c Koelmans et al. (2006)

PCB – polychlorinated biphenyl

TOC – total organic carbon

K_{OW} – octanol-water partition coefficient

K_{OC} – organic carbon-water partition coefficient

Table D-2.LDW-specific PCB congener K_{oc} values

PCB Congener	Log K _{ow}	Pre-Design Studies Locations Log K _{oc} values										Average
		SS-169	SS-172	SS-174	SS-175	SS-177	SS-179	SS-180	SS-184	SS-185	SS-187	
PCB-1	4.46	5.41	5.12	5.42	5.47	5.58	5.44	5.60	5.66	5.43	6.05	5.52
PCB-2	4.69	nc	5.43	5.40	5.64	5.84	5.51	6.12	5.78	5.63	5.87	5.69
PCB-3	4.69	nc	5.68	5.60	5.83	6.01	5.66	6.06	6.11	5.81	6.27	5.89
PCB-4	4.65	5.19	4.88	5.17	5.23	5.35	5.10	5.44	5.35	5.16	5.13	5.20
PCB-5	4.97	5.60	5.56	5.66	5.82	5.74	5.79	5.89	5.71	5.69	5.45	5.69
PCB-6	5.06	5.60	5.05	5.60	5.58	5.75	5.50	5.79	5.84	5.59	5.54	5.58
PCB-7	5.07	5.52	5.36	5.56	5.49	5.62	5.52	5.68	5.72	5.54	5.48	5.55
PCB-8	5.07	5.64	5.40	5.67	5.62	5.78	5.59	5.77	5.83	5.66	5.60	5.66
PCB-9	5.06	5.56	5.44	5.60	5.68	5.77	5.52	5.77	5.74	5.58	5.64	5.63
PCB-10	4.84	5.24	5.13	5.32	5.30	5.42	5.25	5.48	5.51	5.27	5.28	5.32
PCB-11	5.28	5.73	5.43	5.57	5.87	6.31	5.69	5.89	5.84	5.67	5.26	5.73
PCB-12	5.22	5.96	5.67	5.80	5.96	6.14	5.71	5.95	6.16	5.84	5.83	5.90
PCB-13	5.29	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-14	5.28	nc	5.20	5.63	5.08	4.97	4.61	5.18	4.55	5.30	4.74	5.03
PCB-15	5.3	6.10	5.86	5.93	6.04	6.19	5.90	5.97	6.14	5.86	5.80	5.98
PCB-16	5.16	5.51	5.31	5.61	5.50	5.67	5.56	5.61	5.65	5.54	5.33	5.53
PCB-17	5.25	5.49	5.19	5.57	5.41	5.59	5.32	5.50	5.60	5.48	5.25	5.44
PCB-18	5.24	5.51	5.24	5.59	5.47	5.68	5.37	5.58	5.63	5.52	5.30	5.49
PCB-19	5.02	5.30	5.03	5.30	5.19	5.33	5.17	5.46	5.32	5.22	5.05	5.24
PCB-20	5.57	5.82	5.69	5.84	5.87	6.02	5.69	5.82	5.97	5.81	5.60	5.81
PCB-21	5.51	5.86	5.69	5.89	5.90	6.00	5.74	5.89	5.97	5.83	5.65	5.84
PCB-22	5.58	5.93	5.84	5.98	6.01	6.16	5.84	5.96	6.04	5.96	5.75	5.95
PCB-23	5.57	nc	5.36	5.52	5.75	5.75	5.57	5.78	5.89	5.85	5.46	5.66

Table D-2.LDW-specific PCB congener K_{oc} values

PCB Congener	Log K _{ow}	Pre-Design Studies Locations Log K _{oc} values										Average
		SS-169	SS-172	SS-174	SS-175	SS-177	SS-179	SS-180	SS-184	SS-185	SS-187	
PCB-24	5.35	5.51	5.34	5.70	5.51	5.72	5.52	5.55	5.63	5.48	5.34	5.53
PCB-25	5.67	5.93	5.72	5.94	5.93	6.02	5.80	5.90	6.04	5.91	5.66	5.89
PCB-26	5.66	5.89	5.82	5.91	5.90	6.04	5.70	5.91	6.00	5.89	5.67	5.87
PCB-27	5.44	5.69	5.39	5.74	5.64	5.77	5.49	5.73	5.77	5.51	5.39	5.61
PCB-28	5.67	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-29	5.6	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-30	5.44	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-31	5.67	5.94	5.79	5.97	6.01	6.15	5.74	5.95	6.05	5.97	5.75	5.93
PCB-32	5.44	5.60	5.06	5.60	5.54	5.66	5.57	5.78	5.87	5.27	5.52	5.55
PCB-33	5.6	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-34	5.66	5.79	5.50	5.82	5.73	5.83	5.58	5.79	5.90	5.79	5.59	5.73
PCB-35	5.82	6.33	6.21	6.27	6.51	6.52	6.27	6.29	6.39	6.25	6.13	6.32
PCB-36	5.88	nc	4.71	5.72	5.64	5.67	5.70	5.66	5.89	4.81	5.30	5.45
PCB-37	5.83	6.39	6.25	6.30	6.45	6.59	6.29	6.30	6.44	6.26	6.12	6.34
PCB-38	5.76	5.89	5.93	5.66	5.59	5.50	5.48	5.66	5.76	5.83	5.58	5.69
PCB-39	5.89	6.06	5.74	6.04	5.92	5.97	5.70	5.90	5.87	6.09	5.80	5.91
PCB-40	5.66	5.85	5.64	5.85	5.78	5.85	5.67	5.91	5.79	5.85	5.69	5.79
PCB-41	5.69	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-42	5.76	5.91	5.69	5.88	5.80	5.88	5.73	5.96	5.86	5.93	5.72	5.84
PCB-43	5.75	6.02	5.55	5.88	5.73	5.80	5.59	5.85	5.75	6.06	5.59	5.78
PCB-44	5.75	5.91	5.71	5.89	5.80	5.98	5.70	5.98	5.83	5.96	5.67	5.84
PCB-45	5.53	5.67	5.47	5.70	5.61	5.65	5.42	5.73	5.62	5.57	5.44	5.59
PCB-46	5.53	5.75	5.54	5.77	5.67	5.74	5.57	5.83	5.69	5.69	5.58	5.68

Table D-2.LDW-specific PCB congener K_{oc} values

PCB Congener	Log K _{ow}	Pre-Design Studies Locations Log K _{oc} values										Average
		SS-169	SS-172	SS-174	SS-175	SS-177	SS-179	SS-180	SS-184	SS-185	SS-187	
PCB-47	5.85	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-48	5.78	5.86	5.62	5.84	5.80	5.88	5.62	5.89	5.81	5.89	5.74	5.79
PCB-49	5.85	5.97	5.71	5.93	5.80	5.96	5.72	6.00	5.88	5.96	5.71	5.86
PCB-50	5.63	5.82	5.58	5.82	5.67	5.78	5.56	5.84	5.77	5.71	5.49	5.70
PCB-51	5.63	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-52	5.84	6.03	5.82	5.99	5.86	6.19	5.76	6.04	5.91	6.05	5.65	5.93
PCB-53	5.62	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-54	5.21	5.38	5.27	5.38	5.33	5.26	5.21	5.51	5.32	5.25	5.19	5.31
PCB-55	6.11	6.29	5.86	6.20	6.32	6.36	6.29	6.48	6.45	6.13	6.21	6.26
PCB-56	6.11	6.39	6.25	6.37	6.41	6.56	6.27	6.49	6.46	6.44	6.22	6.39
PCB-57	6.17	6.20	6.17	6.19	6.30	6.22	6.19	6.46	6.30	6.36	6.10	6.25
PCB-58	6.17	4.91	4.41	5.05	4.97	4.73	6.15	6.55	6.25	5.19	5.11	5.33
PCB-59	5.95	6.03	6.18	5.99	5.97	5.98	5.84	6.08	5.98	5.99	5.80	5.98
PCB-60	6.11	6.32	6.21	6.30	6.42	6.57	6.15	6.39	6.34	6.42	6.16	6.33
PCB-61	6.04	6.26	6.05	6.21	6.21	6.44	6.08	6.31	6.27	6.40	6.06	6.23
PCB-62	5.89	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-63	6.17	6.20	6.04	6.14	6.21	6.33	6.05	6.27	6.23	6.42	6.05	6.19
PCB-64	5.95	6.11	5.87	6.09	6.01	6.19	5.91	6.15	6.06	6.22	5.89	6.05
PCB-65	5.86	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-66	6.2	6.41	6.20	6.33	6.37	6.50	6.21	6.47	6.40	6.42	6.16	6.35
PCB-67	6.2	6.30	6.34	6.21	6.34	6.33	6.11	6.33	6.26	6.32	6.11	6.26
PCB-68	6.26	6.27	6.20	6.21	6.17	6.17	6.10	6.29	6.25	6.20	6.06	6.19
PCB-69	6.04	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc

Table D-2.LDW-specific PCB congener K_{oc} values

PCB Congener	Log K _{ow}	Pre-Design Studies Locations Log K _{oc} values										Average
		SS-169	SS-172	SS-174	SS-175	SS-177	SS-179	SS-180	SS-184	SS-185	SS-187	
PCB-70	6.2	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-71	5.98	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-72	6.26	6.27	6.24	6.24	6.18	6.23	6.09	6.31	6.24	6.22	6.05	6.21
PCB-73	6.04	nc	5.51	6.00	5.62	5.30	5.34	6.07	5.81	5.69	5.78	5.68
PCB-74	6.2	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-75	6.05	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-76	6.13	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-77	6.36	6.72	6.59	6.63	6.80	6.91	6.60	6.77	6.81	6.67	6.49	6.70
PCB-78	6.35	nc	5.58	6.40	5.88	5.83	5.54	6.13	5.84	6.19	5.92	5.92
PCB-79	6.42	6.54	6.17	6.36	6.15	6.51	6.24	6.50	6.43	6.62	6.21	6.37
PCB-80	6.48	nc	5.71	6.51	6.01	5.96	5.67	6.26	5.96	6.30	6.04	6.05
PCB-81	6.36	6.59	6.35	6.43	6.59	6.54	6.29	6.60	6.65	6.59	6.49	6.51
PCB-82	6.2	6.43	6.16	6.35	6.20	6.57	6.25	6.46	6.40	6.49	6.27	6.36
PCB-83	6.26	6.32	6.01	6.18	6.04	6.34	6.04	6.28	6.19	6.30	6.01	6.17
PCB-84	6.04	6.31	6.05	6.24	6.04	6.43	6.10	6.31	6.21	6.34	6.06	6.21
PCB-85	6.3	6.41	6.09	6.26	6.16	6.48	6.18	6.42	6.34	6.43	6.17	6.29
PCB-86	6.23	6.39	6.10	6.28	6.15	6.56	6.20	6.43	6.34	6.42	6.18	6.31
PCB-87	6.29	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-88	6.07	6.22	5.98	6.14	5.95	6.25	5.99	6.25	6.11	6.22	5.95	6.10
PCB-89	6.07	6.26	5.49	6.25	6.01	6.08	6.10	6.29	6.24	5.95	6.11	6.08
PCB-90	6.36	6.44	6.12	6.31	6.17	6.55	6.20	6.47	6.35	6.47	6.16	6.32
PCB-91	6.13	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-92	6.35	6.43	6.08	6.29	6.15	6.48	6.17	6.37	6.30	6.43	6.09	6.28

Table D-2.LDW-specific PCB congener K_{oc} values

PCB Congener	Log K _{ow}	Pre-Design Studies Locations Log K _{oc} values										Average
		SS-169	SS-172	SS-174	SS-175	SS-177	SS-179	SS-180	SS-184	SS-185	SS-187	
PCB-93	6.04	6.23	5.97	6.14	5.96	6.35	6.00	6.25	6.14	6.27	5.96	6.13
PCB-94	6.13	6.18	5.93	6.15	6.00	6.24	6.00	6.21	6.12	6.20	6.02	6.10
PCB-95	6.13	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-96	5.71	5.90	5.76	5.95	5.81	6.04	5.73	5.98	5.92	5.90	5.79	5.88
PCB-97	6.29	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-98	6.13	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-99	6.39	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-100	6.23	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-101	6.38	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-102	6.16	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-103	6.22	6.17	5.97	6.10	5.91	6.06	5.96	6.16	6.10	6.07	5.87	6.04
PCB-104	5.81	5.79	5.66	5.33	5.50	5.63	5.42	5.84	5.63	5.56	5.08	5.54
PCB-105	6.65	6.89	6.61	6.77	6.69	7.09	6.66	6.86	6.84	6.93	6.63	6.80
PCB-106	6.64	nc	5.89	6.50	5.73	5.61	6.00	6.39	6.19	6.49	5.97	6.09
PCB-107	6.71	6.79	6.52	6.67	6.58	6.88	6.56	6.78	6.77	6.84	6.54	6.69
PCB-108	6.71	6.84	6.55	6.70	6.60	7.04	6.58	6.82	6.77	6.88	6.56	6.73
PCB-109	6.48	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-110	6.48	6.70	6.42	6.55	6.43	6.83	6.50	6.75	6.64	6.73	6.43	6.60
PCB-111	6.76	6.58	6.19	6.46	6.40	6.28	6.41	6.65	6.51	6.41	6.34	6.42
PCB-112	6.45	nc	5.80	6.14	5.86	5.81	5.79	5.92	6.41	6.63	6.00	6.04
PCB-113	6.54	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-114	6.65	6.77	6.46	6.62	6.57	7.05	6.46	6.76	6.64	6.84	6.49	6.67
PCB-115	6.49	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc

Table D-2.LDW-specific PCB congener K_{oc} values

PCB Congener	Log K _{ow}	Pre-Design Studies Locations Log K _{oc} values										Average
		SS-169	SS-172	SS-174	SS-175	SS-177	SS-179	SS-180	SS-184	SS-185	SS-187	
PCB-116	6.33	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-117	6.46	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-118	6.74	6.89	6.60	6.73	6.65	7.02	6.64	6.82	6.80	6.88	6.56	6.76
PCB-119	6.58	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-120	6.79	6.67	6.53	6.56	6.42	6.47	6.41	6.65	6.54	6.49	6.32	6.51
PCB-121	6.64	nc	6.19	6.04	6.12	6.19	6.15	6.28	6.36	6.17	5.63	6.12
PCB-122	6.64	6.80	6.55	6.67	6.59	6.99	6.56	6.82	6.78	6.84	6.53	6.71
PCB-123	6.74	6.87	6.63	6.65	6.61	6.97	6.61	6.88	6.75	6.85	6.61	6.74
PCB-124	6.73	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-125	6.51	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-126	6.89	7.25	6.45	6.88	6.35	6.48	6.89	7.19	6.92	7.03	6.12	6.76
PCB-127	6.95	6.96	6.45	6.68	6.51	6.84	6.56	6.86	6.73	7.01	6.59	6.72
PCB-128	6.74	6.95	6.58	6.75	6.63	6.96	6.64	6.99	6.79	7.00	6.54	6.78
PCB-129	6.73	6.80	6.45	6.59	6.48	6.81	6.53	6.89	6.69	6.91	6.39	6.65
PCB-130	6.8	6.84	6.49	6.66	6.55	6.85	6.55	6.84	6.68	6.83	6.42	6.67
PCB-131	6.58	6.65	6.38	6.53	6.39	6.83	6.38	6.67	6.52	6.69	6.34	6.54
PCB-132	6.58	6.75	6.47	6.59	6.45	6.81	6.48	6.82	6.64	6.84	6.37	6.62
PCB-133	6.86	6.75	6.42	6.56	6.47	6.68	6.45	6.77	6.55	6.68	6.29	6.56
PCB-134	6.55	6.59	6.33	6.45	6.32	6.69	6.33	6.63	6.47	6.64	6.23	6.47
PCB-135	6.64	6.65	6.35	6.46	6.35	6.64	6.33	6.68	6.49	6.71	6.18	6.48
PCB-136	6.22	6.36	6.14	6.26	6.08	6.43	6.14	6.42	6.28	6.47	6.01	6.26
PCB-137	6.83	6.79	6.40	6.61	6.55	6.93	6.59	6.88	6.67	6.88	6.51	6.68
PCB-138	6.83	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc

Table D-2.LDW-specific PCB congener K_{oc} values

PCB Congener	Log K _{ow}	Pre-Design Studies Locations Log K _{oc} values										Average
		SS-169	SS-172	SS-174	SS-175	SS-177	SS-179	SS-180	SS-184	SS-185	SS-187	
PCB-139	6.67	6.62	6.32	6.46	6.37	6.68	6.33	6.64	6.48	6.61	6.29	6.48
PCB-140	6.67	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-141	6.82	6.88	6.54	6.68	6.52	6.91	6.58	6.90	6.71	7.00	6.40	6.71
PCB-142	6.51	nc	6.34	6.07	5.88	6.18	5.65	6.24	6.09	6.39	5.82	
PCB-143	6.6	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-144	6.67	6.69	6.38	6.52	6.38	6.76	6.41	6.72	6.58	6.80	6.25	6.55
PCB-145	6.25	6.29	6.03	6.24	6.03	6.42	6.06	6.33	6.19	6.29	5.99	6.18
PCB-146	6.89	6.82	6.48	6.64	6.56	6.77	6.49	6.84	6.58	6.74	6.30	6.62
PCB-147	6.64	6.71	6.37	6.53	6.40	6.71	6.42	6.81	6.59	6.79	6.28	6.56
PCB-148	6.73	6.52	6.22	6.36	6.28	6.37	6.23	6.55	6.38	6.36	6.09	6.34
PCB-149	6.67	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-150	6.32	6.25	5.98	6.17	6.02	6.17	5.95	6.28	6.11	6.12	5.89	6.09
PCB-151	6.64	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-152	6.22	6.24	5.98	6.13	5.99	6.36	6.03	6.35	6.07	6.23	6.01	6.14
PCB-153	6.92	6.88	6.51	6.66	6.56	6.82	6.57	6.96	6.69	6.90	6.37	6.69
PCB-154	6.76	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-155	6.41	6.11	5.60	5.81	5.84	5.92	5.86	6.29	6.02	5.93	5.86	5.93
PCB-156	7.18	7.30	6.91	7.07	7.03	7.46	7.03	7.30	7.06	7.25	6.99	7.14
PCB-157	7.18	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-158	7.02	7.06	6.70	6.82	6.74	7.07	6.75	7.06	6.83	7.05	6.59	6.87
PCB-159	7.24	7.28	5.38	7.09	6.92	7.09	6.93	7.34	7.01	7.40	6.71	6.91
PCB-160	6.93	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-161	7.08	nc	6.88	6.60	6.43	6.72	6.19	6.78	6.53	6.81	6.28	6.58

Table D-2.LDW-specific PCB congener K_{oc} values

PCB Congener	Log K _{ow}	Pre-Design Studies Locations Log K _{oc} values										Average
		SS-169	SS-172	SS-174	SS-175	SS-177	SS-179	SS-180	SS-184	SS-185	SS-187	
PCB-162	7.24	7.30	6.77	6.92	6.96	7.17	6.98	7.32	7.01	7.04	6.89	7.04
PCB-163	6.99	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-164	7.02	7.12	6.83	6.93	6.80	7.11	6.78	7.11	6.91	7.09	6.62	6.93
PCB-165	7.05	nc	6.65	6.51	6.28	6.51	6.66	6.78	6.69	6.64	6.28	6.56
PCB-166	6.93	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-167	7.27	7.29	6.91	7.06	7.02	7.38	7.01	7.29	7.03	7.18	6.96	7.11
PCB-168	7.11	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-169	7.42	nc	7.27	7.67	7.23	6.48	7.75	7.50	7.31	7.70	7.23	7.35
PCB-170	7.27	7.32	6.96	7.07	7.01	7.27	7.05	7.47	7.13	7.45	6.96	7.17
PCB-171	7.11	7.19	6.73	6.87	6.74	7.06	6.80	7.27	6.93	7.34	6.69	6.96
PCB-172	7.33	7.38	6.92	7.06	6.96	7.25	7.06	7.46	7.02	7.41	6.89	7.14
PCB-173	7.02	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-174	7.11	7.23	6.76	6.89	6.75	7.04	6.84	7.33	6.96	7.37	6.66	6.98
PCB-175	7.17	7.11	6.63	6.79	6.68	6.93	6.73	7.18	6.84	7.23	6.58	6.87
PCB-176	6.76	6.79	6.35	6.55	6.38	6.65	6.46	6.88	6.64	7.00	6.31	6.60
PCB-177	7.08	7.09	6.71	6.88	6.79	7.03	6.82	7.25	6.91	7.18	6.65	6.93
PCB-178	7.14	7.11	6.58	6.77	6.67	6.87	6.70	7.14	6.78	7.14	6.49	6.82
PCB-179	6.73	6.78	6.34	6.52	6.37	6.60	6.40	6.85	6.61	6.96	6.23	6.57
PCB-180	7.36	7.32	6.92	7.04	7.01	7.22	7.01	7.44	7.07	7.39	6.90	7.13
PCB-181	7.11	7.17	6.67	6.85	6.75	7.19	6.77	7.21	6.88	7.20	6.84	6.95
PCB-182	7.2	7.12	4.68	5.29	6.68	4.89	6.74	7.13	6.81	7.01	6.64	6.30
PCB-183	7.2	7.21	6.71	6.87	6.76	7.04	6.79	7.26	6.90	7.34	6.65	6.95
PCB-184	6.85	6.73	6.20	6.51	6.39	6.57	6.37	5.53	6.44	6.63	6.33	6.37

Table D-2.LDW-specific PCB congener K_{oc} values

PCB Congener	Log K _{ow}	Pre-Design Studies Locations Log K _{oc} values										Average
		SS-169	SS-172	SS-174	SS-175	SS-177	SS-179	SS-180	SS-184	SS-185	SS-187	
PCB-185	7.11	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-186	6.69	nc	6.22	6.62	6.12	6.02	6.03	6.42	6.55	6.35	6.19	6.28
PCB-187	7.17	7.16	6.66	6.81	6.75	6.94	6.63	7.18	6.71	7.08	6.43	6.84
PCB-188	6.82	6.68	6.11	6.42	6.31	6.49	6.28	6.71	6.45	6.52	6.23	6.42
PCB-189	7.71	7.76	7.42	7.43	7.50	7.79	7.51	7.93	7.41	7.71	7.39	7.58
PCB-190	7.46	7.51	7.21	7.22	7.21	7.50	7.17	7.61	7.23	7.55	7.20	7.34
PCB-191	7.55	7.59	7.21	7.30	7.23	7.54	7.25	7.68	7.19	7.55	7.13	7.37
PCB-192	7.52	7.30	7.13	7.47	7.04	6.94	6.88	7.26	7.12	6.88	6.88	7.09
PCB-193	7.52	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-194	7.8	7.82	7.46	7.52	7.61	7.86	7.64	8.12	7.54	7.77	7.52	7.69
PCB-195	7.56	7.59	7.26	7.35	7.35	7.63	7.34	7.82	7.41	7.65	7.30	7.47
PCB-196	7.65	7.65	7.37	7.43	7.40	7.69	7.44	7.88	7.44	7.62	7.33	7.53
PCB-197	7.3	7.37	7.01	7.12	7.03	7.28	7.02	7.47	7.10	7.36	6.88	7.16
PCB-198	7.62	7.64	7.31	7.41	7.36	7.61	7.35	7.80	7.40	7.54	7.38	7.48
PCB-199	7.2	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-200	7.27	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc
PCB-201	7.62	7.75	7.25	7.34	7.32	7.58	7.42	7.84	7.35	7.55	7.18	7.46
PCB-202	7.24	7.17	6.73	6.92	6.85	7.07	6.85	7.31	6.98	7.16	6.77	6.98
PCB-203	7.65	7.66	7.37	7.43	7.44	7.71	7.50	7.93	7.44	7.58	7.39	7.54
PCB-204	7.3	7.58	6.46	7.02	6.84	7.23	7.34	7.77	6.96	7.46	6.88	7.15
PCB-205	8	8.11	7.76	7.75	7.85	8.08	7.85	8.33	7.66	7.89	7.66	7.89
PCB-206	8.09	8.38	8.19	8.04	8.12	8.16	8.16	8.62	7.86	7.95	7.93	8.14
PCB-207	7.74	8.00	7.72	7.72	7.72	7.85	7.77	8.27	7.71	7.84	7.67	7.83

Table D-2.LDW-specific PCB congener K_{oc} values

PCB Congener	Log K _{ow}	Pre-Design Studies Locations Log K _{oc} values										Average
		SS-169	SS-172	SS-174	SS-175	SS-177	SS-179	SS-180	SS-184	SS-185	SS-187	
PCB-208	7.71	8.00	7.84	7.63	7.71	7.87	7.70	8.17	7.60	7.66	7.58	7.78
PCB-209	8.18	8.87	8.91	8.42	8.77	8.76	8.66	8.82	8.24	8.17	8.28	8.59

Notes: Calculation of LDW-specific K_{oc} values discussed in Section 6.2.3 of the report.

K_{oc} values were not calculated if either the porewater or sediment concentration of the PCB congener was not detected.

LDW – Lower Duwamish waterway

PCB – polychlorinated biphenyl

nc – not calculated

K_{ow} – octanol-water partition coefficient

K_{oc} – organic carbon-water partition coefficient

Table D-3. Dioxin/furan congener partition coefficients and TEFs

Dioxin/Furan Congener	log K _{oc} ^a	TEF ^b
2,3,7,8-TCDD	6.81	1
1,2,3,7,8-PeCDD	7.18	1
1,2,3,4,7,8-HxCDD	8.2	0.1
1,2,3,6,7,8-HxCDD	8.53	0.1
1,2,3,7,8,9-HxCDD	8.59	0.1
1,2,3,4,6,7,8-HpCDD	9.89	0.01
OCDD	10.9	0.0003
2,3,7,8-TCDF	6.87	0.1
1,2,3,7,8-PeCDF	7.28	0.03
2,3,4,7,8-PeCDF	7.38	0.3
1,2,3,4,7,8-HxCDF	7.97	0.1
1,2,3,6,7,8-HxCDF	8.16	0.1
1,2,3,7,8,9-HxCDF	6.97	0.1
2,3,4,6,7,8-HxCDF	8.04	0.1
1,2,3,4,6,7,8-HpCDF	9.37	0.01
1,2,3,4,7,8,9-HpCDF	8.74	0.01
OCDF	10.3	0.0003

^a Lambert et al. (2011).

^b Van den Berg et al. (2006).

HpCDD – heptachlorodibenzo-*p*-dioxin

HpCDF – heptachlorodibenzofuran

HxCDD – hexachlorodibenzo-*p*-dioxin

HxCDF – hexachlorodibenzofuran

K_{oc} – organic carbon-water partition coefficient

OCDD – octachlorodibenzo-*p*-dioxin

OCDF – octachlorodibenzofuran

PeCDD – pentachlorodibenzo-*p*-dioxin

PeCDF – pentachlorodibenzofuran

TCDD – tetrachlorodibenzo-*p*-dioxin

TCDF – tetrachlorodibenzofuran

TEF – toxic equivalency factor

Table D-4. TOC concentrations for sediment samples used for modelling dioxin/furan porewater concentrations

Sample	TOC (% dw)
LDW18-SS-Comp01	1.94 J
LDW18-SS-Comp02	1.94 J
LDW18-SS-Comp03	1.67 J
LDW18-SS-Comp04	2.93 J
LDW18-SS-Comp05	1.47 J
LDW18-SS-Comp06	1.88 J
LDW18-SS-Comp07	2.26 J
LDW18-SS-Comp08	1.89 J
LDW18-SS-Comp09	1.95 J
LDW18-SS-Comp10	2.13 J
LDW18-SS-Comp11	1.90 J
LDW18-SS-Comp12	2.08 J
LDW18-SS-Comp13	1.49 J
LDW18-SS-Comp14	1.34 J
LDW18-SS-Comp15	2.10 J
LDW18-SS-Comp16	1.60 J
LDW18-SS-Comp17	1.85 J
LDW18-SS-Comp18	1.31 J
LDW18-SS-Comp19	1.74 J
LDW18-SS-Comp20	1.14 J
LDW18-SS-Comp21	2.35 J
LDW18-SS-Comp22	1.53 J
LDW18-SS-Comp23	1.35 J
LDW18-SS-Comp24	1.34 J
LDW18-SSOT-2100A-1	1.56 J
LDW18-SSOT-2100A-2	2.56 J
LDW18-SSOT-2507	2.07
LDW18-SSOT-CleanScapesB	2.12 J
LDW18-SSOT-SeattleDistCtr	2.06 J
LDW18-SSOT-T107Park	1.56 J
LDW18-SSOT-T107Park-FD	1.47 J

Note: Calculation of modelled dioxin/furan porewater concentrations discussed in Section 6.2.4 of the report.

dw – dry weight

TOC – total organic carbon

J – estimated concentration

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp01	1,2,3,4,6,7,8-HpCDD	249	1.65E-03
LDW18-SS-Comp01	1,2,3,4,6,7,8-HpCDF	51.1	1.12E-03
LDW18-SS-Comp01	1,2,3,4,7,8,9-HpCDF	4.45	4.17E-04
LDW18-SS-Comp01	1,2,3,4,7,8-HxCDD	1.91	6.21E-04
LDW18-SS-Comp01	1,2,3,4,7,8-HxCDF	8.5	4.69E-03
LDW18-SS-Comp01	1,2,3,6,7,8-HxCDD	8.75	1.33E-03
LDW18-SS-Comp01	1,2,3,6,7,8-HxCDF	2.28	8.13E-04
LDW18-SS-Comp01	1,2,3,7,8,9-HxCDD	4.63	6.13E-04
LDW18-SS-Comp01	1,2,3,7,8,9-HxCDF	0.077 UJ EMPC	4.25E-04
LDW18-SS-Comp01	1,2,3,7,8-PeCDD	1.26	4.29E-03
LDW18-SS-Comp01	1,2,3,7,8-PeCDF	0.898 J	2.43E-03
LDW18-SS-Comp01	2,3,4,6,7,8-HxCDF	1.36	6.39E-04
LDW18-SS-Comp01	2,3,4,7,8-PeCDF	1.67	3.59E-03
LDW18-SS-Comp01	2,3,7,8-TCDD	0.312	2.49E-03
LDW18-SS-Comp01	2,3,7,8-TCDF	0.871	6.06E-03
LDW18-SS-Comp01	OCDD	2180	1.41E-03
LDW18-SS-Comp01	OCDF	151	3.90E-04
LDW18-SS-Comp01	dioxin/furan TEQ - mammal (half DL)	8.68 J	na
LDW18-SS-Comp02	1,2,3,4,6,7,8-HpCDD	374	2.48E-03
LDW18-SS-Comp02	1,2,3,4,6,7,8-HpCDF	57.1	1.26E-03
LDW18-SS-Comp02	1,2,3,4,7,8,9-HpCDF	4.13	3.87E-04
LDW18-SS-Comp02	1,2,3,4,7,8-HxCDD	2.26	7.35E-04
LDW18-SS-Comp02	1,2,3,4,7,8-HxCDF	6.92	3.82E-03
LDW18-SS-Comp02	1,2,3,6,7,8-HxCDD	10.4	1.58E-03
LDW18-SS-Comp02	1,2,3,6,7,8-HxCDF	2.26	8.06E-04
LDW18-SS-Comp02	1,2,3,7,8,9-HxCDD	4.87	6.45E-04
LDW18-SS-Comp02	1,2,3,7,8,9-HxCDF	0.142 J	7.84E-04
LDW18-SS-Comp02	1,2,3,7,8-PeCDD	1.31	4.46E-03
LDW18-SS-Comp02	1,2,3,7,8-PeCDF	0.91 J	2.46E-03
LDW18-SS-Comp02	2,3,4,6,7,8-HxCDF	1.58	7.43E-04
LDW18-SS-Comp02	2,3,4,7,8-PeCDF	1.88	4.04E-03
LDW18-SS-Comp02	2,3,7,8-TCDD	0.367	2.93E-03

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp02	2,3,7,8-TCDF	1.08	7.51E-03
LDW18-SS-Comp02	Dioxin/furan TEQ - mammal (half DL)	10.5 J	na
LDW18-SS-Comp02	OCDD	2930	1.90E-03
LDW18-SS-Comp02	OCDF	185	4.78E-04
LDW18-SS-Comp03	1,2,3,4,6,7,8-HpCDD	533	4.11E-03
LDW18-SS-Comp03	1,2,3,4,6,7,8-HpCDF	56.5	1.44E-03
LDW18-SS-Comp03	1,2,3,4,7,8,9-HpCDF	4.65	5.07E-04
LDW18-SS-Comp03	1,2,3,4,7,8-HxCDD	2.14	8.09E-04
LDW18-SS-Comp03	1,2,3,4,7,8-HxCDF	6.83	4.38E-03
LDW18-SS-Comp03	1,2,3,6,7,8-HxCDD	11.2	1.98E-03
LDW18-SS-Comp03	1,2,3,6,7,8-HxCDF	2.24	9.28E-04
LDW18-SS-Comp03	1,2,3,7,8,9-HxCDD	5.47	8.42E-04
LDW18-SS-Comp03	1,2,3,7,8,9-HxCDF	0.0795 UJ EMPC	5.10E-04
LDW18-SS-Comp03	1,2,3,7,8-PeCDD	1.5	5.93E-03
LDW18-SS-Comp03	1,2,3,7,8-PeCDF	0.944	2.97E-03
LDW18-SS-Comp03	2,3,4,6,7,8-HxCDF	1.88	1.03E-03
LDW18-SS-Comp03	2,3,4,7,8-PeCDF	2.03	5.07E-03
LDW18-SS-Comp03	2,3,7,8-TCDD	0.47	4.36E-03
LDW18-SS-Comp03	2,3,7,8-TCDF	1.17	9.45E-03
LDW18-SS-Comp03	Dioxin/furan TEQ - mammal (half DL)	13.2	na
LDW18-SS-Comp03	OCDD	5090	3.84E-03
LDW18-SS-Comp03	OCDF	173	5.19E-04
LDW18-SS-Comp04	1,2,3,4,6,7,8-HpCDD	355	1.56E-03
LDW18-SS-Comp04	1,2,3,4,6,7,8-HpCDF	89.5	1.30E-03
LDW18-SS-Comp04	1,2,3,4,7,8,9-HpCDF	7.39	4.59E-04
LDW18-SS-Comp04	1,2,3,4,7,8-HxCDD	2.95	6.35E-04
LDW18-SS-Comp04	1,2,3,4,7,8-HxCDF	11.2	4.10E-03
LDW18-SS-Comp04	1,2,3,6,7,8-HxCDD	12.7	1.28E-03
LDW18-SS-Comp04	1,2,3,6,7,8-HxCDF	3.73	8.81E-04
LDW18-SS-Comp04	1,2,3,7,8,9-HxCDD	6.69	5.87E-04
LDW18-SS-Comp04	1,2,3,7,8,9-HxCDF	0.113 UJ EMPC	4.13E-04
LDW18-SS-Comp04	1,2,3,7,8-PeCDD	1.94	4.37E-03

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp04	1,2,3,7,8-PeCDF	1.8	3.22E-03
LDW18-SS-Comp04	2,3,4,6,7,8-HxCDF	2.71	8.44E-04
LDW18-SS-Comp04	2,3,4,7,8-PeCDF	3.9	5.55E-03
LDW18-SS-Comp04	2,3,7,8-TCDD	0.53	2.80E-03
LDW18-SS-Comp04	2,3,7,8-TCDF	1.93	8.89E-03
LDW18-SS-Comp04	Dioxin/furan TEQ - mammal (half DL)	13.5	na
LDW18-SS-Comp04	OCDD	3180	1.37E-03
LDW18-SS-Comp04	OCDF	264	4.52E-04
LDW18-SS-Comp05	1,2,3,4,6,7,8-HpCDD	214	1.88E-03
LDW18-SS-Comp05	1,2,3,4,6,7,8-HpCDF	47.6	1.38E-03
LDW18-SS-Comp05	1,2,3,4,7,8,9-HpCDF	3.6	4.46E-04
LDW18-SS-Comp05	1,2,3,4,7,8-HxCDD	1.69	7.25E-04
LDW18-SS-Comp05	1,2,3,4,7,8-HxCDF	5.38	3.92E-03
LDW18-SS-Comp05	1,2,3,6,7,8-HxCDD	7.04	1.41E-03
LDW18-SS-Comp05	1,2,3,6,7,8-HxCDF	1.86	8.75E-04
LDW18-SS-Comp05	1,2,3,7,8,9-HxCDD	3.44	6.02E-04
LDW18-SS-Comp05	1,2,3,7,8,9-HxCDF	0.101 J	7.36E-04
LDW18-SS-Comp05	1,2,3,7,8-PeCDD	0.953	4.28E-03
LDW18-SS-Comp05	1,2,3,7,8-PeCDF	0.666 J	2.38E-03
LDW18-SS-Comp05	2,3,4,6,7,8-HxCDF	1.25	7.76E-04
LDW18-SS-Comp05	2,3,4,7,8-PeCDF	1.5	4.25E-03
LDW18-SS-Comp05	2,3,7,8-TCDD	0.139 U EMPC	1.46E-03
LDW18-SS-Comp05	2,3,7,8-TCDF	0.8	7.34E-03
LDW18-SS-Comp05	Dioxin/furan TEQ - mammal (half DL)	7.45 J	na
LDW18-SS-Comp05	OCDD	3410	2.92E-03
LDW18-SS-Comp05	OCDF	186	6.34E-04
LDW18-SS-Comp06	1,2,3,4,6,7,8-HpCDD	645	4.42E-03
LDW18-SS-Comp06	1,2,3,4,6,7,8-HpCDF	208	4.72E-03
LDW18-SS-Comp06	1,2,3,4,7,8,9-HpCDF	26	2.52E-03
LDW18-SS-Comp06	1,2,3,4,7,8-HxCDD	2.91	9.77E-04
LDW18-SS-Comp06	1,2,3,4,7,8-HxCDF	38.3	2.18E-02
LDW18-SS-Comp06	1,2,3,6,7,8-HxCDD	17.6	2.76E-03

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp06	1,2,3,6,7,8-HxCDF	7.35	2.70E-03
LDW18-SS-Comp06	1,2,3,7,8,9-HxCDD	6.86	9.38E-04
LDW18-SS-Comp06	1,2,3,7,8,9-HxCDF	0.675 J	3.85E-03
LDW18-SS-Comp06	1,2,3,7,8-PeCDD	1.81	6.36E-03
LDW18-SS-Comp06	1,2,3,7,8-PeCDF	1.96	5.47E-03
LDW18-SS-Comp06	2,3,4,6,7,8-HxCDF	3.23	1.57E-03
LDW18-SS-Comp06	2,3,4,7,8-PeCDF	5.11	1.13E-02
LDW18-SS-Comp06	2,3,7,8-TCDD	0.581	4.79E-03
LDW18-SS-Comp06	2,3,7,8-TCDF	1.54	1.11E-02
LDW18-SS-Comp06	Dioxin/furan TEQ - mammal (half DL)	22.5 J	na
LDW18-SS-Comp06	OCDD	5370	3.60E-03
LDW18-SS-Comp06	OCDF	907	2.42E-03
LDW18-SS-Comp07	1,2,3,4,6,7,8-HpCDD	198	1.13E-03
LDW18-SS-Comp07	1,2,3,4,6,7,8-HpCDF	52.5	9.91E-04
LDW18-SS-Comp07	1,2,3,4,7,8,9-HpCDF	5.76	4.64E-04
LDW18-SS-Comp07	1,2,3,4,7,8-HxCDD	1.65	4.61E-04
LDW18-SS-Comp07	1,2,3,4,7,8-HxCDF	7.98	3.78E-03
LDW18-SS-Comp07	1,2,3,6,7,8-HxCDD	7.22	9.43E-04
LDW18-SS-Comp07	1,2,3,6,7,8-HxCDF	2.25	6.89E-04
LDW18-SS-Comp07	1,2,3,7,8,9-HxCDD	3.65	4.15E-04
LDW18-SS-Comp07	1,2,3,7,8,9-HxCDF	0.0835 UJ EMPC	3.96E-04
LDW18-SS-Comp07	1,2,3,7,8-PeCDD	1.07	3.13E-03
LDW18-SS-Comp07	1,2,3,7,8-PeCDF	0.991	2.30E-03
LDW18-SS-Comp07	2,3,4,6,7,8-HxCDF	1.33	5.37E-04
LDW18-SS-Comp07	2,3,4,7,8-PeCDF	2.03	3.74E-03
LDW18-SS-Comp07	2,3,7,8-TCDD	0.329	2.25E-03
LDW18-SS-Comp07	2,3,7,8-TCDF	1.23	7.34E-03
LDW18-SS-Comp07	Dioxin/furan TEQ - mammal (half DL)	7.7	na
LDW18-SS-Comp07	OCDD	1670	9.30E-04
LDW18-SS-Comp07	OCDF	211	4.68E-04
LDW18-SS-Comp08	1,2,3,4,6,7,8-HpCDD	343	2.34E-03
LDW18-SS-Comp08	1,2,3,4,6,7,8-HpCDF	75.7	1.71E-03

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp08	1,2,3,4,7,8,9-HpCDF	6.83	6.58E-04
LDW18-SS-Comp08	1,2,3,4,7,8-HxCDD	2.34	7.81E-04
LDW18-SS-Comp08	1,2,3,4,7,8-HxCDF	8.2	4.65E-03
LDW18-SS-Comp08	1,2,3,6,7,8-HxCDD	10.8	1.69E-03
LDW18-SS-Comp08	1,2,3,6,7,8-HxCDF	2.7	9.88E-04
LDW18-SS-Comp08	1,2,3,7,8,9-HxCDD	6.54	8.89E-04
LDW18-SS-Comp08	1,2,3,7,8,9-HxCDF	0.112 UJ EMPC	6.35E-04
LDW18-SS-Comp08	1,2,3,7,8-PeCDD	1.79	6.26E-03
LDW18-SS-Comp08	1,2,3,7,8-PeCDF	1.03	2.86E-03
LDW18-SS-Comp08	2,3,4,6,7,8-HxCDF	1.7	8.20E-04
LDW18-SS-Comp08	2,3,4,7,8-PeCDF	2.49	5.49E-03
LDW18-SS-Comp08	2,3,7,8-TCDD	0.545	4.47E-03
LDW18-SS-Comp08	2,3,7,8-TCDF	1.2	8.56E-03
LDW18-SS-Comp08	Dioxin/furan TEQ - mammal (half DL)	11.8	na
LDW18-SS-Comp08	OCDD	3090	2.06E-03
LDW18-SS-Comp08	OCDF	357	9.47E-04
LDW18-SS-Comp09	1,2,3,4,6,7,8-HpCDD	358	2.37E-03
LDW18-SS-Comp09	1,2,3,4,6,7,8-HpCDF	70.2	1.54E-03
LDW18-SS-Comp09	1,2,3,4,7,8,9-HpCDF	5.68	5.30E-04
LDW18-SS-Comp09	1,2,3,4,7,8-HxCDD	3.12	1.01E-03
LDW18-SS-Comp09	1,2,3,4,7,8-HxCDF	10.7	5.88E-03
LDW18-SS-Comp09	1,2,3,6,7,8-HxCDD	11.6	1.76E-03
LDW18-SS-Comp09	1,2,3,6,7,8-HxCDF	3.26	1.16E-03
LDW18-SS-Comp09	1,2,3,7,8,9-HxCDD	6.64	8.75E-04
LDW18-SS-Comp09	1,2,3,7,8,9-HxCDF	0.13 UJ EMPC	7.14E-04
LDW18-SS-Comp09	1,2,3,7,8-PeCDD	1.93	6.54E-03
LDW18-SS-Comp09	1,2,3,7,8-PeCDF	1.2	3.23E-03
LDW18-SS-Comp09	2,3,4,6,7,8-HxCDF	2.05	9.59E-04
LDW18-SS-Comp09	2,3,4,7,8-PeCDF	2.52	5.39E-03
LDW18-SS-Comp09	2,3,7,8-TCDD	0.549	4.36E-03
LDW18-SS-Comp09	2,3,7,8-TCDF	1.2	8.30E-03
LDW18-SS-Comp09	Dioxin/furan TEQ - mammal (half DL)	12.5	na

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp09	OCDD	3030	1.96E-03
LDW18-SS-Comp09	OCDF	258	6.63E-04
LDW18-SS-Comp10	1,2,3,4,6,7,8-HpCDD	238	1.44E-03
LDW18-SS-Comp10	1,2,3,4,6,7,8-HpCDF	54.3 J	1.09E-03
LDW18-SS-Comp10	1,2,3,4,7,8,9-HpCDF	5.69 J	4.86E-04
LDW18-SS-Comp10	1,2,3,4,7,8-HxCDD	2.03	6.01E-04
LDW18-SS-Comp10	1,2,3,4,7,8-HxCDF	9.5 J	4.78E-03
LDW18-SS-Comp10	1,2,3,6,7,8-HxCDD	8.13	1.13E-03
LDW18-SS-Comp10	1,2,3,6,7,8-HxCDF	3.66 J	1.19E-03
LDW18-SS-Comp10	1,2,3,7,8,9-HxCDD	4.31	5.20E-04
LDW18-SS-Comp10	1,2,3,7,8,9-HxCDF	0.281 J	1.41E-03
LDW18-SS-Comp10	1,2,3,7,8-PeCDD	1.51	4.68E-03
LDW18-SS-Comp10	1,2,3,7,8-PeCDF	1.42 J	3.50E-03
LDW18-SS-Comp10	2,3,4,6,7,8-HxCDF	3.85 J	1.65E-03
LDW18-SS-Comp10	2,3,4,7,8-PeCDF	3.63 J	7.10E-03
LDW18-SS-Comp10	2,3,7,8-TCDD	0.383 J	2.78E-03
LDW18-SS-Comp10	2,3,7,8-TCDF	1.13 J	7.16E-03
LDW18-SS-Comp10	Dioxin/furan TEQ - mammal (half DL)	10 J	na
LDW18-SS-Comp10	OCDD	2210	1.31E-03
LDW18-SS-Comp10	OCDF	194 J	4.56E-04
LDW18-SS-Comp11	1,2,3,4,6,7,8-HpCDD	1170	7.93E-03
LDW18-SS-Comp11	1,2,3,4,6,7,8-HpCDF	74.6	1.67E-03
LDW18-SS-Comp11	1,2,3,4,7,8,9-HpCDF	10	9.58E-04
LDW18-SS-Comp11	1,2,3,4,7,8-HxCDD	6.9	2.29E-03
LDW18-SS-Comp11	1,2,3,4,7,8-HxCDF	22.1	1.25E-02
LDW18-SS-Comp11	1,2,3,6,7,8-HxCDD	25.5	3.96E-03
LDW18-SS-Comp11	1,2,3,6,7,8-HxCDF	4.81	1.75E-03
LDW18-SS-Comp11	1,2,3,7,8,9-HxCDD	13.8	1.87E-03
LDW18-SS-Comp11	1,2,3,7,8,9-HxCDF	0.503 J	2.84E-03
LDW18-SS-Comp11	1,2,3,7,8-PeCDD	1.54 J	5.36E-03
LDW18-SS-Comp11	1,2,3,7,8-PeCDF	1.82 J	5.03E-03
LDW18-SS-Comp11	2,3,4,6,7,8-HxCDF	2.65	1.27E-03

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp11	2,3,4,7,8-PeCDF	11.5	2.52E-02
LDW18-SS-Comp11	2,3,7,8-TCDD	0.301 J	2.45E-03
LDW18-SS-Comp11	2,3,7,8-TCDF	2	1.42E-02
LDW18-SS-Comp11	Dioxin/furan TEQ - mammal (half DL)	27.7 J	na
LDW18-SS-Comp11	OCDD	6500	4.31E-03
LDW18-SS-Comp11	OCDF	270	7.12E-04
LDW18-SS-Comp12	1,2,3,4,6,7,8-HpCDD	246	1.52E-03
LDW18-SS-Comp12	1,2,3,4,6,7,8-HpCDF	54.6	1.12E-03
LDW18-SS-Comp12	1,2,3,4,7,8,9-HpCDF	5.27	4.61E-04
LDW18-SS-Comp12	1,2,3,4,7,8-HxCDD	1.92	5.82E-04
LDW18-SS-Comp12	1,2,3,4,7,8-HxCDF	7.42	3.82E-03
LDW18-SS-Comp12	1,2,3,6,7,8-HxCDD	8.07	1.15E-03
LDW18-SS-Comp12	1,2,3,6,7,8-HxCDF	2.3	7.65E-04
LDW18-SS-Comp12	1,2,3,7,8,9-HxCDD	5.14	6.35E-04
LDW18-SS-Comp12	1,2,3,7,8,9-HxCDF	0.079 UJ EMPC	4.07E-04
LDW18-SS-Comp12	1,2,3,7,8-PeCDD	1.38	4.38E-03
LDW18-SS-Comp12	1,2,3,7,8-PeCDF	0.874 J	2.21E-03
LDW18-SS-Comp12	2,3,4,6,7,8-HxCDF	1.48	6.49E-04
LDW18-SS-Comp12	2,3,4,7,8-PeCDF	1.85	3.71E-03
LDW18-SS-Comp12	2,3,7,8-TCDD	0.459	3.42E-03
LDW18-SS-Comp12	2,3,7,8-TCDF	0.918	5.95E-03
LDW18-SS-Comp12	Dioxin/furan TEQ - mammal (half DL)	8.92 J	na
LDW18-SS-Comp12	OCDD	2150	1.30E-03
LDW18-SS-Comp12	OCDF	211	5.08E-04
LDW18-SS-Comp13	1,2,3,4,6,7,8-HpCDD	334	2.89E-03
LDW18-SS-Comp13	1,2,3,4,6,7,8-HpCDF	45.7	1.31E-03
LDW18-SS-Comp13	1,2,3,4,7,8,9-HpCDF	3.92	4.79E-04
LDW18-SS-Comp13	1,2,3,4,7,8-HxCDD	2.94	1.24E-03
LDW18-SS-Comp13	1,2,3,4,7,8-HxCDF	5.73	4.12E-03
LDW18-SS-Comp13	1,2,3,6,7,8-HxCDD	11.2	2.22E-03
LDW18-SS-Comp13	1,2,3,6,7,8-HxCDF	2	9.29E-04
LDW18-SS-Comp13	1,2,3,7,8,9-HxCDD	6.94	1.20E-03

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp13	1,2,3,7,8,9-HxCDF	0.093 UJ EMPC	6.69E-04
LDW18-SS-Comp13	1,2,3,7,8-PeCDD	1.66	7.36E-03
LDW18-SS-Comp13	1,2,3,7,8-PeCDF	1.06	3.73E-03
LDW18-SS-Comp13	2,3,4,6,7,8-HxCDF	1.46	8.94E-04
LDW18-SS-Comp13	2,3,4,7,8-PeCDF	1.76	4.92E-03
LDW18-SS-Comp13	2,3,7,8-TCDD	0.418	4.35E-03
LDW18-SS-Comp13	2,3,7,8-TCDF	0.961	8.70E-03
LDW18-SS-Comp13	Dioxin/furan TEQ - mammal (half DL)	10.4	na
LDW18-SS-Comp13	OCDD	2500	2.11E-03
LDW18-SS-Comp13	OCDF	141	4.74E-04
LDW18-SS-Comp14	1,2,3,4,6,7,8-HpCDD	210	2.02E-03
LDW18-SS-Comp14	1,2,3,4,6,7,8-HpCDF	41.4	1.32E-03
LDW18-SS-Comp14	1,2,3,4,7,8,9-HpCDF	3.34	4.54E-04
LDW18-SS-Comp14	1,2,3,4,7,8-HxCDD	2	9.42E-04
LDW18-SS-Comp14	1,2,3,4,7,8-HxCDF	5.61	4.49E-03
LDW18-SS-Comp14	1,2,3,6,7,8-HxCDD	7.16	1.58E-03
LDW18-SS-Comp14	1,2,3,6,7,8-HxCDF	1.88	9.71E-04
LDW18-SS-Comp14	1,2,3,7,8,9-HxCDD	5.21	9.99E-04
LDW18-SS-Comp14	1,2,3,7,8,9-HxCDF	0.066 UJ EMPC	5.28E-04
LDW18-SS-Comp14	1,2,3,7,8-PeCDD	1.34	6.61E-03
LDW18-SS-Comp14	1,2,3,7,8-PeCDF	0.705 J	2.76E-03
LDW18-SS-Comp14	2,3,4,6,7,8-HxCDF	1.35	9.19E-04
LDW18-SS-Comp14	2,3,4,7,8-PeCDF	1.43	4.45E-03
LDW18-SS-Comp14	2,3,7,8-TCDD	0.418	4.83E-03
LDW18-SS-Comp14	2,3,7,8-TCDF	0.805	8.10E-03
LDW18-SS-Comp14	Dioxin/furan TEQ - mammal (half DL)	7.78 J	na
LDW18-SS-Comp14	OCDD	1890	1.78E-03
LDW18-SS-Comp14	OCDF	163	6.10E-04
LDW18-SS-Comp15	1,2,3,4,6,7,8-HpCDD	129	7.91E-04
LDW18-SS-Comp15	1,2,3,4,6,7,8-HpCDF	25.7	5.22E-04
LDW18-SS-Comp15	1,2,3,4,7,8,9-HpCDF	2.41	2.09E-04
LDW18-SS-Comp15	1,2,3,4,7,8-HxCDD	1.31	3.94E-04

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp15	1,2,3,4,7,8-HxCDF	3.83	1.95E-03
LDW18-SS-Comp15	1,2,3,6,7,8-HxCDD	4.76	6.69E-04
LDW18-SS-Comp15	1,2,3,6,7,8-HxCDF	1.3	4.28E-04
LDW18-SS-Comp15	1,2,3,7,8,9-HxCDD	2.95	3.61E-04
LDW18-SS-Comp15	1,2,3,7,8,9-HxCDF	0.118 J	6.02E-04
LDW18-SS-Comp15	1,2,3,7,8-PeCDD	0.849 J	2.67E-03
LDW18-SS-Comp15	1,2,3,7,8-PeCDF	0.437 J	1.09E-03
LDW18-SS-Comp15	2,3,4,6,7,8-HxCDF	0.813 J	3.53E-04
LDW18-SS-Comp15	2,3,4,7,8-PeCDF	0.96 J	1.91E-03
LDW18-SS-Comp15	2,3,7,8-TCDD	0.324	2.39E-03
LDW18-SS-Comp15	2,3,7,8-TCDF	0.578	3.71E-03
LDW18-SS-Comp15	Dioxin/furan TEQ - mammal (half DL)	4.98 J	na
LDW18-SS-Comp15	OCDD	1150	6.89E-04
LDW18-SS-Comp15	OCDF	81.9	1.95E-04
LDW18-SS-Comp16	1,2,3,4,6,7,8-HpCDD	130	1.05E-03
LDW18-SS-Comp16	1,2,3,4,6,7,8-HpCDF	22.8	6.08E-04
LDW18-SS-Comp16	1,2,3,4,7,8,9-HpCDF	2.31	2.63E-04
LDW18-SS-Comp16	1,2,3,4,7,8-HxCDD	1.06	4.18E-04
LDW18-SS-Comp16	1,2,3,4,7,8-HxCDF	2.57	1.72E-03
LDW18-SS-Comp16	1,2,3,6,7,8-HxCDD	4.19	7.73E-04
LDW18-SS-Comp16	1,2,3,6,7,8-HxCDF	0.965 J	4.17E-04
LDW18-SS-Comp16	1,2,3,7,8,9-HxCDD	2.62	4.21E-04
LDW18-SS-Comp16	1,2,3,7,8,9-HxCDF	0.08 J	5.36E-04
LDW18-SS-Comp16	1,2,3,7,8-PeCDD	0.343 U EMPC	1.42E-03
LDW18-SS-Comp16	1,2,3,7,8-PeCDF	0.385 J	1.26E-03
LDW18-SS-Comp16	2,3,4,6,7,8-HxCDF	0.648 J	3.69E-04
LDW18-SS-Comp16	2,3,4,7,8-PeCDF	0.715 J	1.86E-03
LDW18-SS-Comp16	2,3,7,8-TCDD	0.133 U EMPC	1.29E-03
LDW18-SS-Comp16	2,3,7,8-TCDF	0.452	3.81E-03
LDW18-SS-Comp16	Dioxin/furan TEQ - mammal (half DL)	3.88 J	na
LDW18-SS-Comp16	OCDD	1140	8.97E-04
LDW18-SS-Comp16	OCDF	90.8	2.84E-04

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp17	1,2,3,4,6,7,8-HpCDD	80.1	5.58E-04
LDW18-SS-Comp17	1,2,3,4,6,7,8-HpCDF	17.9	4.13E-04
LDW18-SS-Comp17	1,2,3,4,7,8,9-HpCDF	1.58	1.55E-04
LDW18-SS-Comp17	1,2,3,4,7,8-HxCDD	0.812 J	2.77E-04
LDW18-SS-Comp17	1,2,3,4,7,8-HxCDF	2.06	1.19E-03
LDW18-SS-Comp17	1,2,3,6,7,8-HxCDD	2.9	4.63E-04
LDW18-SS-Comp17	1,2,3,6,7,8-HxCDF	0.823 J	3.08E-04
LDW18-SS-Comp17	1,2,3,7,8,9-HxCDD	1.75	2.43E-04
LDW18-SS-Comp17	1,2,3,7,8,9-HxCDF	0.032 UJ EMPC	1.85E-04
LDW18-SS-Comp17	1,2,3,7,8-PeCDD	0.498 J	1.78E-03
LDW18-SS-Comp17	1,2,3,7,8-PeCDF	0.319 J	9.05E-04
LDW18-SS-Comp17	2,3,4,6,7,8-HxCDF	0.638 J	3.15E-04
LDW18-SS-Comp17	2,3,4,7,8-PeCDF	0.631 J	1.42E-03
LDW18-SS-Comp17	2,3,7,8-TCDD	0.229	1.92E-03
LDW18-SS-Comp17	2,3,7,8-TCDF	0.405	2.95E-03
LDW18-SS-Comp17	Dioxin/furan TEQ - mammal (half DL)	3.09 J	na
LDW18-SS-Comp17	OCDD	696	4.74E-04
LDW18-SS-Comp17	OCDF	55.2	1.50E-04
LDW18-SS-Comp18	1,2,3,4,6,7,8-HpCDD	42.7	4.20E-04
LDW18-SS-Comp18	1,2,3,4,6,7,8-HpCDF	9.07	2.95E-04
LDW18-SS-Comp18	1,2,3,4,7,8,9-HpCDF	0.784 J	1.09E-04
LDW18-SS-Comp18	1,2,3,4,7,8-HxCDD	0.524 J	2.52E-04
LDW18-SS-Comp18	1,2,3,4,7,8-HxCDF	1.28	1.05E-03
LDW18-SS-Comp18	1,2,3,6,7,8-HxCDD	1.69	3.81E-04
LDW18-SS-Comp18	1,2,3,6,7,8-HxCDF	0.449 J	2.37E-04
LDW18-SS-Comp18	1,2,3,7,8,9-HxCDD	1.08	2.12E-04
LDW18-SS-Comp18	1,2,3,7,8,9-HxCDF	0.022 UJ	1.80E-04
LDW18-SS-Comp18	1,2,3,7,8-PeCDD	0.336 J	1.69E-03
LDW18-SS-Comp18	1,2,3,7,8-PeCDF	0.104 U EMPC	4.17E-04
LDW18-SS-Comp18	2,3,4,6,7,8-HxCDF	0.351 J	2.44E-04
LDW18-SS-Comp18	2,3,4,7,8-PeCDF	0.353 J	1.12E-03
LDW18-SS-Comp18	2,3,7,8-TCDD	0.178	2.10E-03

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp18	2,3,7,8-TCDF	0.231	2.38E-03
LDW18-SS-Comp18	Dioxin/furan TEQ - mammal (half DL)	1.82 J	na
LDW18-SS-Comp18	OCDD	351	3.37E-04
LDW18-SS-Comp18	OCDF	26.3	1.01E-04
LDW18-SS-Comp19	1,2,3,4,6,7,8-HpCDD	54.6	4.04E-04
LDW18-SS-Comp19	1,2,3,4,6,7,8-HpCDF	13.5	3.31E-04
LDW18-SS-Comp19	1,2,3,4,7,8,9-HpCDF	1.19	1.24E-04
LDW18-SS-Comp19	1,2,3,4,7,8-HxCDD	0.526 J	1.91E-04
LDW18-SS-Comp19	1,2,3,4,7,8-HxCDF	1.37	8.44E-04
LDW18-SS-Comp19	1,2,3,6,7,8-HxCDD	1.9	3.22E-04
LDW18-SS-Comp19	1,2,3,6,7,8-HxCDF	0.505 J	2.01E-04
LDW18-SS-Comp19	1,2,3,7,8,9-HxCDD	1.29	1.91E-04
LDW18-SS-Comp19	1,2,3,7,8,9-HxCDF	0.0234 UJ	1.44E-04
LDW18-SS-Comp19	1,2,3,7,8-PeCDD	0.34 J	1.29E-03
LDW18-SS-Comp19	1,2,3,7,8-PeCDF	0.222 J	6.70E-04
LDW18-SS-Comp19	2,3,4,6,7,8-HxCDF	0.37 J	1.94E-04
LDW18-SS-Comp19	2,3,4,7,8-PeCDF	0.322 J	7.71E-04
LDW18-SS-Comp19	2,3,7,8-TCDD	0.0795 U EMPC	7.08E-04
LDW18-SS-Comp19	2,3,7,8-TCDF	0.114 U EMPC	8.84E-04
LDW18-SS-Comp19	Dioxin/furan TEQ - mammal (half DL)	1.97 J	na
LDW18-SS-Comp19	OCDD	419	3.03E-04
LDW18-SS-Comp19	OCDF	49.5	1.43E-04
LDW18-SS-Comp20	1,2,3,4,6,7,8-HpCDD	70.3	7.94E-04
LDW18-SS-Comp20	1,2,3,4,6,7,8-HpCDF	16.1	6.02E-04
LDW18-SS-Comp20	1,2,3,4,7,8,9-HpCDF	1.18	1.88E-04
LDW18-SS-Comp20	1,2,3,4,7,8-HxCDD	0.824 J	4.56E-04
LDW18-SS-Comp20	1,2,3,4,7,8-HxCDF	1.97	1.85E-03
LDW18-SS-Comp20	1,2,3,6,7,8-HxCDD	2.56	6.63E-04
LDW18-SS-Comp20	1,2,3,6,7,8-HxCDF	0.861 J	5.23E-04
LDW18-SS-Comp20	1,2,3,7,8,9-HxCDD	1.88	4.24E-04
LDW18-SS-Comp20	1,2,3,7,8,9-HxCDF	0.078 J	7.33E-04
LDW18-SS-Comp20	1,2,3,7,8-PeCDD	0.486 J	2.82E-03

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp20	1,2,3,7,8-PeCDF	0.447 J	2.06E-03
LDW18-SS-Comp20	2,3,4,6,7,8-HxCDF	0.296 U EMPC	2.37E-04
LDW18-SS-Comp20	2,3,4,7,8-PeCDF	0.632 J	2.31E-03
LDW18-SS-Comp20	2,3,7,8-TCDD	0.23	3.12E-03
LDW18-SS-Comp20	2,3,7,8-TCDF	0.578	6.84E-03
LDW18-SS-Comp20	Dioxin/furan TEQ - mammal (half DL)	2.91 J	na
LDW18-SS-Comp20	OCDD	655	7.23E-04
LDW18-SS-Comp20	OCDF	44.8	1.97E-04
LDW18-SS-Comp21	1,2,3,4,6,7,8-HpCDD	89.3	4.90E-04
LDW18-SS-Comp21	1,2,3,4,6,7,8-HpCDF	17.5	3.18E-04
LDW18-SS-Comp21	1,2,3,4,7,8,9-HpCDF	1.59	1.23E-04
LDW18-SS-Comp21	1,2,3,4,7,8-HxCDD	1.06	2.85E-04
LDW18-SS-Comp21	1,2,3,4,7,8-HxCDF	2.33	1.06E-03
LDW18-SS-Comp21	1,2,3,6,7,8-HxCDD	3.27	4.11E-04
LDW18-SS-Comp21	1,2,3,6,7,8-HxCDF	0.902 J	2.66E-04
LDW18-SS-Comp21	1,2,3,7,8,9-HxCDD	2.5	2.73E-04
LDW18-SS-Comp21	1,2,3,7,8,9-HxCDF	0.0315U	1.44E-04
LDW18-SS-Comp21	1,2,3,7,8-PeCDD	0.636 J	1.79E-03
LDW18-SS-Comp21	1,2,3,7,8-PeCDF	0.201 U EMPC	4.49E-04
LDW18-SS-Comp21	2,3,4,6,7,8-HxCDF	0.634 J	2.46E-04
LDW18-SS-Comp21	2,3,4,7,8-PeCDF	0.627 J	1.11E-03
LDW18-SS-Comp21	2,3,7,8-TCDD	0.459	3.03E-03
LDW18-SS-Comp21	2,3,7,8-TCDF	0.526	3.02E-03
LDW18-SS-Comp21	Dioxin/furan TEQ - mammal (half DL)	3.73 J	na
LDW18-SS-Comp21	OCDD	706	3.78E-04
LDW18-SS-Comp21	OCDF	52.5	1.12E-04
LDW18-SS-Comp22	1,2,3,4,6,7,8-HpCDD	47.3	3.98E-04
LDW18-SS-Comp22	1,2,3,4,6,7,8-HpCDF	12.6	3.51E-04
LDW18-SS-Comp22	1,2,3,4,7,8,9-HpCDF	0.824 J	9.80E-05
LDW18-SS-Comp22	1,2,3,4,7,8-HxCDD	0.865 J	3.57E-04
LDW18-SS-Comp22	1,2,3,4,7,8-HxCDF	1.04	7.28E-04
LDW18-SS-Comp22	1,2,3,6,7,8-HxCDD	2.09	4.03E-04

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp22	1,2,3,6,7,8-HxCDF	0.629 J	2.84E-04
LDW18-SS-Comp22	1,2,3,7,8,9-HxCDD	2.17	3.65E-04
LDW18-SS-Comp22	1,2,3,7,8,9-HxCDF	0.0238 U	1.67E-04
LDW18-SS-Comp22	1,2,3,7,8-PeCDD	0.324 U EMPC	1.40E-03
LDW18-SS-Comp22	1,2,3,7,8-PeCDF	0.08 U EMPC	2.74E-04
LDW18-SS-Comp22	2,3,4,6,7,8-HxCDF	0.472 J	2.81E-04
LDW18-SS-Comp22	2,3,4,7,8-PeCDF	0.29 J	7.90E-04
LDW18-SS-Comp22	2,3,7,8-TCDD	0.208 J	2.11E-03
LDW18-SS-Comp22	2,3,7,8-TCDF	0.239	2.11E-03
LDW18-SS-Comp22	Dioxin/furan TEQ - mammal (half DL)	2.13 J	na
LDW18-SS-Comp22	OCDD	451	3.71E-04
LDW18-SS-Comp22	OCDF	28.3	9.27E-05
LDW18-SS-Comp23	1,2,3,4,6,7,8-HpCDD	64.6	6.16E-04
LDW18-SS-Comp23	1,2,3,4,6,7,8-HpCDF	24.8	7.84E-04
LDW18-SS-Comp23	1,2,3,4,7,8,9-HpCDF	2.6	3.50E-04
LDW18-SS-Comp23	1,2,3,4,7,8-HxCDD	0.978	4.57E-04
LDW18-SS-Comp23	1,2,3,4,7,8-HxCDF	1.11	8.81E-04
LDW18-SS-Comp23	1,2,3,6,7,8-HxCDD	2.58	5.64E-04
LDW18-SS-Comp23	1,2,3,6,7,8-HxCDF	0.637 J	3.26E-04
LDW18-SS-Comp23	1,2,3,7,8,9-HxCDD	1.39	2.65E-04
LDW18-SS-Comp23	1,2,3,7,8,9-HxCDF	0.0585 U	4.64E-04
LDW18-SS-Comp23	1,2,3,7,8-PeCDD	0.377 J	1.85E-03
LDW18-SS-Comp23	1,2,3,7,8-PeCDF	0.161 J	6.26E-04
LDW18-SS-Comp23	2,3,4,6,7,8-HxCDF	0.399 J	2.70E-04
LDW18-SS-Comp23	2,3,4,7,8-PeCDF	0.212 J	6.55E-04
LDW18-SS-Comp23	2,3,7,8-TCDD	0.0675 U EMPC	7.74E-04
LDW18-SS-Comp23	2,3,7,8-TCDF	0.0865 U EMPC	8.64E-04
LDW18-SS-Comp23	Dioxin/furan TEQ - mammal (half DL)	2.32 J	na
LDW18-SS-Comp23	OCDD	429	4.00E-04
LDW18-SS-Comp23	OCDF	129	4.79E-04
LDW18-SS-Comp24	1,2,3,4,6,7,8-HpCDD	11.4	1.10E-04
LDW18-SS-Comp24	1,2,3,4,6,7,8-HpCDF	2.32	7.39E-05

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SS-Comp24	1,2,3,4,7,8,9-HpCDF	0.185 J	2.51E-05
LDW18-SS-Comp24	1,2,3,4,7,8-HxCDD	0.0855 U EMPC	4.03E-05
LDW18-SS-Comp24	1,2,3,4,7,8-HxCDF	0.219 J	1.75E-04
LDW18-SS-Comp24	1,2,3,6,7,8-HxCDD	0.491 J	1.08E-04
LDW18-SS-Comp24	1,2,3,6,7,8-HxCDF	0.124 J	6.40E-05
LDW18-SS-Comp24	1,2,3,7,8,9-HxCDD	0.394 J	7.56E-05
LDW18-SS-Comp24	1,2,3,7,8,9-HxCDF	0.0244	1.95E-04
LDW18-SS-Comp24	1,2,3,7,8-PeCDD	0.0765 U EMPC	3.77E-04
LDW18-SS-Comp24	1,2,3,7,8-PeCDF	0.117 J	4.58E-04
LDW18-SS-Comp24	2,3,4,6,7,8-HxCDF	0.103 J	7.01E-05
LDW18-SS-Comp24	2,3,4,7,8-PeCDF	0.0505 U EMPC	1.57E-04
LDW18-SS-Comp24	2,3,7,8-TCDD	0.05 U EMPC	5.78E-04
LDW18-SS-Comp24	2,3,7,8-TCDF	0.055 U EMPC	5.54E-04
LDW18-SS-Comp24	Dioxin/furan TEQ - mammal (half DL)	0.462 J	na
LDW18-SS-Comp24	OCDD	87.9	8.26E-05
LDW18-SS-Comp24	OCDF	4.84	1.81E-05
LDW18-SSOT-2100A-1	1,2,3,4,6,7,8-HpCDD	152	1.26E-03
LDW18-SSOT-2100A-1	1,2,3,4,6,7,8-HpCDF	17.9	4.89E-04
LDW18-SSOT-2100A-1	1,2,3,4,7,8,9-HpCDF	1.33	1.55E-04
LDW18-SSOT-2100A-1	1,2,3,4,7,8-HxCDD	3.34	1.35E-03
LDW18-SSOT-2100A-1	1,2,3,4,7,8-HxCDF	2.13	1.46E-03
LDW18-SSOT-2100A-1	1,2,3,6,7,8-HxCDD	16.4	3.10E-03
LDW18-SSOT-2100A-1	1,2,3,6,7,8-HxCDF	1.67	7.41E-04
LDW18-SSOT-2100A-1	1,2,3,7,8,9-HxCDD	25.4	4.19E-03
LDW18-SSOT-2100A-1	1,2,3,7,8,9-HxCDF	0.118 J	8.11E-04
LDW18-SSOT-2100A-1	1,2,3,7,8-PeCDD	11.7	4.96E-02
LDW18-SSOT-2100A-1	1,2,3,7,8-PeCDF	0.602 J	2.03E-03
LDW18-SSOT-2100A-1	2,3,4,6,7,8-HxCDF	0.874 J	5.11E-04
LDW18-SSOT-2100A-1	2,3,4,7,8-PeCDF	0.718 J	1.92E-03
LDW18-SSOT-2100A-1	2,3,7,8-TCDD	2.69	2.67E-02
LDW18-SSOT-2100A-1	2,3,7,8-TCDF	0.416	3.60E-03
LDW18-SSOT-2100A-1	Dioxin/furan TEQ - mammal (half DL)	21.7 J	na

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SSOT-2100A-1	OCDD	1070	8.63E-04
LDW18-SSOT-2100A-1	OCDF	35.7	1.15E-04
LDW18-SSOT-2100A-2	1,2,3,4,6,7,8-HpCDD	176	8.86E-04
LDW18-SSOT-2100A-2	1,2,3,4,6,7,8-HpCDF	18.9	3.15E-04
LDW18-SSOT-2100A-2	1,2,3,4,7,8,9-HpCDF	1.28	9.10E-05
LDW18-SSOT-2100A-2	1,2,3,4,7,8-HxCDD	2.39	5.89E-04
LDW18-SSOT-2100A-2	1,2,3,4,7,8-HxCDF	2.25	9.42E-04
LDW18-SSOT-2100A-2	1,2,3,6,7,8-HxCDD	9.48	1.09E-03
LDW18-SSOT-2100A-2	1,2,3,6,7,8-HxCDF	1.19	3.22E-04
LDW18-SSOT-2100A-2	1,2,3,7,8,9-HxCDD	9.98	1.00E-03
LDW18-SSOT-2100A-2	1,2,3,7,8,9-HxCDF	0.105 J	4.39E-04
LDW18-SSOT-2100A-2	1,2,3,7,8-PeCDD	6.12	1.58E-02
LDW18-SSOT-2100A-2	1,2,3,7,8-PeCDF	0.577 J	1.18E-03
LDW18-SSOT-2100A-2	2,3,4,6,7,8-HxCDF	0.751 J	2.68E-04
LDW18-SSOT-2100A-2	2,3,4,7,8-PeCDF	0.652 J	1.06E-03
LDW18-SSOT-2100A-2	2,3,7,8-TCDD	2.58	1.56E-02
LDW18-SSOT-2100A-2	2,3,7,8-TCDF	0.339	1.79E-03
LDW18-SSOT-2100A-2	Dioxin/furan TEQ - mammal (half DL)	14 J	na
LDW18-SSOT-2100A-2	OCDD	1490	7.33E-04
LDW18-SSOT-2100A-2	OCDF	37.1	7.26E-05
LDW18-SSOT-2507	1,2,3,4,6,7,8-HpCDD	178	1.11E-03
LDW18-SSOT-2507	1,2,3,4,6,7,8-HpCDF	27	5.56E-04
LDW18-SSOT-2507	1,2,3,4,7,8,9-HpCDF	1.88	1.65E-04
LDW18-SSOT-2507	1,2,3,4,7,8-HxCDD	2.4	7.32E-04
LDW18-SSOT-2507	1,2,3,4,7,8-HxCDF	3.81	1.97E-03
LDW18-SSOT-2507	1,2,3,6,7,8-HxCDD	7.1	1.01E-03
LDW18-SSOT-2507	1,2,3,6,7,8-HxCDF	1.7	5.68E-04
LDW18-SSOT-2507	1,2,3,7,8,9-HxCDD	5.56	6.90E-04
LDW18-SSOT-2507	1,2,3,7,8,9-HxCDF	0.154 J	7.97E-04
LDW18-SSOT-2507	1,2,3,7,8-PeCDD	1.54	4.92E-03
LDW18-SSOT-2507	1,2,3,7,8-PeCDF	0.737 J	1.87E-03
LDW18-SSOT-2507	2,3,4,6,7,8-HxCDF	1.24	5.46E-04

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SSOT-2507	2,3,4,7,8-PeCDF	1.14 J	2.30E-03
LDW18-SSOT-2507	2,3,7,8-TCDD	0.378	2.83E-03
LDW18-SSOT-2507	2,3,7,8-TCDF	1.05	6.84E-03
LDW18-SSOT-2507	Dioxin/furan TEQ - mammal (half DL)	7.22 J	na
LDW18-SSOT-2507	OCDD	1850	1.13E-03
LDW18-SSOT-2507	OCDF	53.8	1.30E-04
LDW18-SSOT-5thAveS	1,2,3,4,6,7,8-HpCDD	393	3.29E-03
LDW18-SSOT-5thAveS	1,2,3,4,6,7,8-HpCDF	63.8	1.77E-03
LDW18-SSOT-5thAveS	1,2,3,4,7,8,9-HpCDF	3.33	3.93E-04
LDW18-SSOT-5thAveS	1,2,3,4,7,8-HxCDD	8.46	3.47E-03
LDW18-SSOT-5thAveS	1,2,3,4,7,8-HxCDF	133	9.25E-02
LDW18-SSOT-5thAveS	1,2,3,6,7,8-HxCDD	44.1	8.45E-03
LDW18-SSOT-5thAveS	1,2,3,6,7,8-HxCDF	45.7	2.05E-02
LDW18-SSOT-5thAveS	1,2,3,7,8,9-HxCDD	33.8	5.64E-03
LDW18-SSOT-5thAveS	1,2,3,7,8,9-HxCDF	0.253 J	1.76E-03
LDW18-SSOT-5thAveS	1,2,3,7,8-PeCDD	20.2	8.67E-02
LDW18-SSOT-5thAveS	1,2,3,7,8-PeCDF	65.9	2.25E-01
LDW18-SSOT-5thAveS	2,3,4,6,7,8-HxCDF	20.6	1.22E-02
LDW18-SSOT-5thAveS	2,3,4,7,8-PeCDF	523	1.42E+00
LDW18-SSOT-5thAveS	2,3,7,8-TCDD	2.52	2.53E-02
LDW18-SSOT-5thAveS	2,3,7,8-TCDF	309	2.71E+00
LDW18-SSOT-5thAveS	Dioxin/furan TEQ - mammal (half DL)	247 J	na
LDW18-SSOT-5thAveS	OCDD	3080	2.52E-03
LDW18-SSOT-5thAveS	OCDF	90.4	2.94E-04
LDW18-SSOT-CleanScapesB	1,2,3,4,6,7,8-HpCDD	253	1.54E-03
LDW18-SSOT-CleanScapesB	1,2,3,4,6,7,8-HpCDF	25.1	5.05E-04
LDW18-SSOT-CleanScapesB	1,2,3,4,7,8,9-HpCDF	2.83	2.43E-04
LDW18-SSOT-CleanScapesB	1,2,3,4,7,8-HxCDD	1.66	4.94E-04
LDW18-SSOT-CleanScapesB	1,2,3,4,7,8-HxCDF	3.68	1.86E-03
LDW18-SSOT-CleanScapesB	1,2,3,6,7,8-HxCDD	5.46	7.60E-04
LDW18-SSOT-CleanScapesB	1,2,3,6,7,8-HxCDF	1.49 J	4.86E-04
LDW18-SSOT-CleanScapesB	1,2,3,7,8,9-HxCDD	3.26	3.95E-04

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SSOT-CleanScapesB	1,2,3,7,8,9-HxCDF	0.112 J	5.66E-04
LDW18-SSOT-CleanScapesB	1,2,3,7,8-PeCDD	0.84 J	2.62E-03
LDW18-SSOT-CleanScapesB	1,2,3,7,8-PeCDF	0.514 J	1.27E-03
LDW18-SSOT-CleanScapesB	2,3,4,6,7,8-HxCDF	0.434 U EMPC	1.87E-04
LDW18-SSOT-CleanScapesB	2,3,4,7,8-PeCDF	1.06	2.08E-03
LDW18-SSOT-CleanScapesB	2,3,7,8-TCDD	0.309	2.26E-03
LDW18-SSOT-CleanScapesB	2,3,7,8-TCDF	0.793	5.05E-03
LDW18-SSOT-CleanScapesB	Dioxin/furan TEQ - mammal (half DL)	6.65 J	na
LDW18-SSOT-CleanScapesB	OCDD	2150	1.28E-03
LDW18-SSOT-CleanScapesB	OCDF	84.9	2.01E-04
LDW18-SSOT-SeattleDistCtr	1,2,3,4,6,7,8-HpCDD	416 J	2.60E-03
LDW18-SSOT-SeattleDistCtr	1,2,3,4,6,7,8-HpCDF	86.4 J	1.79E-03
LDW18-SSOT-SeattleDistCtr	1,2,3,4,7,8,9-HpCDF	7.23 J	6.39E-04
LDW18-SSOT-SeattleDistCtr	1,2,3,4,7,8-HxCDD	3.84	1.18E-03
LDW18-SSOT-SeattleDistCtr	1,2,3,4,7,8-HxCDF	12 J	6.24E-03
LDW18-SSOT-SeattleDistCtr	1,2,3,6,7,8-HxCDD	13.5	1.93E-03
LDW18-SSOT-SeattleDistCtr	1,2,3,6,7,8-HxCDF	3.28 J	1.10E-03
LDW18-SSOT-SeattleDistCtr	1,2,3,7,8,9-HxCDD	7.82	9.76E-04
LDW18-SSOT-SeattleDistCtr	1,2,3,7,8,9-HxCDF	0.303 J	1.58E-03
LDW18-SSOT-SeattleDistCtr	1,2,3,7,8-PeCDD	2.27	7.28E-03
LDW18-SSOT-SeattleDistCtr	1,2,3,7,8-PeCDF	1.07 J	2.73E-03
LDW18-SSOT-SeattleDistCtr	2,3,4,6,7,8-HxCDF	1.92 J	8.50E-04
LDW18-SSOT-SeattleDistCtr	2,3,4,7,8-PeCDF	2.72 J	5.50E-03
LDW18-SSOT-SeattleDistCtr	2,3,7,8-TCDD	0.498	3.74E-03
LDW18-SSOT-SeattleDistCtr	2,3,7,8-TCDF	1.02	6.68E-03
LDW18-SSOT-SeattleDistCtr	Dioxin/furan TEQ - mammal (half DL)	14.2 J	na
LDW18-SSOT-SeattleDistCtr	OCDD	3410 J	2.08E-03
LDW18-SSOT-SeattleDistCtr	OCDF	341 J	8.30E-04
LDW18-SSOT-T107Park	1,2,3,4,6,7,8-HpCDD	197	1.63E-03
LDW18-SSOT-T107Park	1,2,3,4,6,7,8-HpCDF	113	3.09E-03
LDW18-SSOT-T107Park	1,2,3,4,7,8,9-HpCDF	3.45 J	4.02E-04
LDW18-SSOT-T107Park	1,2,3,4,7,8-HxCDD	2.28	9.22E-04

Table D-5. Sediment dioxin/furan congener concentrations and predicted porewater concentrations

Sample Name	Chemical	Sediment Concentration (ng/kg)	Porewater Concentration (pg/L)
LDW18-SSOT-T107Park	1,2,3,4,7,8-HxCDF	9.03	6.20E-03
LDW18-SSOT-T107Park	1,2,3,6,7,8-HxCDD	7.67	1.45E-03
LDW18-SSOT-T107Park	1,2,3,6,7,8-HxCDF	5.89	2.61E-03
LDW18-SSOT-T107Park	1,2,3,7,8,9-HxCDD	4.47	7.37E-04
LDW18-SSOT-T107Park	1,2,3,7,8,9-HxCDF	0.468 J	3.21E-03
LDW18-SSOT-T107Park	1,2,3,7,8-PeCDD	2.37	1.00E-02
LDW18-SSOT-T107Park	1,2,3,7,8-PeCDF	3.5 J	1.18E-02
LDW18-SSOT-T107Park	2,3,4,6,7,8-HxCDF	5.13	3.00E-03
LDW18-SSOT-T107Park	2,3,4,7,8-PeCDF	6.74	1.80E-02
LDW18-SSOT-T107Park	2,3,7,8-TCDD	0.965	9.58E-03
LDW18-SSOT-T107Park	2,3,7,8-TCDF	7.04	6.09E-02
LDW18-SSOT-T107Park	Dioxin/furan TEQ - mammal (half DL)	13.4 J	na
LDW18-SSOT-T107Park	OCDD	1800	1.45E-03
LDW18-SSOT-T107Park	OCDF	174	5.59E-04
LDW18-SSOT-T107Park-FD	1,2,3,4,6,7,8-HpCDD	407	3.57E-03
LDW18-SSOT-T107Park-FD	1,2,3,4,6,7,8-HpCDF	120	3.48E-03
LDW18-SSOT-T107Park-FD	1,2,3,4,7,8,9-HpCDF	6.54 J	8.10E-04
LDW18-SSOT-T107Park-FD	1,2,3,4,7,8-HxCDD	2.7	1.16E-03
LDW18-SSOT-T107Park-FD	1,2,3,4,7,8-HxCDF	7.05	5.14E-03
LDW18-SSOT-T107Park-FD	1,2,3,6,7,8-HxCDD	15.1	3.03E-03
LDW18-SSOT-T107Park-FD	1,2,3,6,7,8-HxCDF	4.15	1.95E-03
LDW18-SSOT-T107Park-FD	1,2,3,7,8,9-HxCDD	5.19	9.08E-04
LDW18-SSOT-T107Park-FD	1,2,3,7,8,9-HxCDF	0.146 U EMPC	1.06E-03
LDW18-SSOT-T107Park-FD	1,2,3,7,8-PeCDD	2.29	1.03E-02
LDW18-SSOT-T107Park-FD	1,2,3,7,8-PeCDF	3.22	1.15E-02
LDW18-SSOT-T107Park-FD	2,3,4,6,7,8-HxCDF	3.71	2.30E-03
LDW18-SSOT-T107Park-FD	2,3,4,7,8-PeCDF	5.21	1.48E-02
LDW18-SSOT-T107Park-FD	2,3,7,8-TCDD	0.85	8.96E-03
LDW18-SSOT-T107Park-FD	2,3,7,8-TCDF	6.29	5.77E-02
LDW18-SSOT-T107Park-FD	Dioxin/furan TEQ - mammal (half DL)	15.9 J	na
LDW18-SSOT-T107Park-FD	OCDD	3730	3.19E-03
LDW18-SSOT-T107Park-FD	OCDF	644	2.20E-03

DL – detection limit	OCDF – octachlorodibenzofuran
EMPC – estimated maximum possible concentration	PeCDD – pentachlorodibenzo- <i>p</i> -dioxin
HpCDD – heptachlorodibenzo- <i>p</i> -dioxin	PeCDF – pentachlorodibenzofuran
HpCDF – heptachlorodibenzofuran	TCDD – tetrachlorodibenzo- <i>p</i> -dioxin
HxCDD – hexachlorodibenzo- <i>p</i> -dioxin	TCDF – tetrachlorodibenzofuran
HxCDF – hexachlorodibenzofuran	U – not detected at given concentration
J – estimated concentration	UJ – not detected at given concentration; estimated concentration
na – not applicable	
OCDD – octachlorodibenzo- <i>p</i> -dioxin	

References

- Hansen BG, Paya-Perez AB, Rahman M, Larsen BR. 1999. QSARs for Kow and Koc of PCB congeners: a critical examination of data, assumptions and statistical approaches. *Chemosphere* 39(13):2209-2228.
- Hawker DW, Connell DW. 1988. Octanol-water partition coefficients of polychlorinated biphenyl congeners. *Environ Sci Technol* 22:382-387.
- Koelmans AA, Jonker MTO, Cornelissen G, Buchelli TD, Van Noort PCM, Gustafsson O. 2006. Black carbon: the reverse of its dark side. *Chemosphere* 63:365-377.
- Lambert MK, Friedman CL, Luey P, Lohmann R. 2011. Role of black carbon in the sorption of polychlorinated dibenzo-*p*-dioxins and dibenzofurans at the Diamond Alkali Superfund site, Newark Bay, New Jersey. *Environ Sci Tech* 45:4331-4338.
- Van den Berg M, Birnbaum LS, Denison M, De Vito M, Farland W, Feeley M, Fiedler H, Hakansson H, Hanberg A, Haws L, Rose M, Safe S, Schrenk D, Tohyama C, Tritscher A, Tuomisto J, Tysklind M, Walker N, Peterson RE. 2006. The 2005 World Health Organization reevaluation of human and mammalian toxic equivalency factors for dioxins and dioxin-like compounds. *Toxicol Sci* 93(2):223-241.